

SAFETY DATA SHEET

 Issue Date
 26-Sept-2014
 Revision Date
 21-Oct-2015
 Version
 2

1. IDENTIFICATION

Product Identifier

Product Name ALGINOUT POWDER

Other means of identification

 SDS#
 011

 UN/ID No
 UN3262

 Product Code
 3430

Recommended use of the chemical and restrictions on use

Recommended Use Dental instrument cleaner

Details of the supplier of the safety data sheet

Supplier Address Lang Dental Mfg. Co., Inc.

175 Messner Dr. Wheeling, IL 60090

USA

Emergency telephone number

Company Phone Number 847-215-6622

Emergency Telephone (INFOTRAC) 352-323-3500 (International)

800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity – Oral	Category 4
Skin corrosion / irritation	Category 1 Sub-category B
Serious eye damage / eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Signal word

Danger

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.



Appearance White granules Physical state Powder Odor None

Precautionary Statements - Prevention

P264 Wash face, hands and any exposed skin thoroughly after handling.

Alginout Powder 011 v.2 Page 1 of 6

P270 Do not eat, drink or smoke when using this product.

P260 Do not breathe dust, fumes, gas, mist, vapors or spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P271 Use only outdoors or in a well-ventilated area.

Precautionary Statements – Response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P301+P330+P331 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

P310 Immediately call a POISON CENTER or doctor/physician.

Precautionary Statements - Storage

P403 Store in a well-ventilated place.

P233 Keep container tightly closed.

Precautionary Statements - Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) Not applicable

Other Information Not applicable

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight - %	Trade Secret
Sodium metasilicate	6834-92-0	<35	*
Sodium carbonate	497-19-8	<35	*
Sodium citrate	68-04-2	>30	*

^{*}Specific chemical weight has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Inhalation Remove victim to fresh air and keep at res in a position comfortable for breathing. If not breathing, give

artificial respiration. Get medical attention immediately.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Seek immediate medical attention/advice.

Ingestion Do NOT induce vomiting. Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Never give

anything by mouth to an unconscious person. Call a physician or poison control center immediately.

Skin Contact Remove all contaminated clothing immediately. Shower or rinse skin with soap and water. Wash

contaminated clothing before reuse.

Most important symptoms and effects, both acute and delayed

Symptoms Causes skin and eye irritation. May cause coughing, chest tightness, chest pain, runny nose or burning throat.

May cause drowsiness or dizziness. May cause burns to the mouth, esophagus or stomach. Swallowing large

quantities may cause gastrointestinal tract irritation, nausea, vomiting or diarrhea.

Indication of any immediate medical attention and special treatment needed

Note to physicians Provide general supportive measures and treat symptomatically.

Alginout Powder 011 v.2 Page 2 of 6

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment..

Unsuitable: Water spray

Specific hazards arising from the chemical

No information available

Hazardous Combustion Products: Not applicable

Protective equipment and precautions for firefighters

Self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent), full protective gear, chemical goggles, body-covering protective clothing, chemical resistant gloves and rubber boots.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8.

For emergency responders Keep unnecessary people away. Isolate hazard area and deny entry.

Methods and material for containment and clean-up

Method for containment Prevent further leakage or spillage if safe to do so.

Method for clean-up Carefully sweep, scoop or vacuum and place in suitable container. Avoid generating dust. If

possible, complete clean-up on a dry basis. Flush residual spill with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Use personal protective

protection recommended in Section 8. Do not breathe dust. Do not eat, drink or smoke when using this product. Wash face, hands and any exposed skin thoroughly after handling. Use only with adequate ventilation. Empty container retains product residue. Observe all labeled safeguards until

container is cleaned, reconditioned or destroyed.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Not following storage

conditions could affect the product's performance. Store locked up.

Packaging materials Keep in original container.

Incompatible materials Acids, aluminum, fluorine, molten lithium

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure guidelines

Appropriate engineering controls Provide natural or mechanical ventilation to control exposure levels below airborne exposure limits.

Local mechanical exhaust ventilation is preferred at sources of air contamination such as open

process equipment.

Alginout Powder 011 v.2 Page 3 of 6

Individual protection measures, such as personal protective equipment

Eye / face protection Use chemical safety goggles and/or full-face shielding where dusting is possible..

Skin and body protection Body-covering protective clothing and gloves are recommended. Wash hands and contaminated

skin thoroughly after handling.

Respiratory protection Avoid breathing dust. Use NIOSH / MSHA approved respiratory protection equipment when

airborne exposure limits are exceeded.

Handle in accordance with good industrial hygiene and safety practice. General hygiene considerations

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Powder Odor None

Appearance Granules Odor threshold Not determined

Color White

Property Values Remarks / Method

>12.5 рΗ Melting point / freezing point Not determined Boiling point / boiling range Not determined

Not combustible Flash point **Evaporation rate** Not determined Flammability (solid, gas) Not determined

Flammability limits in air

Upper flammability limit Not determined Lower flammability limit Not determined Vapor pressure Not determined Vapor density Not determined Specific gravity Not determined Water solubility Soluble in water Solubility in other solvents Not determined Not determined Partition coefficient Autoignition temperature Not determined **Decomposition temperature** Not determined Kinematic viscosity Not determined Dynamic viscosity Not determined **Explosive properties** Not determined Oxidizing properties Not determined

10. STABILITY AND REACTIVITY

Reactivity Sodium metasilicate: Generates heat when mixed with acid. May react with ammonium salt solutions resulting in

evolution of ammonia gas. Flammable hydrogen gas may be produced on contact with aluminum, tin, lead and zinc.

Carbon monoxide gas may be produced on contact with reducing sugars.

Chemical stability Stable under recommended storage conditions

Possibility of hazardous reactions None under normal processing

Conditions to avoid Keep out of reach of children.

Incompatible materials Acids, aluminum, fluorine, molten lithium

Hazardous decomposition products Sodium metasilicate: Hydrogen

Alginout Powder 011 v.2 Page 4 of 6

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposures

Product information

Inhalation May cause irritation to the mucous membranes and upper respiratory tract.

Eye contact Causes severe eye damage.
Skin contact Causes severe skin burns.
Ingestion Harmful if swallowed

Component information

	Chemical Name	ORAL LD50	DERMAL LD50	INHALATION LC50
	Sodium carbonate 497-19-8	4090 mg/kg (rat)	-	-
Sodium metasilicate 6834-92-0 600 mg/kg (rat)		-	-	

Information on physical, chemical and toxicological effects

Symptoms See Section 4.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Carcinogenic potential is unknown.

STOT – single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

Not determined

The following values are calculated based on chapter 3.1 of the GHS document.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae / aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium carbonate 497-19-8	242: 120 h Nitzschia mg/L EC50	300: 96 h Lepomis macrochirus mg/L LC50 static; 310-1220: 96 h Pimephales promelas mg/L LC50 static	-	265: 48 h Daphnia magna mg/L EC50
Sodium metasilicate 6834-92-0	-	210: 96 h Brachydanio rerio mg/L LC50; 210: 96 h Brachydanio rerio mg/L LC50 semi-static	-	216: 48 h Daphnia magna mg/L EC50
Sodium citrate 68-04-2	18000 - 32000: 96 h Chlorella vulgaris mg/L EC50	18000 - 32000: 96 h Poecilia reticulata mg/L EC50	-	5600 – 10000: 48 h Daphnia magna mg/L EC50

<u>Persistence and degradability</u>

Not persistent in aquatic systems, but its high pH when undiluted or unneutralized is acutely

harmful to aquatic life.

 Bioaccumulation
 Not determined

 Mobility
 Not determined

 Other adverse effects
 Not determined

Alginout Powder 011 v.2 Page 5 of 6

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with federal, state and local regulations. Waste is classified as a

RCRA Hazardous waste because it exhibits the corrosive characteristic (pH greater than or equal

to 12.5).

Contaminated Packaging Disposal should be in accordance with federal, state and local regulations.

Chemical Name	California Hazardous Waste Status
Sodium carbonate 497-19-8	Corrosive

14. TRANSPORTATION INFORMATION

DOT

UN / ID No	UN3262
Proper shipping name	Corrosive solid, basic, inorganic, n.o.s (Sodium metasilicate, anhydrous / Sodium carbonate solution)
Hazard Class	8
Packing Group	

IATA

UN / ID No	UN3262
Proper shipping name	Corrosive solid, basic, inorganic, n.o.s (Sodium metasilicate, anhydrous / Sodium carbonate solution)
Hazard Class	8
Packing Group	

<u>IMDG</u>

UN / ID No	UN3262
Proper shipping name	Corrosive solid, basic, inorganic, n.o.s (Sodium metasilicate, anhydrous / Sodium carbonate solution)
Hazard Class	8
Packing Group	

15. REGULATORY INFORMATION

International Inventories

TSCA Listed United States Toxic Substances Control Act, Section 8(b) Inventory

DSL Listed Canadian Domestic Substances List

16. OTHER INFORMATION

HMIS	Health Hazards	Flammability	Physical Hazards
	2	0	0

Issue Date26-Sept-2014Revision Date21-Oct-2015

Revision Note Section 2 - add hazard codes

Information to be updated in due course Hazard pictograms listed in this SDS to be added to product label.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. It is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Alginout Powder 011 v.2 Page 6 of 6