# **HALLIBURTON**

# SAFETY DATA SHEET

Product Trade Name: BA-20 BUFFERING AGENT

Revision Date: 12-Mar-2015 Revision Number: 23

#### 1. Identification

1.1. Product Identifier

Product Trade Name: BA-20 BUFFERING AGENT

Synonyms: None

Chemical Family:Organic acidInternal ID CodeHM000095

1.2 Recommended use and restrictions on use

Application: Buffer

Uses Advised Against No information available

1.3 Manufacturer's Name and Contact Details

Manufacturer/Supplier Halliburton Energy Services

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By Chemical Stewardship

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

1.4. Emergency telephone number

Emergency Telephone Number (281) 575-5000

# 2. Hazard(s) Identification

#### 2.1 Classification in accordance with paragraph (d) of §1910.1200

| Skin Corrosion / Irritation         | Category 1 - H314 |
|-------------------------------------|-------------------|
| Serious Eye Damage / Eye Irritation | Category 1 - H318 |
| Acute Aquatic Toxicity              | Acute 3 - H402    |

#### 2.2. Label Elements

#### **Hazard Pictograms**



Signal Word Danger

Hazard Statements H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H402 - Harmful to aquatic life

#### **Precautionary Statements**

**Prevention** P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P363 - Wash contaminated clothing before reuse

Storage P405 - Store locked up

**Disposal** P501 - Dispose of contents/container in accordance with

local/regional/national/international regulations

**Contains** 

Substances CAS Number
Acetic acid 64-19-7

#### 2.3 Hazards not otherwise classified

None known

# 3. Composition/information on Ingredients

| Substances  | CAS Number | PERCENT (w/w) | GHS Classification - US   |
|-------------|------------|---------------|---|
| Acetic acid | 64-19-7    | 10 - 30%      | Skin Corr. 1A (H314)<br>Eye Corr. 1 (H318)<br>STOT SE 3 (H335)<br>Flam. Liq. 3 (H226) |

The exact percentage (concentration) of the composition has been withheld as proprietary.

#### 4. First-Aid Measures

# 4.1. Description of first aid measures

**Inhalation** If inhaled, move victim to fresh air and seek medical attention.

Eyes Immediately flush eyes with large amounts of water for at least 30 minutes. Seek

prompt medical attention.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least

30 minutes and remove contaminated clothing, shoes and leather goods

immediately. Get medical attention immediately.

**Ingestion** Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical

attention.

#### 4.2 Most important symptoms/effects, acute and delayed

May cause eye and skin burns.

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. Fire-fighting measures

## 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

All standard fire fighting media

#### Extinguishing media which must not be used for safety reasons

None known.

# 5.2 Specific hazards arising from the substance or mixture

#### **Special Exposure Hazards**

Decomposition in fire may produce toxic gases.

# 5.3 Special protective equipment and precautions for fire-fighters

#### **Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

# 6. Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment.

See Section 8 for additional information

#### 6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

#### 6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Neutralize to pH of 6-8. Scoop up and remove.

# 7. Handling and storage

#### 7.1. Precautions for Safe Handling

# **Handling Precautions**

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### **Storage Information**

Store away from alkalis. Store in a cool well ventilated area. Store locked up. Keep container closed when not in use. Product has a shelf life of 24 months.

# 8. Exposure Controls/Personal Protection

**8.1 Occupational Exposure Limits** 

| 71. O O O O PORTO IN INCO |            |              |               |  |
|---------------------------|------------|--------------|---------------|--|
| Substances                | CAS Number | OSHA PEL-TWA | ACGIH TLV-TWA |  |
| Acetic acid               | 64-19-7    | 10 ppm       | TWA: 10 ppm   |  |
|                           |            |              | STEL: 15 ppm  |  |

#### 8.2 Appropriate engineering controls

Engineering Controls

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

# 8.3 Individual protection measures, such as personal protective equipment

**Respiratory Protection** If engineering controls and work practices cannot keep exposure below

> occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or

other qualified professional.

Organic vapor/acid gas respirator with a dust/mist filter.

Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct **Hand Protection** 

contact (recommended: protection index 6, corresponding to > 480 minutes

permeation time as per EN 374): Nitrile gloves. (>= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions

for use should be observed because of great diversity of types.

**Skin Protection** Rubber apron.

**Eve Protection** Chemical goggles; also wear a face shield if splashing hazard exists. Evewash fountains and safety showers must be easily accessible. Other Precautions

# 9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Colorless Physical State: Liquid Color:

Odor: Slight vinegar Odor No information available

Threshold:

Property Values Remarks/ - Method

pH: 5.45

-31 °C / -24 °F Freezing Point/Range **Melting Point/Range** No data available 101 °C / 215 °F

**Boiling Point/Range** 

> 100 °C / > 212 °F PMCC **Flash Point** 

No data available Flammability (solid, gas) upper flammability limit No data available No data available lower flammability limit **Evaporation rate** No data available **Vapor Pressure** No data available **Vapor Density** No data available

**Specific Gravity** 1.102

Water Solubility Miscible with water Solubility in other solvents No data available Partition coefficient: n-octanol/water No data available No data available **Autoignition Temperature Decomposition Temperature** No data available **Viscosity** No data available

**Explosive Properties** No information available No information available Oxidizing Properties

9.2. Other information

**VOC Content (%)** No data available

# 10. Stability and Reactivity

#### 10.1. Reactivity

Not expected to be reactive.

#### 10.2. Chemical Stability

Stable

#### 10.3. Possibility of Hazardous Reactions

Will Not Occur

#### 10.4. Conditions to Avoid

None anticipated

## 10.5. Incompatible Materials

Strong alkalis.

# 10.6. Hazardous Decomposition Products

Ammonia. Oxides of nitrogen. Carbon monoxide and carbon dioxide.

# 11. Toxicological Information

# 11.1 Information on likely routes of exposure

**Principle Route of Exposure** Eye or skin contact, inhalation.

#### 11.2 Symptoms related to the physical, chemical and toxicological characteristics

**Acute Toxicity** 

**Inhalation** May cause mild respiratory irritation.

**Eye Contact** May cause severe eye irritation. May cause eye burns. **Skin Contact** Causes severe burns. May cause an allergic skin reaction.

**Ingestion** Causes burns of the mouth, throat and stomach.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1%

are chronic health hazards.

#### 11.3 Toxicity data

Toxicology data for the components

| Toxioology data | ioi tile componer | 113  |                     |                    |
|-----------------|-------------------|--|---------------------|--------------------|
| Substances      | CAS Number        | LD50 Oral  | LD50 Dermal         | LC50 Inhalation    |
| Acetic acid     | 64-19-7           | 3310 mg/kg (Rat)<br>600 mg/kg (Rabbit)<br>4960 mg/kg (Mouse) | 1060 mg/kg (Rabbit) | 11.4 mg/L (Rat) 4h |

| Substances  | CAS Number | Skin corrosion/irritation |
|-------------|------------|---------------------------|
| Acetic acid | 64-19-7    | Corrosive to skin         |

| Substances  | CAS Number | Eye damage/irritation |
|-------------|------------|-----------------------|
| Acetic acid | 64-19-7    | Corrosive to eyes     |

| Substances  | CAS Number | Skin Sensitization                                  |
|-------------|------------|---|
| Acetic acid | 64-19-7    | Not applicable due to corrosivity of the substance. |

| Acetic acid 64-19-7 No information available |  |
|--|--|

| Substances  | CAS Number | Mutagenic Effects   |
|-------------|------------|---|
| Acetic acid | 64-19-7    | In vivo tests did not show mutagenic effects. In vitro tests did not show mutagenic effects |

#### **BA-20 BUFFERING AGENT**

| Substances  | CAS Number | Carcinogenic Effects  |
|-------------|------------|---|
| Acetic acid | 64-19-7    | Did not show carcinogenic effects in animal experiments                                       |
|             |            |   |
| Substances  | CAS Number | Reproductive toxicity   |
| Acetic acid | 64-19-7    | Did not show teratogenic effects in animal experiments.                                       |
|             |            |   |
| Substances  | CAS Number | STOT - single exposure  |
| Acetic acid | 64-19-7    | May cause respiratory irritation.   |
|             |            |   |
| Substances  | CAS Number | STOT - repeated exposure  |
| Acetic acid | 64-19-7    | No significant toxicity observed in animal studies at concentration requiring classification. |
|             |            |   |
| Substances  | CAS Number | Aspiration hazard   |
| Acetic acid | 64-19-7    | Not applicable  |

Revision Date: 12-Mar-2015

# 12. Ecological Information

12.1. Toxicity
Ecotoxicity Effects

# Product Ecotoxicity Data No data available

Substance Ecotoxicity Data

| Substances  | CAS Number | Toxicity to Algae   | Toxicity to Fish  | Toxicity to<br>Microorganisms                | Toxicity to Invertebrates   |
|-------------|------------|---|---|--|---|
| Acetic acid | 64-19-7    | EC50 90 mg/L<br>(Microcystis aeruginosa)<br>EC50 (72h) > 1000 mg/L<br>(>300.82 mg/L – acetate<br>ion) (Skeletonema<br>costatum) | LC50 79 mg/L (Pimephales promelas) LC50 75 mg/L (Pimephales promelas) LC50 (96h) > 1000 mg/L (>300.82 mg/L – acetate ion) (Oncorhynchus mykiss) | NOEC (16h) 1150 mg/L<br>(Pseudomonas putida) | EC50 47 mg/L (Daphnia magna) LC50 32 mg/L (Artemia salina) EC50 (48h) > 1000 mg/L (>300.82 mg/L – acetate ion) (Daphnia magna) NOEC (21d) 31.4 - 37.9 |
|             |            |   | mykiss)   |  | mg/L (Daphnia magna) (reproduction)   |

# 12.2. Persistence and degradability

| Substances  | CAS Number | Persistence and Degradability       |
|-------------|------------|-------------------------------------|
| Acetic acid | 64-19-7    | Readily biodegradable (> 95% @ 28d) |

# 12.3. Bioaccumulative potential

| Substances  | CAS Number | Log Pow                 |
|-------------|------------|-------------------------|
| Acetic acid | 64-19-7    | -0.17                   |
|             |            | BCF = 3.16 (Calculated) |

# 12.4. Mobility in soil

| Substances  | Mobility                 |
|-------------|--------------------------|
| Acetic acid | No information available |

# 12.5 Other adverse effects

No information available

# 13. Disposal Considerations

#### 13.1. Waste treatment methods

**Disposal Method** 

Disposal should be made in accordance with federal, state, and local regulations.

Substance should NOT be deposited into a sewage facility.

**Contaminated Packaging** 

Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging

into commercial waste collection.

# 14. Transport Information

**US DOT** 

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

**US DOT Bulk** 

**DOT (Bulk)** Not applicable

**Canadian TDG** 

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

IMDG/IMO

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

IATA/ICAO

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Environmental Hazards:
Not restricted
Not restricted
Not applicable
Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

Special Precautions for User: None

# 15. Regulatory Information

# **US Regulations**

**US TSCA Inventory** All components listed on inventory or are exempt.

**EPA SARA Title III Extremely** 

**Hazardous Substances** 

Not applicable

EPA SARA (311,312) Hazard

**Class** 

Acute Health Hazard

This product does not contain a toxic chemical for routine annual "Toxic Chemical **EPA SARA (313) Chemicals** 

Release Reporting" under Section 313 (40 CFR 372).

**EPA CERCLA/Superfund** 

Reportable Spill Quantity

EPA Reportable Spill Quantity is 798 Gallons based on Ammonium acetate (CAS: 631-61-8). EPA Reportable Spill Quantity is 3810 Gallons based on Acetic acid

(CAS: 64-19-7).

**EPA RCRA Hazardous Waste** 

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste

as defined by the US EPA.

**California Proposition 65** All components listed do not apply to the California Proposition 65 Regulation.

One or more components listed. MA Right-to-Know Law

One or more components listed. NJ Right-to-Know Law

One or more components listed. PA Right-to-Know Law

**Canadian Regulations** 

**Canadian DSL Inventory** All components listed on inventory or are exempt.

# 16. Other information

**Preparation Information** 

**Prepared By** 

Chemical Stewardship Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

**Revision Date:** 12-Mar-2015

Reason for Revision Update to Format SECTION: 2

#### Additional information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

#### Key or legend to abbreviations and acronyms

bw – body weight

CAS - Chemical Abstracts Service

EC50 - Effective Concentration 50%

ErC50 – Effective Concentration growth rate 50%

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL50 - Lethal Loading 50%

mg/kg – milligram/kilogram

mg/L - milligram/liter

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OEL - Occupational Exposure Limit

PEL – Permissible Exposure Limit

ppm - parts per million

STEL - Short Term Exposure Limit

TWA - Time-Weighted Average

UN - United Nations

h - hour

mg/m<sup>3</sup> - milligram/cubic meter

mm - millimeter

mmHg - millimeter mercury

w/w - weight/weight

d - day

# Key literature references and sources for data

www.ChemADVISOR.com/ NZ CCID

#### **Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet** 

Done 0/0