HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: BARABRINE® DEFOAM

Revision Date: 28-Feb-2012

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: BARABRINE® DEFOAM

Synonyms: None
Chemical Family: Blend
Application: Defoamer

Manufacturer/Supplier Baroid Fluid Services

Product Service Line of Halliburton

P.O. Box 1675 Houston, TX 77251

Telephone: (281) 871-4000

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Substances | CAS Number | PERCENT | ACGIH TLV-TWA | OSHA PEL-TWA |
|--------------------|------------|-----------|----------------------|---------------------|
| Tributyl phosphate | 126-73-8 | 30 - 60% | 0.2 ppm | 5 mg/m ³ |
| Fatty acid ester | | 60 - 100% | Not applicable | Not applicable |

3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye, skin, and respiratory irritation. May cause damage to internal organs.

4. FIRST AID MEASURES

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least 15

minutes. Get medical attention. Remove contaminated clothing and launder before

reuse.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of water

for at least 15 minutes and get medical attention immediately after flushing.

Ingestion Get medical attention! If vomiting occurs, keep head lower than hips to prevent

aspiration.

Notes to Physician Not Applicable

FIRE FIGHTING MEASURES

Flash Point/Range (F): 320 Flash Point/Range (C): 160 Flash Point Method: **PMCC**

Autoignition Temperature (F): Not Determined **Autoignition Temperature (C):** Not Determined Flammability Limits in Air - Lower (%): Not Determined Flammability Limits in Air - Upper (%): Not Determined

Fire Extinguishing Media Carbon Dioxide, Dry Chemicals, Foam.

Special Exposure Hazards Decomposition in fire may produce toxic gases.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

Health 2, Flammability 1, Reactivity 0 **NFPA Ratings: HMIS Ratings:** Health 2, Flammability 1, Reactivity 0

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment.

Environmental Precautionary

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

Absorption

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials.

Scoop up and remove.

HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Avoid breathing vapors.

Storage Information Store away from oxidizers. Store in a cool well ventilated area. Keep container

closed when not in use.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area. Local exhaust ventilation should be used in areas

without good cross ventilation.

Respiratory Protection In high concentrations, supplied air respirator or a self-contained breathing

apparatus.

Butyl rubber gloves. **Hand Protection**

Skin Protection Rubber apron.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions Eyewash fountains and safety showers must be easily accessible.

PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Color: Clear colorless

9. PHYSICAL AND CHEMICAL PROPERTIES

 Odor:
 Fatty

 pH:
 4

 Specific Gravity @ 20 C (Water=1):
 0.91

 Density @ 20 C (lbs./gallon):
 7.58

Bulk Density @ 20 C (lbs/ft3):Not DeterminedBoiling Point/Range (F):Not DeterminedBoiling Point/Range (C):Not Determined

Freezing Point/Range (F): 10.4 Freezing Point/Range (C): -12

Vapor Pressure @ 20 C (mmHg):Not DeterminedVapor Density (Air=1):Not DeterminedPercent Volatiles:Not DeterminedEvaporation Rate (Butyl Acetate=1):Not DeterminedSolubility in Water (g/100ml):InsolubleSolubility in Solvents (g/100ml):Not Determined

VOCs (lbs./gallon):
Viscosity, Dynamic @ 20 C (centipoise):
Not Determined

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid Keep away from heat, sparks and flame.

Incompatibility (Materials to

Avoid)

Strong oxidizers.

Hazardous Decomposition

Products

Oxides of phosphorus. Acrid fumes. Toxic fumes. Carbon monoxide and carbon

dioxide.

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Inhalation Excessive inhalation causes headache, dizziness, nausea and incoordination. May

cause respiratory irritation.

Skin Contact May cause severe skin irritation.

Eye Contact May cause eye irritation.

Ingestion May cause pulmonary edema. A burning feeling in the Stomach May cause

weakness, dyspnea, or coma.

Aggravated Medical Conditions Skin disorders.

Chronic Effects/Carcinogenicity Prolonged or repeated exposure may cause inhibition of cholinesterase.

Other Information None known.

Toxicity Tests

Oral Toxicity: LD50: > 2000 mg/kg (Rat)

Dermal Toxicity: Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive /

Not determined

Developmental Toxicity:

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability BOD(28 Day): 28% of COD

Slowly biodegradable

Bio-accumulation Not determined

Ecotoxicological Information

Acute Fish Toxicity: EC50: 304.85 mg/l (Corophium volutator)

Acute Crustaceans Toxicity: TLM48: 25.57 mg/l (Acartia tonsa)

Acute Algae Toxicity: EC50: 13.39 mg/l (Skeletonema costatum)

Chemical Fate Information Not determined

Other Information Not applicable

13. DISPOSAL CONSIDERATIONS

Disposal MethodDisposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

DOT

Not restricted

Canadian TDG

Not restricted

ADR

Not restricted

Air Transportation

ICAO/IATA

Not restricted

Sea Transportation

IMDG

Not restricted

Other Transportation Information

Labels: None

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

Acute Health Hazard

EPA SARA (313) Chemicals This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund Reportable Spill Quantity

Not applicable.

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as

defined by the US EPA.

California Proposition 65 All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class D2B Toxic Materials

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS

Not applicable

Additional Information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Material Safety Data Sheet for this or other Halliburton

products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS