HALLIBURTON

SAFETY DATA SHEET BARACARB® 1200

Revision Date: 15-Jul-2015 Revision Number: 13

1. Product and Company Identification

Product Name

Product Trade Name: BARACARB® 1200

Other Names

Synonyms: None
Product Code: HM006496

Recommended Use

Recommended Use Bridging Agent

Uses Advised Against No information available

Company Name, Address and Contact Details

Manufacturer/Supplier Halliburton New Zealand

1 Paraite Rd.

Bell Block, New Plymouth

New Zealand Registration No.: 824207

E-Mail address: fdunexchem@halliburton.com

Emergency Telephone Number +64-6-7559274

New Zealand National Poisons

Centre

0800 764 766 (24 hours)

2. Hazard(s) Identification

Statement of Hazardous Nature

Classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulation 2001; Not Classified as dangerous good according to NZS 5433:2012, UN, IMDG or IATA

Classification

6.4A Irritating to the eye

6.7A Known or presumed human carcinogens

6.9A Toxic to human target organs or systems

Hazard and Precautionary Statements

Hazard Pictograms



Signal Word Danger

Hazard Statements H319 - Causes serious eye irritation

H350 - May cause cancer by inhalation

Precautionary Statements

Prevention P103 - Read label before use

P104 - Read Safety Data Sheet before use.

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood P264 - Wash face, hands and any exposed skin thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection

P281 - Use personal protective equipment as required

Response P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/attention P308 + P313 - IF exposed or concerned: Get medical advice/attention

Storage P405 - Store locked up

P501 - Dispose of contents/container in accordance with **Disposal**

local/regional/national/international regulations

Contains

2.3. Other Hazards

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

3. Composition and Information on Ingredients

4. First-Aid Measures

Requirements for First Aid or Medical Care

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes **Eyes**

and get medical attention if irritation persists.

Wash with soap and water. Get medical attention if irritation persists. Skin Ingestion Under normal conditions, first aid procedures are not required.

Workplace Facilities Required

None

Relation to Health Effect

Most Important Symptoms/Effects

Breathing crystalline silica can cause lung disease, including silicosis and lung cancer. Crystalline silica has also been associated with scleroderma and kidney disease. Carcinogen.

Medical Attention and Special Treatment

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Type of Hazard Flammability Hazard

Non-flammable

5.1. Extinguishing media

Suitable Extinguishing Media

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

HAZCHEM Code

None Allocated **Hazchem Code:**

Special Protective Equipment and Precautions for Fire Fighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

Special Exposure Hazards

None anticipated

6. Spillage, Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Collect using dustless method and hold for appropriate disposal. Consider possible toxic or fire hazards associated with contaminating substances and use appropriate methods for collection, storage and disposal.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

7. Handling and storage

7.1. Precautions for Safe Handling

Handling Precautions

Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposure below recommended exposure limits. Wear a NIOSH certified, European Standard En 149, or equivalent respirator when using this product. Material is slippery when wet.

Handling Practices

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

Approved Handlers

If more than 10 kg (Class 6) is present, then an approved handler must be present when the substance is being handled and when not in use, the substance must be locked away.

7.2. Conditions for safe storage, including any incompatibilities

Store away from acids. Store in a cool, dry location. Use good housekeeping in storage and work areas to prevent accumulation of dust. Close container when not in use. Do not reuse empty container. Product has a shelf life of 60 months.

Store Site Requirements

No special controls required

Packaging

No special packaging required

8. Exposure Controls and Personal Protection

Workplace Exposure Standards

Exposure Limits

Engineering Controls

Engineering Controls

Use in a well ventilated area. Use approved industrial ventilation and local exhaust as

required to maintain exposures below applicable exposure limits.

Personal Protective Equipment (PPE)

Respiratory Protection Wear a NIOSH certified, European Standard EN 149 (FFP2/FFP3), AS/NZS 1715, or

equivalent respirator when using this product.

Hand Protection Normal work gloves.

Skin Protection Wear clothing appropriate for the work environment. Dusty clothing should be laundered

before reuse. Use precautionary measures to avoid creating dust when removing or

laundering clothing.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Solid Powder Color: White

Odor: Odorless Odor Threshold: No information available

<u>Property</u> <u>Values</u>

Remarks/ - Method

pH: 8-9

Freezing Point/Range
Melting Point/Range
No data available
Boiling Point/Range
No data available
Flash Point
No data available
Evaporation rate
No data available
Vapor Pressure
No data available
Vapor Density
No data available

Specific Gravity 2.7

Water Solubility Insoluble in water No data available Solubility in other solvents Partition coefficient: n-octanol/water No data available **Autoignition Temperature** No data available No data available **Decomposition Temperature** No data available Viscosity **Explosive Properties** No information available **Oxidizing Properties** No information available

9.2. Other information

VOC Content (%) No data available

10. Stability and Reactivity

10.2. Chemical Stability

Stable

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

Strong acids.

10.6. Hazardous Decomposition Products

Carbon monoxide and carbon dioxide. Amorphous silica may transform at elevated temperatures to tridymite (870 C) or cristobalite (1470 C).

Hazardous Reactions

Hazardous Polymerization: Will Not Occur

11. Toxicological Information

Health Effect from Likely Routes of Exposure

Acute Toxicity

Inhalation Inhaled crystalline silica in the form of quartz or cristobalite from occupational sources is

carcinogenic to humans (IARC, Group 1). There is sufficient evidence in experimental

animals for the carcinogenicity of tridymite (IARC, Group 2A).

Breathing silica dust may cause irritation of the nose, throat, and respiratory passages. Breathing silica dust may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may also have serious chronic health

effects (See "Chronic Effects/Carcinogenicity" subsection below).

Eye Contact May cause mechanical irritation to eye.

Skin Contact None known.

Ingestion

None known.

Chronic Effects/Carcinogenicity

Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling, and sometimes-fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.

Cancer Status: The International Agency for Research on Cancer (IARC) has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources can cause lung cancer in humans (Group 1 - carcinogenic to humans) and has determined that there is sufficient evidence in experimental animals for the carcinogenicity of tridymite (Group 2A - possible carcinogen to humans). Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June 1997) in conjunction with the use of these minerals. The National Toxicology Program classifies respirable crystalline silica as "Known to be a human carcinogen". Refer to the 9th Report on Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (A2).

There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant disease endpoints such as scleroderma (an immune system disorder manifested by scarring of the lungs, skin, and other internal organs) and kidney disease.

Toxicity Data

Toxicology data for the components

12. Ecological Information

12.1. Toxicity
Ecotoxicity Effects

Product Ecotoxicity Data

No data available

Substance Ecotoxicity Data

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

Ecotoxicity Hazard Statements

None known

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

13. Disposal Considerations

13.1. Waste treatment methods

Disposal Method
Contaminated Packaging

Bury in a licensed landfill according to federal, state, and local regulations. Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

14. Transport Information

IMDG/IMO

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

NZ 5433.1999

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

IATA/ICAO

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

Special Precautions for User: None

<u>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:</u>

Not applicable

15. Regulatory Information

New Zealand Inventory of

Chemicals

All components listed on inventory or are exempt.

HSNO Approval Number HSR002512

Group Name Additives, Process Chemicals and Raw Materials (Toxic 6.7 HSR002512)

HSNO Controls Refer to the NZ EPA website for more information: http://www.epa.govt.nz

Approved Handlers If more than 10 kg (Class 6) is present, then an approved handler must be present when

the substance is being handled and when not in use, the substance must be locked

away.

Poisons Schedule: None Allocated

16. Other information

The following sections have been revised since the last issue of this SDS

Not applicable

Additional information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact

Chemical Stewardship at 1-580-251-4335.

Key literature references and sources for data

www.ChemADVISOR.com/ NZ CCID

Revision Date: 15-Jul-2015 Revision Note Revision Note

Update to Format SECTION:

2

SDS sections updated:

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet