

SAFETY DATA SHEET

Product Trade Name: BARAKLEAN® DUAL

Revision Date: 09-Apr-2015

Revision Number: 27

1. Identification

1.1. Product Identifier

Product Trade Name: BARAKLEAN® DUAL
Synonyms: None
Chemical Family: Blend
Internal ID Code: HM006480

1.2 Recommended use and restrictions on use

Application: Solvent Cleaning Solution
Uses Advised Against: No information available

1.3 Manufacturer's Name and Contact Details

Manufacturer/Supplier: Baroid Fluid Services
Product Service Line of Halliburton
P.O. Box 1675
Houston, TX 77251
Telephone: (281) 871-4000
Emergency Telephone: (281) 575-5000

Prepared By: Chemical Stewardship
Telephone: 1-580-251-4335
e-mail: fdunexchem@halliburton.com

1.4. Emergency telephone number

Emergency Telephone Number: (281) 575-5000

2. Hazard(s) Identification

2.1 Classification in accordance with paragraph (d) of §1910.1200

Acute Inhalation Toxicity - Vapors	Category 4 - H332
Skin Corrosion / Irritation	Category 2 - H315
Serious Eye Damage / Eye Irritation	Category 1 - H318
Acute Aquatic Toxicity	Category 2 - H401
Flammable liquids.	Category 4 - H227

2.2. Label Elements

Hazard Pictograms



Signal Word

Danger

Hazard Statements

H227 - Combustible liquid
 H315 - Causes skin irritation
 H318 - Causes serious eye damage
 H332 - Harmful if inhaled
 H401 - Toxic to aquatic life

Precautionary Statements

Prevention

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
 P264 - Wash face, hands and any exposed skin thoroughly after handling
 P271 - Use only outdoors or in a well-ventilated area
 P273 - Avoid release to the environment
 P280 - Wear protective gloves/eye protection/face protection

Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
 P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P310 - Immediately call a POISON CENTER or doctor/physician
 P332 + P313 - If skin irritation occurs: Get medical advice/attention
 P362 - Take off contaminated clothing and wash before reuse
 P370 + P378 - In case of fire: Use CO2, dry chemical, or foam

Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

Disposal

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

Contains

Substances

Ethylene glycol monobutyl ether
 Alcohols, C9-11, ethoxylated

CAS Number

111-76-2
 68439-46-3

2.3 Hazards not otherwise classified

None known

3. Composition/information on Ingredients
--

Substances	CAS Number	PERCENT (w/w)	GHS Classification - US
------------	------------	---------------	-------------------------

Ethylene glycol monobutyl ether	111-76-2	30 - 60%	Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2A (H319) Flam. Liq. 4 (H227)
Alcohols, C9-11, ethoxylated	68439-46-3	10 - 30%	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Corr. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)

The exact percentage (concentration) of the composition has been withheld as proprietary.

4. First-Aid Measures

4.1. Description of first aid measures

Inhalation

If inhaled, move victim to fresh air and seek medical attention.

Eyes

In case of contact, immediately flush eyes with plenty of water for at least 30 minutes. Remove contact lenses after the first 5 minutes and continue washing. Seek immediate medical attention/advice. Suitable emergency eye wash facility should be immediately available

Skin

In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse.

Ingestion

Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

4.2 Most important symptoms/effects, acute and delayed

Harmful if inhaled. Causes serious eye damage. Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2 Specific hazards arising from the substance or mixture

Special Exposure Hazards

Use water spray to cool fire exposed surfaces. Closed containers may explode in fire. Decomposition in fire may produce toxic gases. Fight fire from a safe distance and from a protected location.

5.3 Special protective equipment and precautions for fire-fighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Wear self-contained breathing apparatus in enclosed areas. Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Ensure adequate ventilation. Evacuate all persons from the area. See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas. Consult local authorities.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

7. Handling and storage

7.1. Precautions for Safe Handling

Handling Precautions

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Information

Store away from oxidizers. Keep from heat, sparks, and open flames. Keep container closed when not in use. Product has a shelf life of 24 months.

8. Exposure Controls/Personal Protection

8.1 Occupational Exposure Limits

Substances	CAS Number	OSHA PEL-TWA	ACGIH TLV-TWA
Ethylene glycol monobutyl ether	111-76-2	TWA: 50 ppm Skin	TWA: 20 ppm Skin
Alcohols, C9-11, ethoxylated	68439-46-3	Not applicable	Not applicable

8.2 Appropriate engineering controls

Engineering Controls

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

8.3 Individual protection measures, such as personal protective equipment

Personal Protective Equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.
When the potential exists for heated vapors or fumes of this product to be created, use a respirator with an organic-vapor filter or a supplied-air respirator as needed for adequate protection.

Hand Protection

Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Butyl rubber gloves. (>= 0.7 mm thickness)
This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Skin Protection

Rubber apron.

Eye Protection

Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions

Eyewash fountains and safety showers must be easily accessible. Rubber boots

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid **Color:** Clear
Odor: Characteristic **Odor** No information available
Threshold:

Property Remarks/ - Method	Values
pH:	4 (10% Solution)
Freezing Point/Range	-70 °C / -94 °F
Melting Point/Range	No data available
Boiling Point/Range	168 - 173 °C / 334.4 - 343.4 °F
Flash Point	68 °C / 154 °F Closed cup
Flammability (solid, gas)	No data available
upper flammability limit	No data available
lower flammability limit	No data available
Evaporation rate	No data available
Vapor Pressure	0.968 mmHg
Vapor Density	No data available
Specific Gravity	0.97
Water Solubility	Miscible with water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	240 °C / 464 °F
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

9.2. Other information

VOC Content (%) No data available

10. Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

Keep away from heat, sparks and flame.

10.5. Incompatible Materials

Strong oxidizers.

10.6. Hazardous Decomposition Products

Carbon monoxide and carbon dioxide.

11. Toxicological Information**11.1 Information on likely routes of exposure**

Principle Route of Exposure Eye or skin contact, inhalation.

11.2 Symptoms related to the physical, chemical and toxicological characteristics**Acute Toxicity****Inhalation**

Harmful if inhaled. May cause respiratory irritation. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.

Eye Contact

Causes serious eye damage.

Skin Contact

Causes skin irritation. May be absorbed through the skin and produce effects similar to those caused by inhalation and/or ingestion.

Ingestion

May be harmful if swallowed. Irritation of the mouth, throat, and stomach. May cause abdominal pain, vomiting, nausea, and diarrhea.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1% are chronic health hazards.

11.3 Toxicity data**Toxicology data for the components**

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene glycol monobutyl ether	111-76-2	470 mg/kg (Rat) 1414 mg/kg (Guinea pig) 1746 mg/kg (Rat) 320 mg/kg (Rabbit) 530 mg/kg (Rat) 560 mg/kg (Rat) 3000 mg/kg (Rat) 2400 mg/kg (Rat)	220 mg/kg (Rabbit) 2270 mg/kg (Rat) 200 mg/kg (Guinea pig) >2000 mg/kg (Rabbit) 841 mg/kg (Rabbit) 435 mg/kg (Rabbit) >2000 mg/kg (Guinea pig) >2000 mg/kg (Rat) 100 mg/kg (Rabbit) 207 mg/kg (Guinea pig) 400-500 mg/kg (Rabbit)	450 mg/L (Rat) 4h 2.174 mg/L (Rat) 4h 2.21 mg/L (Rat) 4h 450-486 mg/L (Rat) 4h 925 mg/L (Rat) 4h >633 mg/L (Guinea pig) 1h
Alcohols, C9-11, ethoxylated	68439-46-3	1400 mg/kg (Rat) 1378 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	No toxicity at saturation (similar substances)

Substances	CAS Number	Skin corrosion/irritation
Ethylene glycol monobutyl ether	111-76-2	Causes moderate skin irritation. (Rabbit)
Alcohols, C9-11, ethoxylated	68439-46-3	May cause moderate skin irritation. (Rabbit) (similar substances)

Substances	CAS Number	Eye damage/irritation
Ethylene glycol monobutyl ether	111-76-2	Causes moderate eye irritation. (Rabbit)
Alcohols, C9-11, ethoxylated	68439-46-3	Causes serious eye damage (Rabbit) (similar substances)

Substances	CAS Number	Skin Sensitization
Ethylene glycol monobutyl ether	111-76-2	Did not cause sensitization on laboratory animals (guinea pig)
Alcohols, C9-11, ethoxylated	68439-46-3	Did not cause sensitization on laboratory animals (guinea pig) (similar substances)

Substances	CAS Number	Respiratory Sensitization
Ethylene glycol monobutyl ether	111-76-2	No information available
Alcohols, C9-11, ethoxylated	68439-46-3	No information available

Substances	CAS Number	Mutagenic Effects
Ethylene glycol monobutyl ether	111-76-2	In vivo tests did not show mutagenic effects. In vitro tests did not show mutagenic effects
Alcohols, C9-11, ethoxylated	68439-46-3	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects. (similar substances)

Substances	CAS Number	Carcinogenic Effects
Ethylene glycol monobutyl ether	111-76-2	Not regarded as carcinogenic.
Alcohols, C9-11, ethoxylated	68439-46-3	Did not show carcinogenic effects in animal experiments (similar substances)

Substances	CAS Number	Reproductive toxicity
Ethylene glycol monobutyl ether	111-76-2	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.
Alcohols, C9-11, ethoxylated	68439-46-3	Animal testing did not show any effects on fertility. (similar substances)

Substances	CAS Number	STOT - single exposure
Ethylene glycol monobutyl ether	111-76-2	No data of sufficient quality are available.
Alcohols, C9-11, ethoxylated	68439-46-3	No data of sufficient quality are available.

Substances	CAS Number	STOT - repeated exposure
Ethylene glycol monobutyl ether	111-76-2	No data of sufficient quality are available.
Alcohols, C9-11, ethoxylated	68439-46-3	No data of sufficient quality are available.

Substances	CAS Number	Aspiration hazard
Ethylene glycol monobutyl ether	111-76-2	No adverse health effects are expected from swallowing.
Alcohols, C9-11, ethoxylated	68439-46-3	No information available

12. Ecological Information

12.1. Toxicity

Ecotoxicity Effects

Product Ecotoxicity Data

No data available

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates

Ethylene glycol monobutyl ether	111-76-2	EC50 839.56 mg/L (Skeletonema costatum) EbC50 (72h) 911 mg/L EC50 > 500 mg/L (Scenedesmus subspicatus) NOEC (72h) 88 mg/L (biomass)(Pseudokirchnerella subcapitata)	LC50 > 1000 mg/L (Scophthalmus maximus, juvenile) LC50 (96h) 1474 mg/L (Oncorhynchus mykiss) NOEC (21d) > 100mg/L (Danio rerio)	TT/EC3 (48h) 463 mg/L (Uronema parduzci) TT/EC3 (72h) 73 mg/L (Entosiphon sulcatum) TT/EC3 (16h) 700 mg/L (Pseudomonas putida)	No information available
Alcohols, C9-11, ethoxylated	68439-46-3	EC50(96h): 0.26 mg/L (Selenastrum capricornutum)	LC50(96h): 5.7 mg/L (Oncorhynchus mykiss) NOEC(30d): 0.28 mg/L (Pimephales promelas) (similar substance)	EC50(3h): 140 mg/L (Activated sludge, domestic)	EC50(48h): 2.5 mg/L (Daphnia magna) NOEC(21d): 1.75 mg/L (Daphnia magna) (similar substance)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Ethylene glycol monobutyl ether	111-76-2	Readily biodegradable (75-88% @ 28d)
Alcohols, C9-11, ethoxylated	68439-46-3	Readily biodegradable (72 - 89% @ 28d) (similar substances)

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Ethylene glycol monobutyl ether	111-76-2	0.81
Alcohols, C9-11, ethoxylated	68439-46-3	No information available

12.4. Mobility in soil

Substances	Mobility
Ethylene glycol monobutyl ether	No information available
Alcohols, C9-11, ethoxylated	No information available

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1. Waste treatment methods

Disposal Method Disposal should be made in accordance with federal, state, and local regulations.
Contaminated Packaging Follow all applicable national or local regulations.

14. Transport Information

US DOT

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

US DOT Bulk

DOT (Bulk) NA1993, Combustible Liquid, N.O.S., Combustible Liquid, III
 (Contains Ethylene Glycol Monobutyl Ether)

Canadian TDG

UN Number: Not restricted

UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

IMDG/IMO

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

IATA/ICAO

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable
Special Precautions for User: None

15. Regulatory Information

US Regulations

US TSCA Inventory	All components listed on inventory or are exempt.
EPA SARA Title III Extremely Hazardous Substances	Not applicable
EPA SARA (311,312) Hazard Class	Acute Health Hazard Fire Hazard
EPA SARA (313) Chemicals	This product does not contain a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Section 313 (40 CFR 372).
EPA CERCLA/Superfund Reportable Spill Quantity	Not applicable.
EPA RCRA Hazardous Waste Classification	If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.
California Proposition 65	All components listed do not apply to the California Proposition 65 Regulation.
MA Right-to-Know Law	One or more components listed.
NJ Right-to-Know Law	One or more components listed.
PA Right-to-Know Law	One or more components listed.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory or are exempt.

16. Other information**Preparation Information**

Prepared By Chemical Stewardship
Telephone: 1-580-251-4335
e-mail: fdunexchem@halliburton.com

Revision Date: 09-Apr-2015

Reason for Revision Update to Format
SECTION:
2

Additional information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

Key or legend to abbreviations and acronyms

bw – body weight
CAS – Chemical Abstracts Service
EC50 – Effective Concentration 50%
ErC50 – Effective Concentration growth rate 50%
LC50 – Lethal Concentration 50%
LD50 – Lethal Dose 50%
LL50 – Lethal Loading 50%
mg/kg – milligram/kilogram
mg/L – milligram/liter
NIOSH – National Institute for Occupational Safety and Health
NTP – National Toxicology Program
OEL – Occupational Exposure Limit
PEL – Permissible Exposure Limit
ppm – parts per million
STEL – Short Term Exposure Limit
TWA – Time-Weighted Average
UN – United Nations
h - hour
mg/m³ - milligram/cubic meter
mm - millimeter
mmHg - millimeter mercury
w/w - weight/weight
d - day

Key literature references and sources for data

www.ChemADVISOR.com/
OSHA
ECHA C&L

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet