# **HALLIBURTON**

# MATERIAL SAFETY DATA SHEET

Product Trade Name: BARAKLEAN® GOLD

Revision Date: 14-Apr-2014

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: BARAKLEAN® GOLD

Synonyms: None
Chemical Family: Surfactant
Application: Surfactant

Manufacturer/Supplier Baroid Fluid Services

Product Service Line of Halliburton

P.O. Box 1675 Houston, TX 77251

Telephone: (281) 871-4000

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT (w/w)	<b>ACGIH TLV-TWA</b>	OSHA PEL-TWA
Sulfuric acid, monododecyl	2044-56-6	10 - 30%	Not applicable	Not applicable
ester, lithium salt				

### 3. HAZARDS IDENTIFICATION

Hazard Overview May cause severe eye irritation. May cause skin and respiratory irritation. May be

harmful if swallowed.

# 4. FIRST AID MEASURES

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

**Skin** Wash with soap and water. Get medical attention if irritation persists.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after flushing.

**Ingestion** Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

### 5. FIRE FIGHTING MEASURES

Flash Point/Range (F): > 212
Flash Point/Range (C): > 100
Flash Point Method: PMCC

Autoignition Temperature (F):

Autoignition Temperature (C):

Flammability Limits in Air - Lower (%):

Not Determined

Not Determined

Not Determined

Not Determined

Not Determined

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical.

**Special Exposure Hazards** Decomposition in fire may produce toxic gases.

**Special Protective Equipment** 

for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required

for fire fighting personnel.

NFPA Ratings: Health 1, Flammability 0, Reactivity 0

Health 1, Flammability 0, Physical Hazard 0, PPE: F

# 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautionary** 

Measures

Use appropriate protective equipment.

**Environmental Precautionary** 

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

**Absorption** 

Isolate spill and stop leak where safe. Contain spill with sand or other inert

materials. Scoop up and remove.

### 7. HANDLING AND STORAGE

**Handling Precautions** Avoid contact with eyes, skin, or clothing.

Storage Information Store away from oxidizers. Keep container closed when not in use. Keep from

freezing. Product has a shelf life of 36 months.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls** Use in a well ventilated area.

**Respiratory Protection** If engineering controls and work practices cannot keep exposure below

occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or

other qualified professional.

Dust/mist respirator. (N95, P2/P3)

Hand Protection Impervious rubber gloves. Neoprene gloves. Nitrile gloves. Butyl rubber gloves.

**Skin Protection** Rubber apron.

**Eye Protection** Chemical goggles; also wear a face shield if splashing hazard exists.

BARAKLEAN® GOLD Page 2 of 6 Other Precautions Eyewash fountains and safety showers must be easily accessible.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

 Color:
 Clear colorless

 Odor:
 Odorless

 pH:
 6.5-7.5 (10%)

 Specific Gravity @ 20 C (Water=1):
 0.9-1.1

 Density @ 20 C (lbs./gallon):
 8.33

Density @ 20 C (lbs./gallon):

Bulk Density @ 20 C (lbs/ft3):

Boiling Point/Range (F):

Not Determined

Not Determined

Not Determined

Freezing Point/Range (F): 29
Freezing Point/Range (C): -3.2

Vapor Pressure @ 20 C (mmHg):Not DeterminedVapor Density (Air=1):Not DeterminedPercent Volatiles:Not DeterminedEvaporation Rate (Butyl Acetate=1):Not Determined

Solubility in Water (g/100ml): Soluble

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistokes):

Partition Coefficient/n-Octanol/Water:

Molecular Weight (g/mole):

Not Determined

Not Determined

Not Determined

### 10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None anticipated

Incompatibility (Materials to

Avoid)

Strong oxidizers.

**Hazardous Decomposition** 

**Products** 

Oxides of sulfur. Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

# 11. TOXICOLOGICAL INFORMATION

**Principle Route of Exposure** Eye or skin contact, inhalation.

Sympotoms related to exposure

**Acute Toxicity** 

Inhalation May cause respiratory irritation.

Eye Contact May cause severe eye irritation.

Skin Contact May cause skin irritation.

**Ingestion** Irritation of the mouth, throat, and stomach. Large doses may cause nausea, vomiting and

diarrhea.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are chronic

health hazards.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulfuric acid, monododecyl ester, lithium salt	2044-56-6	1200 mg/kg (Rat) (similar substance) > 5000 mg/kg (Rat) (similar substance) >1500 mg/kg (Rat) (similar substance)	> 2000 mg/kg (Rat) (similar substance)	No data available

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicological Information**

**Ecotoxicity Product** 

Acute Fish Toxicity: Not determined
Acute Crustaceans Toxicity: Not determined
Acute Algae Toxicity: Not determined

**Ecotoxicity Substance** 

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Sulfuric acid, monododecyl ester, lithium salt	2044-56-6	EC50(72h): 33.11 mg/l (Skeletonema costatum) EC50(96h): 117 mg/L (Pseudokirchnerella subcapitata) (similar substance) EC50(72h): > 120 mg/L (Desmodesmus subspicatus) (similar substances)	LC50(96h): 21 mg/l (Scophthalmus maximus) LC50(96h): 29 mg/L (Pimephales promelas) (similar substance) NOEC(42d): >= 1.357 mg/L (Pimephales promelas) (similar substance)	EC50(3h): 135 mg/L (activated sludge) (similar substance)	LC50(48h): 13.62 mg/l (Acartia tonsa) LC50(48h): 3.15 mg/L (Artemia salina) (similar substance) LC50(48h): 5.55 mg/L (Ceriodaphnia dubia) (similar substance) NOEC(7d): 0.88 mg/L (Ceriodaphnia dubia) (similar substance)

# 12.2 Persistence and degradability

Readily biodegradable

Substances	Persistence and Degradability
Sulfuric acid, monododecyl ester, lithium salt	Readily biodegradable (95% @ 28d) (similar substances)

#### 12.3 Bioaccumulative potential

Does not bioaccumulate

Substances	Log Pow
Sulfuric acid, monododecyl ester, lithium salt	<= -1.36

### 12.4 Mobility in soil

No information available

### 12.5 Results of PBT and vPvB assessment

Substances	PBT and vPvB assessment
Sulfuric acid, monododecyl ester, lithium salt	Not PBT/vPvB

### 12.6 Other adverse effects

# 13. DISPOSAL CONSIDERATIONS

**Disposal Method**Disposal should be made in accordance with federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

# 14. TRANSPORT INFORMATION

**US DOT** 

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

**US DOT Bulk** 

DOT (Bulk) Not Applicable

Canadian TDG ul0

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

IMDG/IMO

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

IATA/ICAO

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Special Precautions for User None

# 15. REGULATORY INFORMATION

**US Regulations** 

**US TSCA Inventory** All components listed on inventory or are exempt.

EPA SARA Title III Extremely

**Hazardous Substances** 

Not applicable

EPA SARA (311,312) Hazard

Class

Acute Health Hazard

EPA SARA (313) Chemicals This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

**EPA CERCLA/Superfund Reportable Spill Quantity** 

Not applicable.

**EPA RCRA Hazardous Waste** 

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste

as defined by the US EPA.

**California Proposition 65** All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law Does not apply.

NJ Right-to-Know Law Does not apply.

PA Right-to-Know Law Does not apply.

**Canadian Regulations** 

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class D2B Toxic Materials

# 16. OTHER INFORMATION

# The following sections have been revised since the last issue of this SDS

Not applicable

**Additional information** For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products,

contact Chemical Compliance at 1-580-251-4335.

**Disclaimer Statement**This information is furnished without warranty, expressed or implied, as to

accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the

sole responsibility of the user.

\*\*\*END OF MSDS\*\*\*