HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: BARASIL®-S

Revision Date: 19-Dec-2012

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: BARASIL®-S

Synonyms: None Chemical Family: Silicate

Application: Shale Inhibitor

Manufacturer/Supplier Baroid Fluid Services

Product Service Line of Halliburton

P.O. Box 1675 Houston, TX 77251

Telephone: (281) 871-4000

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Sodium silicate	1344-09-8	10 - 30%	Not applicable	Not applicable

3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye, skin, and respiratory burns. May be harmful if swallowed.

4. FIRST AID MEASURES

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least 15

minutes. Get medical attention. Remove contaminated clothing and launder before

reuse.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of water

for at least 15 minutes and get medical attention immediately after flushing.

Ingestion Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

FIRE FIGHTING MEASURES

Flash Point/Range (F): Not Determined Flash Point/Range (C): Not Determined **Flash Point Method:** Not Determined **Autoignition Temperature (F):** Not Determined **Autoignition Temperature (C):** Not Determined Flammability Limits in Air - Lower (%): Not Determined Flammability Limits in Air - Upper (%): Not Determined

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical. **Special Exposure Hazards** Decomposition in fire may produce toxic gases.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

Health 3, Flammability 0, Reactivity 0 **NFPA Ratings: HMIS Ratings:** Health 3, Flammability 0, Physical Hazard 0

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment.

Environmental Precautionary

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

Absorption

Isolate spill and stop leak where safe. Neutralize to pH of 6-8. Scoop up and remove.

Do NOT spread spilled product with water.

HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Avoid breathing

mist. Wash hands after use. Launder contaminated clothing before reuse. Material

is slippery underfoot.

Storage Information Store away from acids. Store in a cool well ventilated area. Keep container closed

when not in use. Product has a shelf life of 36 months.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Use in a well ventilated area. Local exhaust ventilation should be used in areas **Engineering Controls**

without good cross ventilation.

Respiratory Protection Dust/mist respirator. (N95, P2/P3)

Hand Protection Butyl rubber gloves. Impervious rubber gloves. Neoprene gloves. Nitrile gloves.

Skin Protection Full protective chemical resistant clothing.

Chemical goggles; also wear a face shield if splashing hazard exists. **Eye Protection**

Other Precautions Eyewash fountains and safety showers must be easily accessible.

PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Clear to hazy Odor: Slightly soapy

PHYSICAL AND CHEMICAL PROPERTIES

pH: 13.2 Specific Gravity @ 20 C (Water=1): 1.5 Density @ 20 C (lbs./gallon): 12.5

Not Determined Bulk Density @ 20 C (lbs/ft3):

Boiling Point/Range (F): 213 **Boiling Point/Range (C):** 100 Freezing Point/Range (F): 30 -2 Freezing Point/Range (C):

Vapor Pressure @ 20 C (mmHg): Not Determined Vapor Density (Air=1): Not Determined **Percent Volatiles:** Not Determined **Evaporation Rate (Butyl Acetate=1):** Not Determined

Solubility in Water (q/100ml): Miscible

Solubility in Solvents (g/100ml): Not Determined Not Determined VOCs (lbs./gallon): Viscosity, Dynamic @ 20 C (centipoise): 150 - 250Viscosity, Kinematic @ 20 C (centistokes): Not Determined Partition Coefficient/n-Octanol/Water: Not Determined Molecular Weight (g/mole): Not Determined

10. STABILITY AND REACTIVITY

Stable **Stability Data:**

Will Not Occur **Hazardous Polymerization:**

Conditions to Avoid None anticipated

Incompatibility (Materials to

Avoid)

Strong acids. Amphoteric metals such as aluminum, magnesium, lead, tin, or zinc.

Hazardous Decomposition

Products

Toxic fumes.

Additional Guidelines Not Applicable

TOXICOLOGICAL INFORMATION 11.

Principle Route of Exposure Eye or skin contact, inhalation.

Inhalation Causes severe respiratory irritation.

Skin Contact Causes severe burns. **Eve Contact** May cause eye burns.

Causes burns of the mouth, throat and stomach. Ingestion

Aggravated Medical Conditions Skin disorders. Respiratory disorders.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are

chronic health hazards.

Other Information None known.

Toxicity Tests

Not determined **Oral Toxicity: Dermal Toxicity:** Not determined Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive /

Developmental Toxicity:

Not determined

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Not determined

Bio-accumulation Not determined

Ecotoxicological Information

Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity: Not determined

Chemical Fate Information Not determined

Other Information Not applicable

13. DISPOSAL CONSIDERATIONS

Disposal MethodDisposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

DOT

Not restricted

Canadian TDG

Not restricted

ADR

Not restricted

Air Transportation

ICAO/IATA

Not restricted

Sea Transportation

IMDG

Not restricted

Other Transportation Information

Labels: None

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

Acute Health Hazard

EPA SARA (313) Chemicals

This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund Reportable Spill Quantity

Not applicable.

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does meet the criteria of a hazardous waste as

defined by the US EPA, because of:

Corrosivity D002

California Proposition 65 All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law Does not apply.

NJ Right-to-Know Law Does not apply.

PA Right-to-Know Law Does not apply.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class E Corrosive Material

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS

Not applicable

Additional Information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Material Safety Data Sheet for this or other Halliburton

products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS