## **HALLIBURTON**

# SAFETY DATA SHEET

Product Trade Name: BC-140

Revision Date: 12-Mar-2015 Revision Number: 11

### 1. Identification

1.1. Product Identifier

Product Trade Name: BC-140
Synonyms: None
Chemical Family: Blend
Internal ID Code HM000109

1.2 Recommended use and restrictions on use

Application: Crosslinker

Uses Advised Against No information available

1.3 Manufacturer's Name and Contact Details

Manufacturer/Supplier Halliburton Energy Services Inc.

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By Chemical Stewardship

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

1.4. Emergency telephone number

**Emergency Telephone Number** (281) 575-5000

## 2. Hazard(s) Identification

### 2.1 Classification in accordance with paragraph (d) of §1910.1200

0 10 + 10 + 11 15	Cotogon 1 U272
Specific Target Organ Toxicity - (Repeated Exposure)	Category 1 - H372

### 2.2. Label Elements

## **Hazard Pictograms**



Signal Word Danger

Hazard Statements H372 - Causes damage to organs through prolonged or repeated exposure

**Precautionary Statements** 

**Prevention** P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response P308 + P313 - IF exposed or concerned: Get medical advice/attention

Storage None

**Disposal** P501 - Dispose of contents/container in accordance with

local/regional/national/international regulations

**Contains** 

SubstancesCAS NumberEthylene glycol107-21-1

### 2.3 Hazards not otherwise classified

None known

## 3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - US
Ethylene glycol	107-21-1	10 - 30%	Acute Tox. 4 (H302)
			STOT RE 1 (H372)

The exact percentage (concentration) of the composition has been withheld as proprietary.

## 4. First-Aid Measures

#### 4.1. Description of first aid measures

**Inhalation** If inhaled, move victim to fresh air and seek medical attention.

**Eyes** In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after flushing. In case of contact, immediately flush skin with plenty of soap and water for at least

15 minutes. Get medical attention. Remove contaminated clothing and launder

before reuse.

**Ingestion** Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical

attention.

### 4.2 Most important symptoms/effects, acute and delayed

Prolonged or repeated exposure may cause damage to organs.

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. Fire-fighting measures

### 5.1. Extinguishing media

**Suitable Extinguishing Media** 

Water fog, carbon dioxide, foam, dry chemical.

### Extinguishing media which must not be used for safety reasons

None known.

Skin

### 5.2 Specific hazards arising from the substance or mixture

#### **Special Exposure Hazards**

Decomposition in fire may produce toxic gases.

### 5.3 Special protective equipment and precautions for fire-fighters

#### **Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

### 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment.

See Section 8 for additional information

### 6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

### 6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

## 7. Handling and storage

### 7.1. Precautions for Safe Handling

### **Handling Precautions**

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

### **Storage Information**

Store away from oxidizers. Store in a cool well ventilated area. Keep container closed when not in use. Product has a shelf life of 36 months.

# 8. Exposure Controls/Personal Protection

**8.1 Occupational Exposure Limits** 

Substances	CAS Number	OSHA PEL-TWA	ACGIH TLV-TWA
Ethylene glycol	107-21-1	•	Ceiling: 100 mg/m³ (aerosol only)

## 8.2 Appropriate engineering controls

Engineering Controls Use in a well ventilated area. Local exhaust ventilation should be used in areas

without good cross ventilation.

## 8.3 Individual protection measures, such as personal protective equipment

Personal Protective Equipment If engineering controls and work practices cannot prevent excessive exposures,

the selection and proper use of personal protective equipment should be

determined by an industrial hygienist or other qualified professional based on the

specific application of this product.

**Respiratory Protection** Organic vapor respirator.

Hand Protection Impervious rubber gloves.

**Skin Protection** Rubber apron.

**Eye Protection** Chemical goggles; also wear a face shield if splashing hazard exists.

#### Other Precautions

Eyewash fountains and safety showers must be easily accessible.

## 9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid Color: Dark green

Odor: Mild Odor No information available

Threshold:

<u>Property</u> <u>Values</u>

Remarks/ - Method

**pH:** 7.28

Freezing Point/Range No information available.

Melting Point/Range No data available

Melting Point/Range **Boiling Point/Range** No data available **Flash Point** No data available Flammability (solid, gas) No data available upper flammability limit No data available lower flammability limit No data available **Evaporation rate** No data available **Vapor Pressure** No data available **Vapor Density** No data available

Specific Gravity 1.17 - 1.2

Water Solubility
Soluble in water
Solubility in other solvents
No data available
Partition coefficient: n-octanol/water
No data available
Autoignition Temperature
No data available
Decomposition Temperature
No data available
Viscosity
No data available

**Explosive Properties**No information available **Oxidizing Properties**No information available

9.2. Other information

VOC Content (%) No data available

## 10. Stability and Reactivity

### 10.1. Reactivity

Not expected to be reactive.

### 10.2. Chemical Stability

Stable

### 10.3. Possibility of Hazardous Reactions

Will Not Occur

### 10.4. Conditions to Avoid

None anticipated

### 10.5. Incompatible Materials

Strong oxidizers. Dehydrating agents.

### 10.6. Hazardous Decomposition Products

Toxic fumes. Carbon monoxide and carbon dioxide.

## 11. Toxicological Information

### 11.1 Information on likely routes of exposure

**Principle Route of Exposure** Eye or skin contact, inhalation.

## 11.2 Symptoms related to the physical, chemical and toxicological characteristics

**Acute Toxicity** 

Inhalation May cause respiratory irritation. May cause central nervous system depression

including headache, dizziness, drowsiness, incoordination, slowed reaction time,

slurred speech, giddiness and unconsciousness.

**Eye Contact** May cause severe eye irritation.

**Skin Contact** May cause skin irritation.

**Ingestion** Irritation of the mouth, throat, and stomach. May cause abdominal pain, vomiting,

nausea, and diarrhea. May cause heart, kidney and brain disorders.

Chronic Effects/Carcinogenicity Prolonged or repeated exposure may cause kidney damage. Prolonged or

repeated exposure may cause liver, heart, blood and brain damage.

### 11.3 Toxicity data

Toxicology data f	or the compone	ents		
Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene glycol	107-21-1	4000 mg/kg (Rat) 7712 mg/kg (Rat) > 10000 mg/kg (Rat) 1670 mg/kg (Cat) 1400 – 1600 mg/kg (Human)	9530 μL/kg (Rabbit) > 3500 mg/kg (Mouse)	> 2.5 mg/L (Rat) 6h (saturated concentration)
Substances	CAS Number	Skin corrosion/irritation		
		Non-irritating to the skin (Rabbit)		
Ethylene glycol	107-21-1	pron-initating to the skin (Rabbit)		
Substances	CAS Number	Eye damage/irritation		
Ethylene glycol		Non-irritating to the eye (Rabbit)		

Substances	CAS Number	Skin Sensitization
Ethylene glycol		Did not cause sensitization on laboratory animals (guinea pig) Patch test on human volunteers did not
		demonstrate sensitization properties

Substances	CAS Number	Respiratory Sensitization
Ethylene glycol	107-21-1	No information available

Substances	CAS Number	Mutagenic Effects
Ethylene glycol	107-21-1	In vitro tests did not show mutagenic effects. In vivo tests did not show mutagenic effects.

Substances	CAS Number	Carcinogenic Effects
Ethylene glycol	107-21-1	Did not show carcinogenic effects in animal experiments

Substances	CAS Number	Reproductive toxicity
Ethylene glycol		Fetotoxic and teratogenic effects observed in experimental animals at concentrations that did not produce maternal toxicity.

Substances   CAS Number   STOT -	single exposure
Ethylene glycol 107-21-1 No signif	cant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	STOT - repeated exposure
Ethylene glycol	107-21-1	Causes damage to organs through prolonged or repeated exposure: (Kidney)

Substances	CAS Number	Aspiration hazard
	107-21-1	No information available

## 12. Ecological Information

### 12.1. Toxicity

**Ecotoxicity Effects** 

### **Product Ecotoxicity Data**

No data available

**Substance Ecotoxicity Data** 

Substance Ecoloxicity Data							
Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to	Toxicity to Invertebrates		
				Microorganisms			
Ethylene glycol	107-21-1	EC50 6500 - 13000 mg/L	LC50 41000 mg/L	TTC (16h) > 10000 mg/L	EC50 46300 mg/L		
		(Pseudokirchneriella	(Oncorhynchus mykiss)	(Pseudomonas putida)	(Daphnia magna)		
		subcapitata)	LC50 (96h) 72860 mg/L	EC20 (30 m) > 1995 mg/L	EC50 (48h) >100 mg/L		
		TGK (8d) > 10000 mg/L	(Pimephales promelas)	(activated sludge,	(Daphnia magna)		
		(Scenedesmus	NOEC (7d) 15380 mg/L	domestic) (similar	NOEC (7d) 8590 mg/L		
		quadricauda)	(mortality) (Pimephales	substance)	(reproduction)		
			promelas)		(Ceriodaphnia dubia)		

### 12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Ethylene glycol	107-21-1	Readily biodegradable (100% @ 10d)

## 12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow	
Ethylene glycol	107-21-1	-1.36	

## 12.4. Mobility in soil

Substances	CAS Number	Mobility
Ethylene glycol	107-21-1	No information available

### 12.5 Other adverse effects

No information available

## 13. Disposal Considerations

### 13.1. Waste treatment methods

Disposal Method

Disposal should be made in accordance with federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

ontainmated I dokaging

## 14. Transport Information

**US DOT** 

UN Number: Not restricted
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

**US DOT Bulk** 

DOT (Bulk) Not applicable

**Canadian TDG** 

Not restricted **UN Number:** Not restricted **UN Proper Shipping Name:** Transport Hazard Class(es): Not applicable Not applicable **Packing Group:** Not applicable **Environmental Hazards:** 

IMDG/IMO

**UN Number:** Not restricted **UN Proper Shipping Name:** Not restricted Transport Hazard Class(es): Not applicable **Packing Group:** Not applicable **Environmental Hazards:** Not applicable

IATA/ICAO

Not restricted **UN Number: UN Proper Shipping Name:** Not restricted Not applicable **Transport Hazard Class(es):** Not applicable **Packing Group:** Not applicable **Environmental Hazards:** 

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

**Special Precautions for User:** None

## 15. Regulatory Information

### **US Regulations**

**US TSCA Inventory** All components listed on inventory or are exempt.

**EPA SARA Title III Extremely Hazardous Substances** 

Not applicable

EPA SARA (311,312) Hazard

**Class** 

Chronic Health Hazard

**EPA SARA (313) Chemicals** This product contains toxic chemical(s) listed below which is(are) subject to the

reporting requirements of Section 313 of Title III of SARA and 40 CFR Part 372:

Ethylene Glycol//107-21-1

**EPA CERCLA/Superfund** 

Reportable Spill Quantity

EPA Reportable Spill Quantity is 1674 Gallons based on Ethylene glycol (CAS:

107-21-1).

**EPA RCRA Hazardous Waste** 

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste

as defined by the US EPA.

All components listed do not apply to the California Proposition 65 Regulation. California Proposition 65

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

## **Canadian Regulations**

**Canadian DSL Inventory** All components listed on inventory or are exempt.

## 16. Other information

**Preparation Information** 

Prepared By Chemical Stewardship

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

Revision Date: 12-Mar-2015

Reason for Revision Update to Format

SECTION:

2

#### Additional information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

### Key or legend to abbreviations and acronyms

bw - body weight

CAS - Chemical Abstracts Service

EC50 – Effective Concentration 50%

ErC50 – Effective Concentration growth rate 50%

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL50 - Lethal Loading 50%

mg/kg - milligram/kilogram

mg/L - milligram/liter

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OEL – Occupational Exposure Limit

PEL - Permissible Exposure Limit

ppm - parts per million

STEL - Short Term Exposure Limit

TWA - Time-Weighted Average

**UN – United Nations** 

h - hour

mg/m<sup>3</sup> - milligram/cubic meter

mm - millimeter

mmHg - millimeter mercury

w/w - weight/weight

d - day

Key literature references and sources for data

www.ChemADVISOR.com/ **OSHA** ECHA C&L

### **Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet** 

Page 9/9