# **HALLIBURTON**

# MATERIAL SAFETY DATA SHEET

Product Trade Name: BE-7™

Revision Date: 15-Jan-2014

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name:BE-7™Synonyms:NoneChemical Family:InorganicApplication:Biocide

Manufacturer/Supplier Halliburton Energy Services, Inc.

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT (w/w)	ACGIH TLV-TWA	OSHA PEL-TWA
Sodium hypochlorite	7681-52-9	10 - 30%	Not applicable	Not applicable
Sodium hydroxide	1310-73-2	1 - 5%	2 mg/m <sup>3</sup>	2 mg/M3

# 3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye and skin burns. May cause respiratory irritation. May be harmful if

swallowed.

# 4. FIRST AID MEASURES

**Inhalation** If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

**Skin** In case of contact, immediately flush skin with plenty of soap and water for at least

15 minutes. Get medical attention. Remove contaminated clothing and launder

before reuse.

**Eyes** Immediately flush eyes with large amounts of water for at least 20 minutes. Seek

prompt medical attention.

**Ingestion** Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Treatment based on sound judgment of physician and individual reactions of

patient.

#### 5. FIRE FIGHTING MEASURES

Flash Point/Range (F):

Flash Point/Range (C):

Flash Point Method:

Autoignition Temperature (F):

Autoignition Temperature (C):

Flammability Limits in Air - Lower (%):

Flammability Limits in Air - Upper (%):

Not Determined

Not Determined

Not Determined

Not Determined

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical.

**Special Exposure Hazards** Decomposition in fire may produce toxic gases. Reacts with metals to generate

flammable hydrogen gas.

**Special Protective Equipment** 

for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required

for fire fighting personnel.

NFPA Ratings: Health 3, Flammability 0, Reactivity 1
HMIS Ratings: Health 3, Flammability 0, Physical Hazard 1

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautionary** 

Measures

Use appropriate protective equipment.

**Environmental Precautionary** 

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

**Absorption** 

Isolate spill and stop leak where safe. Remove ignition sources and work with non-sparking tools. Contain spill with sand or other inert materials. Scoop up and remove. Hypochlorite can be broken down by covering it with a reducing agent

such as sodium sulfite or sodium thiosulfate.

#### 7. HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands

after use. Launder contaminated clothing before reuse.

**Storage Information** Store away from acids. Store away from reducing agents. Store in a cool well

ventilated area. Store away from direct sunlight. Keep container closed when not in use. Store between 59 F (15 C) and 84 F (29 C). Keep from freezing. Product

has a shelf life of up to 6 months at 60F or lower.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls**Use in a well ventilated area. Local exhaust ventilation should be used in areas

without good cross ventilation.

#### **Respiratory Protection** If engineering controls and work practices cannot keep exposure below

occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified

professional.

Acid gas respirator with a dust/mist filter. In high concentrations, supplied air

respirator or a self-contained breathing apparatus.

Hand Protection Impervious rubber gloves. Nitrile gloves. Neoprene gloves. Viton gloves Butyl

rubber gloves.

**Skin Protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron, rain

jacket, pants or coverall, as appropriate, to prevent skin contact.

**Eye Protection** Splashproof chemical monogoggles or safety glasses with side shields in

conjunction with a face shield.

**Other Precautions** Eyewash fountains and safety showers must be easily accessible.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Color: Clear light yellow

Odor: Pungent 11-13 :Ha Specific Gravity @ 20 C (Water=1): 1.21 Density @ 20 C (lbs./gallon): 10.0 Bulk Density @ 20 C (lbs/ft3): 75 **Boiling Point/Range (F):** ~230 **Boiling Point/Range (C):** ~110 Freezing Point/Range (F): 7.5 Freezing Point/Range (C): -13.6 Vapor Pressure @ 20 C (mmHg): 12

Vapor Density (Air=1): Not Determined

Percent Volatiles: 85

Evaporation Rate (Butyl Acetate=1): Not Determined

Solubility in Water (q/100ml): Soluble

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistokes):

Partition Coefficient/n-Octanol/Water:

Molecular Weight (g/mole):

Not Determined

Not Determined

Not Determined

#### 10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

**Conditions to Avoid**Avoid contact with hydrochloric acid. Can react to release chlorine gas. Contact

with certain metals produces hydrogen gas. Hazards increase greatly if material is

allowed to dry.

Incompatibility (Materials to

Avoid)

Strong acids. Contact with metals. Ammonium compounds. Organic matter.

Cyanides. Alcohols. Nitrogen compounds. Cellulose. Ethyleneimine.

**Hazardous Decomposition** 

**Products** 

Hydrogen chloride. Chlorine. Hypochlorous acid. Flammable hydrogen gas.

Sodium oxides. Oxygen. Chlorine dioxide. Sodium chlorate

Additional Guidelines Not Applicable

### 11. TOXICOLOGICAL INFORMATION

**Principle Route of Exposure** Eye or skin contact, inhalation.

Sympotoms related to exposure

**Acute Toxicity** 

**Inhalation** Causes severe respiratory irritation.

**Eye Contact** Causes severe eye irritation May cause eye burns.

**Skin Contact**Causes severe skin irritation. May cause skin burns. May cause an allergic skin reaction.

**Ingestion** Causes burns of the mouth, throat and stomach. May be fatal if swallowed.

Chronic Effects/Carcinogenicity

No data available to indicate product or components present at greater than 1% are chronic

health hazards.

Toxicology data for the components

- control gy that it is an observed						
Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Sodium hypochlorite	7681-52-9	8200 mg/kg (Rat)	10000 mg/kg (Rabbit)	No data available		
Sodium hydroxide	1310-73-2	No data available	1350 mg/kg (Rabbit)	No data available		

#### 12. ECOLOGICAL INFORMATION

### **Ecotoxicological Information**

**Ecotoxicity Product** 

Acute Fish Toxicity: TLM48: 0.07 mg/l (Oncorhynchus mykiss) TLM96: 5.9 mg/l (Pimephales promelas)

Acute Crustaceans Toxicity: Not determined
Acute Algae Toxicity: Not determined

**Ecotoxicity Substance** 

Locioxiony Cubotanico								
Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water			
				Microorganisms	Flea)			
Sodium hypochlorite	7681-52-9	EC50: 0.095 mg/L	LC50: 0.06 - 0.11 mg/L	No information available	EC50: 0.033 - 0.044 mg/L			
-		(Skeletonema costatum)	(Pimephales promelas)		(Daphnia magna)			
Sodium hydroxide	1310-73-2	No information available	LC50: 45.4 mg/l	No information available	EC50(48 h): 40.4 mg/L			
			(Oncorhynchus mykiss)		(Ceriodaphnia sp.)			

#### 12.2 Persistence and degradability

No information available

### 12.3 Bioaccumulative potential

No information available

### 12.4 Mobility in soil

No information available

### 12.5 Results of PBT and vPvB assessment

No information available.

#### 12.6 Other adverse effects

### 13. DISPOSAL CONSIDERATIONS

**Disposal Method** Disposal should be made in accordance with federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

### 14. TRANSPORT INFORMATION

### **Land Transportation**

#### DOT

UN1791, Hypochlorite Solution, 8, III RQ (Sodium Hypochlorite - 45.4 kg.) NAERG 154

#### **Canadian TDG**

Hypochlorite Solution, 8, UN1791, III

#### **ADR**

UN1791, Hypochlorite Solution, 8, III

## **Air Transportation**

#### ICAO/IATA

UN1791, Hypochlorite Solution, 8, III RQ (Sodium Hypochlorite - 45.4 kg.)

### Sea Transportation

#### **IMDG**

UN1791, Hypochlorite Solution, 8, III RQ (Sodium Hypochlorite - 45.4 kg.) EmS F-A, S-B

# Other Transportation Information

Labels: Corrosive

### REGULATORY INFORMATION

### **US Regulations**

**US TSCA Inventory** All components listed on inventory or are exempt.

**EPA SARA Title III Extremely Hazardous Substances** 

Not applicable

**EPA SARA (311,312) Hazard** 

Acute Health Hazard

Class

EPA SARA (313) Chemicals This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund Reportable Spill Quantity

EPA Reportable Spill Quantity is 80 Gallons based on Sodium hypochlorite (CAS:

7681-52-9).

**EPA RCRA Hazardous Waste** 

Classification

If product becomes a waste, it MAY meet the criteria of a hazardous waste as

defined by the US EPA.

**California Proposition 65** All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

**Canadian Regulations** 

**Canadian DSL Inventory** All components listed on inventory or are exempt.

WHMIS Hazard Class E Corrosive Material

D2B Toxic Materials

#### 16. OTHER INFORMATION

The following sections have been revised since the last issue of this SDS Not applicable

Additional Information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products,

contact Chemical Compliance at 1-580-251-4335.

**Disclaimer Statement** This information is furnished without warranty, expressed or implied, as to

accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the

sole responsibility of the user.

\*\*\*END OF MSDS\*\*\*