

## SAFETY DATA SHEET

Revision Date 09/14/2015 REVISION NUMBER: 3

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name BIOGENIC SE 372, Maximum Strength Carbon and Grease Remover

Other means of identification

 Product code
 106620

 UN/ID No.
 2920

 Synonyms
 NONE

Recommended use of the chemical and restrictions on use
Recommended Use Cleaner/Degreaser.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address Importer

Rochester Midland Corporation
Rochester Midland Limited
155 Paragon Drive
S353 John Lucas Drive

Rochester, New York 14624 USA Suite 103

Burlington, ON L7L 6G5

Canada

Emergency telephone number

EMERGENCY TELEPHONE INFOTRAC: 1-800-535-5053

OUTSIDE U.S.: +1-352-323-3500 CANUTEC: 613-996-6666

## 2. HAZARDS IDENTIFICATION

## Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Flammable liquids	Category 3

#### Label elements

#### **Emergency Overview**

## DANGER

#### Hazard statements

Causes severe skin burns and eye damage May cause an allergic skin reaction Flammable liquid and vapor



Appearance Clear Light yellow liquid.

Physical state Liquid

**Odor** Citrus

### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing should not be allowed out of the workplace

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

## **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam for extinction

### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

No information available

## Other Information

- · May be harmful if swallowed
- · May be harmful in contact with skin
- Very toxic to aquatic life with long lasting effects.
- Very toxic to aquatic life.

**Unknown Acute Toxicity** 

13.9% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Ethanolamine	141-43-5	15 max.	*
Diethylene glycol butyl ether	112-34-5	10 max.	*
d-Limonene	5989-27-5	50 max.	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

First aid measures

General advice Immediately call a POISON CENTER or doctor/physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash

occurs: Get medical advice/attention.

**Inhalation** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Dry chemical, CO2, sand, earth, water spray or regular foam.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

No information available.

**Explosion data** 

Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

Protective equipment and precautions for firefighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Cool exposed containers with water spray. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling DANGER. Flammable. Avoid contact with skin and eyes. Do not breathe mist or vapors. Do

not reuse container. Read and follow label instructions. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near

heat, sparks or flame. Do not store near oxidizing agents. Keep/store only in original

container.

**Incompatible materials**Do not mix with:. Acids. Strong oxidents, such as nitric acid, or hypochlorites.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanolamine	STEL: 6 ppm	(vacated) STEL: 6 ppm	30 ppm
141-43-5	TWA: 3 ppm	(vacated) STEL: 15 mg/m <sup>3</sup>	
		(vacated) TWA: 3 ppm	
		(vacated) TWA: 8 mg/m <sup>3</sup>	
		TWA: 3 ppm	
		TWA: 6 mg/m <sup>3</sup>	
Diethylene glycol butyl ether	TWA: 10 ppm inhalable	NA	-
112-34-5	fraction and vapor		

#### **Appropriate engineering controls**

**ENGINEERING CONTROLS**General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

Explosion-proof equipment. Showers. Eyewash stations.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses or goggles to protect against exposure.

**Skin and body protection** Chemical resistant gloves are recommended to minimize skin contact. Appropriate

protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this

product.

**RESPIRATORY PROTECTION** None normally required. Use NIOSH approved organic vapor respirator as needed if spray

mist or vapors exceed PEL or TLV.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear Light yellow liquid. Odor Citrus

Color No information available Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

# 106620 BIOGENIC SE 372, Maximum Strength Carbon and Grease Remover

**pH** 11.0 +/- 0.5

Melting point/freezing point No information available

Boiling point / boiling range 100 °C / 212 °F

Flash point 47.2 °C / 117 °F Tag Closed Cup

Evaporation rate 1.26

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: 6.1
Lower flammability limit: 0.7
Vapor pressure 2

Vapor density > 1

Specific gravity 0.956 - 0.966

Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available No information available **Explosive properties Oxidizing properties** No information available

Other Information

Softening point No information available

VOC (EPA METH.24) (G/L): 414

DensityNo information availableBulk densityNo information available

## 10. STABILITY AND REACTIVITY

mm Hg @ 75°F

## **REACTIVITY**

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

## **CONDITIONS TO AVOID**

Avoid all sources of ignition; heat, sparks and open flames. Extremes of temperature and direct sunlight.

## **Incompatible materials**

Do not mix with:. Acids. Strong oxidents, such as nitric acid, or hypochlorites.

#### **Hazardous Decomposition Products**

Incomplete combustion produces:. Fumes. Smoke. Carbon Monoxide. Carbon dioxide (CO2).

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** May be harmful if swallowed. Causes severe skin burns and eye damage.

Inhalation Causes burns.

**Eye contact** Corrosive to the eyes and may cause severe damage including blindness.

# 106620 BIOGENIC SE 372, Maximum Strength Carbon and Grease Remover

Skin contact May be harmful in contact with skin. Causes burns. Repeated or prolonged skin contact

may cause allergic reactions with susceptible persons.

**Ingestion** May be harmful if swallowed. Causes burns.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Ethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg(Rabbit)	-
Diethylene glycol butyl ether 112-34-5	= 3384 mg/kg (Rat)	= 2700 mg/kg ( Rabbit )	-
d-Limonene 5989-27-5	= 4400 mg/kg (Rat)	> 5 g/kg(Rabbit)	-

## Information on toxicological effects

Symptoms No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

PRODUCT COMPOSITION	ACGIH	IARC	NTP	OSHA
d-Limonene	-	Group 3	-	-
5989-27-5				

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No information available.
No information available.
No information available.

## Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 13.9% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 4108 mg/kg
ATEmix (dermal) 3805 mg/kg
ATEmix (inhalation-dust/mist) 9.9 mg/l

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

18.9% of the mixture consists of components(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
Ethanolamine	15: 72 h Desmodesmus	300 - 1000: 96 h Lepomis	65: 48 h Daphnia magna
141-43-5	subspicatus mg/L EC50	macrochirus mg/L LC50	mg/L EC50
		static 3684: 96 h	
		Brachydanio rerio mg/L	
		LC50 static 227: 96 h	
		Pimephales promelas mg/L	
		LC50 flow-through 200: 96 h	
		Oncorhynchus mykiss mg/L	
		LC50 flow-through 114 -	
		196: 96 h Oncorhynchus	
		mykiss mg/L LC50 static	
Diethylene glycol butyl ether	100: 96 h Desmodesmus	1300: 96 h Lepomis	100: 48 h Daphnia magna
112-34-5	subspicatus mg/L EC50	macrochirus mg/L LC50	mg/L EC50
		static	

# 106620 BIOGENIC SE 372, Maximum Strength Carbon and Grease Remover

d-Limonene	-	0.619 - 0.796: 96 h	-
5989-27-5		Pimephales promelas mg/L	
		LC50 flow-through 35: 96 h	
		Oncorhynchus mykiss mg/L	
		LC50	

## Persistence and degradability

No information available.

#### Bioaccumulation

PRODUCT COMPOSITION	Partition coefficient
Ethanolamine 141-43-5	-1.91

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

## 14. TRANSPORT INFORMATION

**DEPT. OF TRANSPORTATION** 

**UN/ID No.** 2920

Proper shipping name CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ETHANOLAMINE, D-LIMONENE)

Hazard Class 8
Subsidiary class 3
Packing Group ||

**Description** 5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

**TDG** 

**UN/ID No.** 2920

Proper shipping name CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ETHANOLAMINE, D-LIMONENE)

Hazard Class 8
Subsidiary class 3
Packing Group ||

**Description** 1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

## 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies

## 106620 BIOGENIC SE 372, Maximum Strength Carbon and Grease Remover

**DSL/NDSL** Complies

Does not Comply **EINECS/ELINCS ENCS** Does not Comply **IECSC** Complies **KECL** Does not Comply

Complies **PICCS** Complies **AICS** 

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

PRODUCT COMPOSITION	SARA 313 - Threshold Values %	
Diethylene glycol butyl ether - 112-34-5	1.0	

#### SARA 311/312 Hazard Categories

**ACUTE HEALTH HAZARD** YES **CHRONIC HEALTH HAZARD** YES **FIRE HAZARD** YES Sudden release of pressure hazard No **REACTIVE HAZARD** No

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Ethanolamine 141-43-5	Listed	Listed	Listed
Diethylene glycol butyl ether 112-34-5			Listed

## **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION	
-----------------------	--

#### NFPA

Health hazards 3
Flammability 2
Instability 0
Physical and Chemical Properties ALKALI
HMIS
Health hazards 3
Flammability 2
Physical hazards 0
Personal protection C

Prepared By EH&S DEPARTMENT

**Revision Date** 09/14/2015

**Revision Note** 

An incorrect Carcinogen classification was removed.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

\*\*\* END OF SDS \*\*\*