

### BSI-225 High-Foaming All-Purpose Neutral Cleaner

| Section 1                       | Product Description   |  |
|---------------------------------|---|--|
| Product Name:                   | BSI-225 High-Foaming All-Purpose Neutral Cleaner                                  |  |
| Recommended Uses:               | Equipment, utensils, walls and floors in meat, poultry and food processing plants |  |
| Synonyms:                       | General Purpose Cleaner Concentrate   |  |
| Distributor:                    | Best Sanitizers, Inc.   |  |
| Chemical Information Emergency: | PO Box 1360 Penn Valley, CA 95946   |  |
| Chemtrec                        | 1.800.424.9300  |  |

## **Section 2**

### **Hazard Information**

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). Serious eye damage/eye irritation Category 2A

## **Warning**



### **Hazard Statements**

Causes serious eye irritation

Appearance—Aqueous solution
Physical State—Liquid
Odor—Mild sweet

### **Precautionary Statements—Prevention**

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

### **Precautionary Statements—Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irration persists: Get medical advice/attention.

#### Hazards not otherwise classified (HNOC)

Not Applicable

#### Other Information

Harmful to aquatic life with long lasting effects.

## **Section 3**

# **Composition/Information on Ingredients**

| Chemical Name                                    | CAS No.     | Weight-%  |
|--|-------------|-----------|
| Water  | 7732-18-5   | 65-85     |
| Sodium dodecylebenzenesulfonate                  | 25155-30-0  | 11.5-15.5 |
| Dipropylene glycol monomethyl ether              | 34590-94-8  | 6-10      |
| Trade Secret 1                                   | Proprietary | 1-4       |
| Ethylenediaminetetraacetic acid tetrasodium salt | 64-02-08    | 1-2       |
| Ethyl alcohol                                    | 64-17-5     | 0.2-0.6   |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## **Section 4**

### **First Aid Measures**

**First Aid Measures** 

Eye Contact Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after first 5 minutes, then continue rinsing eye(s). If eye irritation

persists: Get medical advice/ attention.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing and shoes before reuse. Get medical

attention if irritation develops and persists.

Inhalation Remove to fresh air. Immediate medical attention is not required.

**Ingestion** Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

**Symptoms** See Section 11 for symptom information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

### Section 5

## **Fire-Fighting Measures**

### **Suitable Extinguishing Media**

Dry Chemical. Water spray (fog), Carbon dioxide (CO<sub>2</sub>), Foam.

**Unsuitable Extinguishing Media** 

No Information available.

Specific hazards arising from the chemical

No Information available.

Hazardous combustion products Carbon monoxide

**Explosion Data** 

Sensitivity to Mechanical Impact None
Sensitivity to Static Discharge None

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

### **Section 6**

### **Accidental Release Measures**

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protection recommended in Section 8. Ensure adequate ventilation, especially in

confined areas.

For emergency responders Isolate area. Keep unnecessary personnel away.

**Environment Precautions** 

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional

ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for

disposal according to local/national regulations (See Section 13).

Methods for cleaning up Collect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable

containers for disposal. Following product recovery, flush area with water.

### **Section 7**

# **Handling and Storage**

#### **Precautions for Safe Handling**

Advice on Safe Handling Use personal protection recommended in Section 8. Avoid contact with skin and eyes. Use only in

well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in

accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep Containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

Incompatible materials Strong oxidizing agents.

## **Section 8**

## **Protection Information**

### **Exposure Guidelines**

| Chemical Name                                  | ACGIH TLV                     | OSHA PEL  | NIOSH IDLH  |
|--|-------------------------------|---|---|
| Dipropylene glycol monomethyl ether 34590-94-8 | STEL: 150 ppm<br>TWA: 100 ppm | TWA: 100 ppm<br>TWA: 600 mg/m³<br>(vacated)STEL: 150 ppm<br>(vacated) STEL: 900 mg/m³ | IDLH: 600 ppm<br>TWA: 100 ppm<br>TWA: 600 mg/m <sup>3</sup><br>STEL: 150 ppm<br>STEL: 900 mg/m <sup>3</sup> |
| Ethyl alcohol<br>64-17-5                       | STEL: 1000 ppm                | TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup>  | IDLH: 3300 ppm<br>TWA: 1000 ppm<br>TWA: 1900 ma/m³  |

**Appropriate Engineering Controls** 

Engineering Controls Showers, eyewash stations, ventilation system.

Individual Protection Measures, such as personal protective equipment

Eye/Face protection Tight sealing safety goggles.

Skin and body protection Wear protective Neoprene™ gloves. Rubber gloves. Normal work clothing (long sleeved shirt and long

sleeved shirt and long pants) is recommended. Apron recommended.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory

protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant

concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing and shoes before

Considerations reuse. Do not Eat, Drink or Smoke when using this product.

### Section 9

# **Physical and Chemical Properties**

±1@21°C

### Information on basic physical and chemical properties

Formula: See Section 3 Physical State: Liquid

Odor: Mild Sweet Appearance: Aqueous solution

Odor Threshold: No Information Available Color: Clear blue

<u>Property</u> <u>Values</u> <u>Remarks-Method</u>

pH 7

Melting Point/Freezing Point -1°C / 31° F

Boiling Point/ Boiling Range No information available

Flash Point Not Flammable

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:

Lower flammability limit:

Vapor pressure:

Vapor density:

No information available

No information available

No information available

Specific Gravity 1.035 g/cc

Water solubility Soluble in water

Partition coefficient

Autoignition temperature

Decomposition temperature

Kinematic viscosity

Dynamic viscosity

Explosive properties

No information available

### **Section 10**

## **Stability and Reactivity Data**

**Reactivity** No data available.

**Chemical Stability** Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid None known.

**Incompatible materials** Strong oxidizing agents.

Hazardous Decomposition Products None known based on information supplied.

### Section 11

# **Toxicity Data**

### Information on likely routes of exposure

**Product Information** 

Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eye Contact Irritating to eyes.

Skin Contact Prolonged contact may cause irritations.

Ingestion Harmful if swallowed.

| Chemical Name  | Oral LD50                              | Dermal LD50           | Inhalation LC50         |
|--|--|-----------------------|-------------------------|
| Water<br>7732-18-5   | > 90 mL/kg (Rat)                       | ·                     |                         |
| Sodium dodecylebenzenesulfonate 25155-30-0                     | = 500 mg/kg (Rat)<br>= 438 mg/kg (Rat) | -                     |                         |
| Dipropylene glycol monomethyl ether 34590-94-8                 | = 5400 µL/kg (Rat)                     | = 9500 mg/kg (Rabbit) |                         |
| Ethylenediaminetetraacetic acid<br>tetrasodium salt<br>64-02-8 | = 10 g/kg (Rat)<br>= 1658 mg/kg (Rat)  |                       |                         |
| Ethyl alcohol  | = 7060 mg/kg (Rat)                     | > 2 g/kg (Rabbit)     | = 124.7 mg/Lg (Rat) 4 h |

### Information on toxicological effects

Symptoms No Information Available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo Information AvailableGerm cell mutagenicityNo Information Available

Carcinogenicity Ethanol has been shown to be carcinogenic in long-tem studies onloy when consumed asalcoholic

beverage

Reproductive toxicity
STOT single exposure
STOT repeated exposure
Aspiration hazard
No Information Available
No Information Available
No Information Available

Numerical measures of toxicity –Product Information

Unknown Acute Toxicity 2.4% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 21011 mg/kg

## **Section 12**

## **Ecological Data**

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

2.474% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

| Chemical Name  | Algae/aquatic plants                            | Fish  | Crustacea  |
|--|---|---|--|
| Sodium dodecylebenzenesulfonate<br>25155-30-0                  |   | 10.8: 96 h Oncorhynchus<br>mykiss mg/L LC50 Static  |  |
| Dipropylene glycol monomethyl<br>ether<br>34590-94-8           |   | 10000: 96h Pimephales promelas<br>mg/L LC50 static  | 1919: 48 h Daphnia magna mg/L<br>LC50  |
| Ethylenediaminetetraacetic acid<br>tetrasodium salt<br>64-02-8 | 1.01: 72 h Desmodesmus<br>subspicatus mg/L EC50 | 41: 96 h Lepomos macrochirus<br>mg/L LC50 static<br>59.8: 96 h Pimephales promelas<br>mg/L LC50 static      | 610: 24 h Daphnia magna mg/L<br>EC50   |
| Ethyl alcohol<br>64-17-5                                       | -   | 12.0-16.0: 96 h Oncorhynchus<br>mykiss mg/L LC50 Static<br>100: 96h Pimephales promelas<br>mg/L LC50 static | 9268-14221: 48 h Daphnia<br>magna mg/L LC50<br>2: 48 h Daphnia magna mg/L<br>EC50 Static |

### **Persistence and degradability**

No Information Available.

#### **Bioaccumulation**

| Chemical Name                                  | Partition Coefficient |
|--|-----------------------|
| Dipropylene glycol monomethyl ether 34590-94-8 | -0.064                |
| Ethyl Alcohol 64-17-5                          | -0.32                 |

### Mobility

Soluble in water.

#### Other adverse effects

No information available.

### Section 13

## **Disposal Information**

**Waste treatment methods** 

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

### Section 14

# **Transport Information**

#### DOT

Not regulated

# Section 15 Regulatory Information

**International Inventories** 

TSCA No information available
DSL/NDSL No information available
EINECS/ELINCS No information available

Legend:

TSCA—United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS—European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of pressure hazard No
No Reactive Hazard No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name                              | CWA-Reportable Quantity | CWA-Toxic Pollutants | CWA-Priority Pollutants | CWA-Hazardous Substances |
|--|-------------------------|----------------------|-------------------------|--------------------------|
| Sodium dodecylebenzenesulfonate 25155-30-0 | 1000 lb                 |                      |                         | Х                        |

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environment

Response Compensation and Liability Act (CERCLA) (40 CFR 302).

| Chemical Name                   | Hazardous Substance RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------------------------|-------------------------|----------------|--------------------------|
| Sodium dodecylebenzenesulfonate | 1000 lb                 |                | RQ 1000 lb final RQ      |
| 25155-30-0                      |                         |                | RQ 454 kg final RQ       |

#### **US State Regulations**

<u>California Proposition 65</u> -This product may contain trace amounts of Nitrilotriacetic acid, trisodium salt 5064-31-3, Formaldehyde 500-00-0, Sulfur dioxide 7446-09-5, Ethylene oxide 75-21-8; 1.4 dioxane 123-91-1. Ethyl alcohol is only a considered Prop 65 hazard when ingested.

#### **U.S. State Right-to-Know Regulations**

| Chemical Name                                  | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| Sodium dodecylebenzenesulfonate<br>25155-30-0  | Х          | Х             | Х            |
| Dipropylene glycol monomethyl ether 34590-94-8 | Х          | Х             | Х            |
| Ethyl Alcohol 64-17-5                          | Х          | Χ             | Х            |

#### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** 

Not Applicable

| • | $\sim$ | П | n | n | - | 13 |
|---|--------|---|---|---|---|----|
|   |        |   |   |   |   |    |

## **Additional Information**

| <u>NFPA</u> | <b>Health Hazards</b> | Flammability | Instability      | <b>Physical and Chemical Properties</b> |
|-------------|-----------------------|--------------|------------------|---|
|             | 1                     | 0            | 0                | None                                    |
| <u>HMIS</u> | Health Hazards        | Flammability | Physical Hazards | Personal protection                     |
|             | 1                     | 0            | 0                | B (safety glasses, gloves)              |

Prepared by: Technical Department
Revision Date February 16, 2017

Version 3

Revision Note Annual Review

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.