



Section 1: Identification

| | | |
|-----------------------------------|---|---|
| Common Name/Trade Name | BUTYL ALCOHOL NF | |
| Supplier Information | Letco Medical 1316 Commerce Drive NW Decatur, AL 35601 1 (800) 239-5288 +1 (734) 843-4693 | IN CASE OF EMERGENCY: Chemtrec 1 (800) 424-9300 (24 hours) |
| Product Synonym(s) | 1-Butanol Butyl alcohol n-Butanol | |
| Relevant Use(s) of Product | Manufacture or Compounding of Substances | |

Section 2: Hazards Identification

| | | |
|---|--|--|
| Classification of Substance or Mixture | Flammable liquids (Category 3), Acute toxicity, Oral (Category 4), Skin irritation (Category 2), Eye irritation (Category 2A), Specific target organ toxicity - single exposure (Category 3), Respiratory system, Central nervous system | |
| Signal Word | Warning | |
| Hazard Statement(s) | H226 Flammable liquid and vapour H302 Harmful if swallowed H315 Causes skin irritation H319 Causes serious eye irritation H335 May cause respiratory irritation H336 May cause drowsiness or dizziness | |
| Pictogram(s) |   | |

Section 2: Hazards Identification

| | | |
|-------------------------------------|-------------------|--|
| Precautionary Statement(s) | P210 | Keep away from heat/sparks/open flames/hot surfaces – No smoking. |
| | P233 | Keep container tightly closed. |
| | P240 | Ground/bond container and receiving equipment. |
| | P241 | Use explosion-proof electrical/ventilating/light/equipment. |
| | P242 | Use only non-sparking tools. |
| | P243 | Take precautionary measures against static discharge. |
| | P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| | P264 | Wash hands thoroughly after handling. |
| | P270 | Do not eat, drink or smoke when using this product. |
| | P271 | Use only outdoors or in a well-ventilated area. |
| | P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| | P301+P312 | IF SWALLOWED Call a POISON CENTER or doctor/physician if you feel unwell. |
| | P303+P361+P353 | IF ON SKIN (or hair) Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| | P304+P340 | IF INHALED Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| | P305+P351+P338 | IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. continue rinsing. |
| | P312 | Call a POISON CENTER or doctor/physician if you feel unwell. |
| | P330 | Rinse mouth. |
| | P332+P313 | If skin irritation occurs Get medical advice/attention. |
| | P337+P313 | If eye irritation persists Get medical advice/attention. |
| | P362 | Take off contaminated clothing and wash before reuse. |
| | P370+P378 | In case of fire Use [EXTINGUISHING MEDIA] for extinction. |
| | P403+P233 | Store in a well ventilated place. Keep container tightly closed. |
| | P403+P235 | Store in a well ventilated place. Keep cool. |
| | P405 | Store locked up. |
| | P501 | Dispose of contents/container to an approved waste disposal plant. |
| Hazards Not Otherwise Classified | No data available | |
| Ingredient(s) with Unknown Toxicity | No data available | |

Section 3: Composition/Information on Ingredients

| | |
|---|-----------------------------------|
| Chemical Name | 1-Butanol Butyl alcohol n-Butanol |
| Common Name | Butyl alcohol |
| CAS Number | 71-36-3 |
| Impurities and/or Stabilizing Additives | No data available |

Section 4: First Aid Measures

| | |
|--|--|
| General Advice | Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. |
| If Inhaled | If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. |
| In Case of Skin Contact | Wash off with soap and plenty of water. Consult a physician. |
| In Case of Eye Contact | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. |
| If Swallowed | Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult with a physician. |
| Most Important Symptoms and Effects | The most important known symptoms and effects are described in the labeling (see section 2.2) and/or section 11 |

Section 5: Fire Fighting Measures

| | |
|---|--|
| Suitable Extinguishing Media | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Special Hazards Arising From the Substance/Mixture | Carbon oxides Nature of decomposition products not known. |
| Special PPE and/or Precautions for Firefighters | Wear self contained breathing apparatus for fire fighting if necessary. Use water spray to cool unopened containers. |

Section 6: Accidental Release Measures

| | |
|--|--|
| Personal Precautions, Protective Equipment and Emergency Procedures | Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe area. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
| Methods and Materials Used for Containment | Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations. |
| Cleanup Procedures | Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. |

Section 7: Handling and Storage

| | |
|--------------------------------------|---|
| Precautions for Safe Handling | Avoid contact with skin and eyes. Avoid inhalation of vapor mist. Keep away from sources of ignition-No smoking. Take measures to prevent the build up of electrostatic charge. |
| Conditions for Safe Storage | Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. |

Section 8: Exposure Controls/Personal Protection

| | |
|---|--|
| Components with Workplace Control Parameters | Component: n-Butanol CAS-No. 7136-3 Value: TWA Control parameters: 20 ppm Basis: USA.ACGIH Threshold Limit Values. Remarks: Eye and Upper Respiratory Tract irritation. Value: C Control parameters: 50 ppm. 150 mg/m3 Basis: USA OSHA-Table Z-1 limits for Air Contaminants-1910.1000. Skin Notation: Value TWA Control parameters: 100 ppm 300 mg/m3. The value in mg/m3 is approximate. Value C. Control Parameters: 50 ppm 150 mg/m3. Basis USA. NIOSH Recommended Exposure Limits. Potential for dermal absorption. |
| Appropriate Engineering Controls | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. |
| PPE - Eye/Face Protection | Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). |
| PPE - Skin Protection | Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. |
| PPE - Body Protection | Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. |
| PPE - Respiratory Protection | Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). |

Section 9: Physical and Chemical Properties

| | |
|---|--|
| Appearance | Form: Liquid, clear Colour: Colourless |
| Upper/Lower Flammability or Explosive Limits | No data available |
| Odor | No data available |
| Vapor Pressure | 5 hPa (4 mmHg) at 20 °C (68 °F) |
| Odor Threshold | No data available |
| Vapor Density | 2.56 - (Air = 1.0) |
| pH | No data available |
| Relative Density | 0.81 g/cm ³ at 25 °C (77 °F) Relative vapor density. |
| Melting Point/Freezing Point | Melting point/range: -90 °C (-130 °F) - lit. |
| Solubility | Water Soluble |
| Initial Boiling Point and Boiling Range | 116 - 118 °C (241 - 244 °F) - lit. |
| Flash Point | 35 °C (95 °F) - closed cup |
| Evaporation Rate | No data available |
| Flammability (Solid, Gas) | Upper explosion limit: 11.2 %(V) Lower explosion limit: 1.4 %(V) |
| Partition Coefficient | No data available |
| Auto-Ignition Temperature | No data available |
| Decomposition Temperature | No data available |
| Viscosity | No data available |

Section 10: Stability and Reactivity

| | |
|---|--|
| Reactivity | 2.56 - (Air = 1.0) |
| Chemical Stability | Stable under recommended storage conditions. |
| Possibility of Hazardous Reactions | Vapours may form explosive mixture with air. |
| Conditions to Avoid | Heat, flames and sparks. |
| Incompatible Materials | Oxidizing agents, Alkali metals, Bases, Strong acids, Halogens |
| Hazardous Decomposition Products | Other decomposition products-No data available |

Section 11: Toxicological Information

| | |
|---|---|
| Acute Toxicity - LD50 Oral | LD50 Oral - rat - 790 mg/kg Remarks: Liver: Fatty liver degeneration. Kidney, Ureter, Bladder: Other changes. Blood: Other changes. |
| Acute Toxicity - Inhalation | LC50 Inhalation - rat - 4 h - 8000 ppm |
| Acute Toxicity - Dermal | LD50 Dermal - rabbit - 3,400 mg/kg |
| Acute Toxicity - Eye | Eyes-rabbit Result- Eye irritation |
| Skin Corrosion/Irritation | Skin-rabbit Result: Skin irritation-24 h |
| Serious Eye Damage/Irritation | Eyes-rabbit Results- Eye irritation |
| Respiratory or Skin Sensitization | No data available |
| Germ Cell Mutagenicity | No data available |
| Carcinogenicity IARC | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| Carcinogenicity ACGIH | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. |
| Carcinogenicity NTP | No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |
| Carcinogenicity OSHA | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. |
| Reproductive Toxicity | No data available |
| Specific Target Organ Toxicity - Single Exposure | May cause respiratory irritation. May cause drowsiness or dizziness. |
| Specific Target Organ Toxicity - Repeated Exposure | No data available |
| Aspiration Hazard | No data available |

Section 12: Ecological Information

| | |
|--------------------------------------|--|
| Toxicity | Toxicity to fish. LC50 - Pimephales promelas (fathead minnow) - 1,840 mg/l - 96 h. Toxicity to daphnia and other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 1,983 mg/l - 48 h |
| Persistence and Degradability | No data available |
| Bio-accumulative Potential | Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 24 h - 921 mg/l Bioconcentration factor (BCF): 0.38 |
| Mobility in Soil | No data available |
| Other Adverse Effects | No data available |

Section 13: Disposal Considerations

| | |
|--|--|
| Waste Treatment Methods Product | Burn in a chemical incinerator equipped with an after-burner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal services to dispose of this material. |
| Waste Treatment Methods Packaging | Dispose of as unused product. |
| Special Precautions Landfill or Incinerations | No data available |
| Other Information | No data available |

Section 14: Transport Information

| | |
|-----------------------------------|---|
| UN Number | 1120 |
| UN Proper Shipping Name | Butanols |
| Transport Hazard Class(es) | 3 |
| Packaging Group | III |
| Environmental Hazards | Marine Pollutant: No Poison Inhalation Hazard: No |

Section 15: Regulatory Information

SARA 302 Components: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313 Components: SARA 313: The following components are subject to reporting levels established by SARA Title III, Section 313: n-Butanol CAS-No. 71-36-3 Revision Date 2007-07-01. SARA 311/312 Hazards: Fire Hazard, Acute Health Hazard, Chronic Health Hazard. Massachusetts Right To Know Components: n-Butanol CAS No. 71-36-3 Revision Date 2007-07-01. New Jersey Right To Know Components: n-Butanol CAS No. 71-36-3 Revision Date 2007-07-01. California Prop. 65 Components: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16: Other Information

| | |
|----------------------|------------------|
| Prepared By | Lisa Russell |
| Revision Date | 05/20/2015 16:02 |

Disclaimer

The Harvard Drug Group, L.L.C. ("THDG") believes that the above information is correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. If the product is used as a component in another product, this information may not be applicable. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED ABOVE. THDG shall not be held liable for any loss or damage resulting from handling, storage, use or from contact with the above product.