SAFETY DATA SHEET



1. Identification

Product identifier Battery Fluid Acid

Other means of identification None.

Recommended use Electrolyte for Industrial/Commercial electrical storage batteries.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/SupplierEast Penn Manufacturing Company, Inc.Address102 Deka Road, Lyon Station PA 19536

Telephone number (610) 682-6361

Contact person East Penn EHS Department

Emergency telephone

number
E-mail contactus@eastpenn-deka.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 1A

Serious eye damage/eye irritation Category 1
Carcinogenicity Category 1A

Specific target organ toxicity, single exposure Category 1 (respiratory system)

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Specific target organ toxicity, repeated Category 1 (respiratory system)

USA/Canada: CHEMTREC (800) 424-9300, Outside USA 1 (703) 527-3887

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 2

hazard

Hazardous to the aquatic environment,

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage. May cause respiratory irritation. May cause cancer.

Causes damage to organs (respiratory system). Causes damage to organs (respiratory system) through prolonged or repeated exposure. Toxic to aquatic life. Harmful to aquatic life with long

Category 3

lasting effects.

Precautionary statement

Response

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to

the environment. Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor. Wash contaminated clothing before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Battery Fluid Acid SDS US
929705 Version #: 02 Revision date: 08-January-2018 Issue date: 19-September-2017 1 / 7

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Sulphuric acid	7664-93-9	30 - 43

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move injured person into fresh air and keep person calm under observation. Get medical attention

immediately.

Skin contact Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes. Get medical attention immediately. Wash contaminated clothing before reuse.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical

attention immediately.

Ingestion Rinse mouth thoroughly with water. DO NOT induce vomiting because of danger of aspirating

liquid into lungs. Get medical attention immediately.

Most important

symptoms/effects, acute and

delayed

Causes severe burns. Exposure to mists may cause temporary irritation to eyes, skin, nose, throat,

and upper respiratory tract.

Indication of immediate medical attention and special

treatment needed
General information

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Dry chemical, foam, carbon dioxide.

Water used for fire extinguishing, which has been in contact with the product, may be corrosive.

Specific hazards arising from

the chemical

Sulfur trioxide (corrosive and toxic). Risk of fire and explosion on contact with metals as a result of

hydrogen formation. Containers may explode when heated.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Fire fighting

equipment/instructions

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

Substance does not burn but will support combustion.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear appropriate personal protective equipment.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers

for later disposal.

Large spills may be neutralized with dilute alkaline solutions of soda ash, or lime. Neutralize the spilled material before disposal. Sweep up or vacuum up spillage and collect in suitable container for disposal. Dispose of waste and residues in accordance with local authority requirements.

Environmental precautions

Prevent runoff from entering drains, sewers, or streams.

7. Handling and storage

Precautions for safe handling

Keep away from heat, sparks and open flame.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Protect containers from damage.

Battery Fluid Acid SDS US

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Value Type Sulphuric acid (CAS PEL 1 ma/m3

7664-93-9)

US. ACGIH Threshold Limit Values

Components Value **Form** Type Sulphuric acid (CAS **TWA** 0.2 mg/m3 Thoracic fraction.

7664-93-9)

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value TWA Sulphuric acid (CAS 1 mg/m3

7664-93-9)

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Appropriate engineering

controls

Provide adequate ventilation. Provide easy access to water supply and eye wash facilities.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Skin protection

Other Wear suitable protective clothing. Use of an impervious apron is recommended.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Gas mask with acid gas canister and

high-efficiency particulate filter.

Thermal hazards When material is heated, wear gloves to protect against thermal burns.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material considerations

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear, colorless liquid.

Physical state Liquid.

Form Sulfuric acid, liquid. Color Not available. Odorless. Odor **Odor threshold** Not available.

< 1 pН

Not available. Melting point/freezing point

Initial boiling point and boiling 235.4 - 240.8 °F (113 - 116 °C)

range

Flash point Not available.

< 1 **Evaporation rate**

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower 4 (as hydrogen gas)

(%)

Flammability limit - upper 74 (as hydrogen gas)

(%)

Vapor pressure 13 mm Hg Not available. Vapor density

Battery Fluid Acid

929705 Version #: 02 Revision date: 08-January-2018 Issue date: 19-September-2017 3/7

Relative density 1.2 - 1.3

Solubility(ies)

Solubility (water) 100 %

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature 932 °F (500 °C) (as hydrogen gas)

Decomposition temperatureNot available. **Viscosity**Not available.

Other information

Explosive propertiesNot explosive. **Oxidizing properties**Not oxidizing.

10. Stability and reactivity

ReactivityThe product is non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Do not allow water to get into container because of reaction.

Incompatible materials Strong bases. Combustible organic materials. Finely divided metals. Strong oxidizers. Reducing

agents.

Hazardous decomposition

products

At elevated temperatures: Sulfur dioxide. Sulfur trioxide. Carbon monoxide. Sulfuric acid.

Hydrogen sulfide.

11. Toxicological information

Information on likely routes of exposure

Inhalation Mist or vapor may irritate the respiratory system. Difficulty in breathing. Inhalation of vapors or

mists will likely result in mild to severe irritation of the nose, throat and lungs, depending on

airborne concentration.

Skin contact Causes severe skin burns.

Eye contact Causes severe eye burns.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Exposure to liquid causes serious eye and tissue damage. May cause serious chemical burns to the skin. Inhalation of mists/vapors of this product may cause headache, dizziness, nausea, and

respiratory tract irritation.

Information on toxicological effects

Acute toxicity May be harmful if swallowed.

Components Species Test Results

Sulphuric acid (CAS 7664-93-9)

Acute Oral

LD50 Rat 2140 mg/kg

Skin corrosion/irritation Causes skin burns.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Due to lack of data the classification is not possible.

Skin sensitization Due to lack of data the classification is not possible.

Germ cell mutagenicity Due to lack of data the classification is not possible.

Carcinogenicity The International Agency for Research on Cancer (IARC) has classified "strong inorganic acid

mists containing sulfuric acid" as a known human carcinogen, (IARC category 1). This

classification applies only to mists containing sulfuric acid and not to sulfuric acid or sulfuric acid

solutions.

IARC Monographs. Overall Evaluation of Carcinogenicity

Sulphuric acid (CAS 7664-93-9) 1 Carcinogenic to humans.

Battery Fluid Acid SDS US

NTP Report on Carcinogens

Sulphuric acid (CAS 7664-93-9) Known To Be Human Carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

May cause respiratory irritation. Causes damage to organs (respiratory system).

way cause respiratory irritation. Causes damage to organs (respiratory system).

Specific target organ toxicity -

repeated exposure

Causes damage to organs (respiratory system) through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects Chronic inhalation of sulfuric acid mist may increase the risk of lung cancer.

12. Ecological information

Ecotoxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Persistence and degradability Not persistent.

Bioaccumulative potential Potential to bioaccumulate is low.

Mobility in soil Potential for mobility in soil is very high.

Other adverse effects None known.

13. Disposal considerations

Disposal instructionsNeutralize electrolyte/sulfuric acid. Avoid discharge into water courses or onto the ground.

Dispose of in accordance with local regulations.

Local disposal regulations Empty containers should be taken to an approved waste handling site for recycling or disposal.

Hazardous waste code D002: Corrosive waste

Waste from residues / unused

products

Avoid discharge into water courses or onto the ground.

Contaminated packagingSince emptied containers retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN2796

UN proper shipping name Battery fluid, acid

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group II
Environmental hazards

Marine pollutant No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions A3, A7, B2, B15, IB2, N6, N34, T8, TP2, TP12

Packaging exceptions154Packaging non bulk202Packaging bulk242

IATA

UN number UN2796

UN proper shipping name Battery fluid, acid

Transport hazard class(es)

Class 8
Subsidiary risk Packing group II
Environmental hazards No.
ERG Code 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN2796

UN proper shipping name BATTERY FLUID, ACID

Battery Fluid Acid SDS US

Transport hazard class(es)

Class 8 Subsidiary risk П Packing group

Environmental hazards

Marine pollutant No. F-A, S-B **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

Hazardous Chemical Reporting Requirements apply when an Extremely Hazardous Substance is present at a facility in an amount equal to or exceeding 500 pounds or the Threshold Planning

Quantity, whichever is lower per 40CFR370.10(a)(1)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Sulphuric acid (CAS 7664-93-9) Listed.

Not applicable.

SARA 304 Emergency release notification

Sulphuric acid (CAS 7664-93-9) 1000 LBS OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Sulphuric acid	7664-93-9	1000	1000		

SARA 311/312 Hazardous

chemical

Yes

Classified hazard

Acute toxicity (any route of exposure) Skin corrosion or irritation

categories

Serious eye damage or eye irritation

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Sulphuric acid	7664-93-9	30 - 43	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Sulphuric acid (CAS 7664-93-9)

Safe Drinking Water Act

Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number**

Sulphuric acid (CAS 7664-93-9) 6552

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Sulphuric acid (CAS 7664-93-9) 20 %WV

Battery Fluid Acid SDS US

DEA Exempt Chemical Mixtures Code Number

Sulphuric acid (CAS 7664-93-9) 6552

US state regulations

US. Massachusetts RTK - Substance List

Sulphuric acid (CAS 7664-93-9)

US. New Jersey Worker and Community Right-to-Know Act

Sulphuric acid (CAS 7664-93-9)

US. Pennsylvania Worker and Community Right-to-Know Law

Sulphuric acid (CAS 7664-93-9)

US. Rhode Island RTK

Sulphuric acid (CAS 7664-93-9)

California Proposition 65



WARNING: Cancer and Reproductive Harm. www.P65warnings.ca.gov

or

PROPOSITION 65 WARNING: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the State of California to cause cancer and reproductive harm. Batteries also contain other chemicals known to the State of California to cause cancer. WASH HANDS AFTER HANDLING.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Inventory name

Sulphuric acid (CAS 7664-93-9) Listed: March 14, 2003

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Sulphuric acid (CAS 7664-93-9)

International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

⁽PICCS)

TaiwanTaiwan Chemical Substance Inventory (TCSI)YesUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

16. Other information, including date of preparation or last revision

Issue date19-September-2017Revision date08-January-2018

Version # 02

List of abbreviations LD50: Lethal Dose 50%.

References IARC Monographs. Overall Evaluation of Carcinogenicity

Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer The information in this SDS was obtained from sources which we believe are reliable, but no

warranty or representation as to its accuracy or completeness is hereby given. Users should consider the information herein only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal, the safety and health of employees and customers

and the protection of the environment.

Battery Fluid Acid SDS US

On inventory (yes/no)*

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).