

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 11/25/2014 Revision date: 03/20/2015 Version: 1.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Bisfil II Base

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : For professional use only.

#### 1.3. Details of the supplier of the safety data sheet

Bisco, Inc.

1100 W. Irving Park Rd. Schaumburg, IL 60193 T 847.534.6000 - F 847.891.5049 sales@bisco.com - www.bisco.com

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC - 24-Hour Hazmat Emergency Communications Center

Domestic: 1-800-424-9300 Outside the U.S.: 1-703-527-3887, collect calls accepted

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification (GHS-US)

Skin Irrit. 2 H315 Eye Irrit. 2B H320 Resp. Sens. 1 H334 Skin Sens. 1 H317

#### 2.2. Label elements

## **GHS-US labeling**

Hazard pictograms (GHS-US)





GHS07

GHS08

Signal word (GHS-US) : Irritant ; Sensitizer

Hazard statements (GHS-US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H320 - Causes eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements (GHS-US) : P264 - Wash hands thoroughly after handling

P280 - Wear protective gloves, eye protection P302+P352 - If on skin: Wash with plenty of water

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P321 - Specific treatment (see First aid measures on this label)
P332+P313 - If skin irritation occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention

P501 - Dispose in a safe manner in accordance with local/national regulations.

#### 2.3. Other hazards

No additional information available

# 2.4. Unknown acute toxicity (GHS-US)

No data available

#### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

11/25/2014 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Glass filler	(CAS No) 65997-18-4	50 - 75	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Resp. Sens. 1, H334
bisphenol A glycidylmethacrylate	(CAS No) 1565-94-2	5 - 10	Eye Dam. 1, H318 Skin Sens. 1, H317
Triethylene glycol dimethacrylate	(CAS No) 109-16-0	5 - 10	Skin Irrit. 2, H315 Resp. Sens. 1, H334

#### **SECTION 4: First aid measures**

First-aid measures after skin contact

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see First aid measures on this label). If

skin irritation or rash occurs:

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic

skin reaction.

Symptoms/injuries after skin contact : Causes skin irritation. Symptoms/injuries after eye contact : Causes eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Avoid (reject) fire-fighting water to enter environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from

other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

11/25/2014 EN (English US) 2/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid

breathing mist, vapors.

Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of

the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container

closed when not in use.

Incompatible products : Strong bases. strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of inadequate ventilation wear respiratory protection.

Other information : When using, do not eat, drink or smoke.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Color Tooth colored. Odor characteristic Odor threshold No data available No data available Relative evaporation rate (butyl acetate=1) No data available Melting point No data available Freezing point : No data available Boiling point : No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available : No data available Vapor pressure Relative vapor density at 20 °C No data available

Relative density No data available No data available Solubility Log Pow : No data available Log Kow : No data available Viscosity, kinematic No data available Viscosity, dynamic : No data available Explosive properties : No data available : No data available Oxidizing properties **Explosive limits** : No data available

11/25/2014 EN (English US) 3/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. **Chemical stability**

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. **Conditions to avoid**

Direct sunlight. Extremely high or low temperatures.

#### Incompatible materials

strong acids. Strong bases.

#### **Hazardous decomposition products**

fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

#### Information on toxicological effects 11.1.

: Not classified Acute toxicity

Glass filler (65997-18-4)	
LD50 oral rat	N/A
LD50 dermal rat	N/A
LD50 dermal rabbit	N/A
LC50 inhalation rat (ppm)	N/A

Triethylene glycol dimethacrylate (	109-16-0)
LD50 oral rat	10837 mg/kg
LD50 dermal rat	N/A
LD50 dermal rabbit	N/A
LC50 inhalation rat (ppm)	N/A
ATE US (oral)	10837.00000000 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes eye irritation.

Respiratory or skin sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic

skin reaction.

Germ cell mutagenicity Not classified Carcinogenicity : Not classified

IARC group	4	

Glass filler (65997-18-4)

- Probably Not Carcinogenic

Triethylene glycol dimethacrylate	109-16-0)
IARC group	4 - Probably Not Carcinogenic

Reproductive toxicity : Not classified : Not classified Specific target organ toxicity (single exposure)

Glass filler (65997-18-4)	
LOAEL (oral,rat)	N/A mg/kg body weight
LOAEL (dermal,rat/rabbit)	N/A mg/kg body weight
LOAEL (inhalation,rat,gas)	N/A ppmV/4h
LOAEL (inhalation,rat,vapour)	N/A mg/l/4h
LOAEL (inhalation,rat,dust/mist/fume)	N/A mg/l/4h

11/25/2014 EN (English US) 4/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Triethylene glycol dimethacrylate (	109-16-0)
LOAEL (oral,rat)	N/A mg/kg body weight
LOAEL (dermal,rat/rabbit)	N/A mg/kg body weight
LOAEL (inhalation,rat,gas)	N/A ppmV/4h
LOAEL (inhalation,rat,vapour)	N/A mg/l/4h
LOAEL (inhalation,rat,dust/mist/fume)	N/A mg/l/4h

Specific target organ toxicity (repeated : Not classified

exposure)

Glass filler (65997-18-4)	
LOAEL (oral,rat,90 days)	N/A mg/kg bodyweight/day
LOAEL (dermal,rat/rabbit,90 days)	N/A mg/kg bodyweight/day
LOAEL (inhalation,rat,gas,90 days)	N/A ppmV/6h/day
LOAEL (inhalation,rat,vapour,90 days)	N/A mg/l/6h/day
LOAEL (inhalation,rat,dust/mist/fume,90 days)	N/A mg/l/6h/day

Triethylene glycol dimethacrylate (	109-16-0)
LOAEL (oral,rat,90 days)	N/A mg/kg bodyweight/day
LOAEL (dermal,rat/rabbit,90 days)	N/A mg/kg bodyweight/day
LOAEL (inhalation,rat,gas,90 days)	N/A ppmV/6h/day
LOAEL (inhalation,rat,vapour,90 days)	N/A mg/l/6h/day
LOAEL (inhalation,rat,dust/mist/fume,90 days)	N/A mg/l/6h/day

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic

skin reaction.

Symptoms/injuries after skin contact : Causes skin irritation. Symptoms/injuries after eye contact : Causes eye irritation.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

# 12.2. Persistence and degradability

-	
Bisfil II Base	
Persistence and degradability	Not established.

# bisphenol A glycidylmethacrylate (1565-94-2) Persistence and degradability Biodegradability in water: no data available.

#### 12.3. Bioaccumulative potential

BISTII II BASE	
Bioaccumulative potential	Not established.
bisphenol A glycidylmethacrylate (1565-94-2)	
Log Pow	4.94 (Estimated value)

No bioaccumulation data available.

# Bioaccumulative potential 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Effect on ozone layer : No additional information available

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

11/25/2014 EN (English US) 5/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

#### **SECTION 14: Transport information**

In accordance with DOT Not regulated for transport

**Additional information** 

Other information : No supplementary information available.

**ADR** 

Transport document description :

Transport by sea

No additional information available

Air transport

No additional information available

#### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

No additional information available

#### 15.2. International regulations

#### **CANADA**

No additional information available

#### **EU-Regulations**

No additional information available

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315 Eye Irrit. 2B H320 Resp. Sens. 1 H334 Skin Sens. 1 H317 STOT SE 3 H335

Full text of H-phrases: see section 16

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

#### 15.2.2. National regulations

No additional information available

15.3. US State regulations

#### **SECTION 16: Other information**

Revision date : 03/20/2015 Other information : None.

# Full text of H-phrases: see section 16:

At of 11-philases, see section 16.	
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Resp. Sens. 1	Respiratory sensitisation Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H320	Causes eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

11/25/2014 EN (English US) 6/6