

Page 1 of 5 **WP-054** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 12/31/2013

			-			-							
		1. I	PRODUC	Γ & COMI	PANY	IDENT	<b>IFIC</b>	<b>MOITA</b>	1				
.1	Product Name:	LUCA	S BRAKE	FLUID									
.2	Chemical Name:	Hydraulio	Fluid										
3	Synonyms:	NA											
4	Trade Names:	Lucas Br	ake Fluid										
5	Product Use:	Brake Flu	uid										
6	Distributor's Name:	Worldpa	c, Inc.										
7	Distributor's Address:	37137 Hi	ckory Street, N	ewark, CA 945	560 USA								
8	Emergency Phone:	INFOT	RAC: +1 (80	00) 535-505	3 / +1 (	352) 323	3-3500	(CON	TRA	CT 84	1261)		
9	Business Phone / Fax:	+1 (510)	608-5525 / +1	(510) 742-926	2								
			2 HΔ	ZARDS I	DENT	FICAT	ION						
1	Hazard Identification:	This proc	luct is classifie					angerous	s good	ds acc	ordina	to	
			fication criteria							10 acc	oranig		
		WARNIN	G! CAUSES S	SERIOUS EYE	IRRITAT	ION.		`	,				
			tatements (H):			•							
			onary Statemer										
			ater thorough										<b>``</b>
			351+P338 - IF enses if prese										
			get medical										•
			t, storage and			Вюрос	0. 00	)	ornan.	101 10	1100110		
2	Effects of Exposure:	Eyes:		oduct can cau		ent mild e	ye irritat	tion with	short	-term	contac	t with li	quid sprays
			mists.										
		Skin:	This pro	oduct can caus	se mild, tra	ansient sk	in irritatio	on with s	hort-te	erm ex	posure	€.	
		Ingestion		owed, no signi									ause a laxat
			effect. I	f aspirated into	the lung	s, liquid ca	an cause	severe	lung d	amage	e or de	ath.	
		<u>Inhalatio</u>		nificant advers									posure to t
				. Aspiration of			can cau	use seve	re lun	g dama	age or	death.	
3	Symptoms of Overexposure:	Eyes:		n, redness, and									
		Skin:		e irritation, def	•		. ,.				scaling	g, red, it	ching skin.
		Ingestion		e effects. Gas			,						
		Inhalation		use irritation to al pneumonitis		er respirat	ory syst	em. Ove	erexpo	osure t	to spra	ys or m	ists may cai
1	Acute Health Effects:	Moderate	irritation to ey			n skin nea	r affecte	d areas					
5	Chronic Health Effects:		petroleum-bas							se mil	d irrita	ition an	d inflammat
			characterized by drying, cracking, (dermatitis) or oil acne. Repeated or prolonged inhalation of petroleum-based or mists at concentrations above applicable workplace exposure levels can cause respiratory irritation or other										
		pulmonar	y effects.										
6	Target Organs:	Eyes, ski	n.										
		3 CO	MPOSITI	ON & ING	REDI	FNT IN	IFOR	ΜΔΤΙ	ON				
		1		<u> </u>				EXPOS		MITS IN	AIR (mg	<sub>J</sub> /m³)	
						ACGIH		NOHSC			OSHA		
						ppm	ES-	ppm ES-	ES-		ppm		
IEMI	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV ST	EL TWA		PEAK	PEL	STEL	IDLH	OTHER
OP	RIETARY INGREDIENTS	NA	NA	NA	60-100	NA N	A NF	NF	NF	NA	NA	NA	
		Eye Irrit. 2; H3	19										
			4.	FIRST AII	D MEA	SURE	S						
1	First Aid:		induce vomitii										
			emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.										
			t gets in the e										
			open to ensure			ne eyes o	or tace b	ecome s	swolle	n durir	ng or fo	ollowing	use, consu
		pnysician	or emergency	room immedia	uely.								

properly cleaned.

immediate medical attention.

Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been

Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration. Seek



Page 2 of 5

WP-054 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013 4. FIRST AID MEASURES - cont'd **HEALTH** 4.2 Medical Conditions Aggravated by Persons with pre-existing eye and skin disorders should avoid 2 Exposure: exposure. **FLAMMABILITY** 1 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: If involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO<sub>2</sub>, and NOx), smoke, hydrocarbons and their derivatives. 5.2 Extinguishing Methods: Water, Foam, CO<sub>2</sub>, Dry Chemical, low velocity water fog, Halon (if permitted), 5.3 Firefighting Procedures: As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Treat as hot oil. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective 6.1 Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a noncombustible, inert material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials (e.g., oxidizers, strong acids, alkalis) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. . Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Immediately clean-up and decontaminate any spills or residues. Storage & Handling: 7.2 Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Store in closed containers. Avoid temperatures above 40°C (120°F). Keep away from incompatible substances (see Section 10). Protect containers from physical damage. Special Precautions: 7.3 Empty containers may retain hazardous product residues. **EXPOSURE CONTROLS & PERSONAL PROTECTION** 8.1 Ventilation & Engineering Controls: Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station) Respiratory Protection: 8.2 No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Eye Protection: 8.3 Avoid eye contact. Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU) 8.4 Hand Protection: Wear protective, chemical-resistant gloves (e.g., neoprene, nitrile) when using or handling this product. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. 8.5 Body Protection: Not required under normal conditions of use. A chemical resistant apron and/or protective

clothing are recommended when handling or using large quantities (e.g., > 5 gallons (18.9 L)) of this product. Protective working garments should meet EU Standard EN 344 or equivalent.



Page 3 of 5 **WP-054** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: Clear to light green liquid Odor: 9.2 Bland Petroleum Odor 9.3 Odor Threshold: 94 NA 9.5 Melting Point/Freezing Point: NA 9.6 Initial Boiling Point/Boiling Range: NA 9.7 Flashpoint NA Upper/Lower Flammability Limits: NA 9.8 9.9 Vapor Pressure: NA 9.10 Vapor Density: NA 9.11 Relative Density: NA 9.12 Solubility: NA Partition Coefficient (log Pow): < 2.0 9.13 9.14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA NΑ 9.16 Viscosity: 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: This product is stable under normal storage and use conditions. 10.2 Hazardous Decomposition Products: Oxides of carbon (CO, CO<sub>2</sub>) and nitrogen (NO<sub>x</sub>) 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Open flames, high heat and direct sunlight Incompatible Substances: 10.5 Strong oxidizing agents, acids or alkalis. 11. TOXICOLOGICAL INFORMATION Absorption: YES Inhalation: NO Ingestion: YES 11.1 Routes of Entry 11.2 Toxicity Data: This product has not been tested on animals to obtain toxicological data. Toxicology data for some of the components in this mixture, found in scientific literature, are presented below: LD<sub>50</sub> (oral, rat): > 100 mg/kg; EC<sub>50</sub> (Daphnia magna, 48h): > 100 mg/L 11.3 Acute Toxicity: See section 2.4. 11.4 Chronic Toxicity See section 2.5 11.5 Suspected Carcinogen: This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. Reproductive Toxicity: 11.6 This product is not reported to cause reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenicity effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 2.3 11.8 Biological Exposure Indices: NA 11 9 Physician Recommendations: NA 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There is no specific data available for this product. 12.2 Effects on Plants & Animals: There is no specific data available for this product. 12.3 Effects on Aquatic Life There is no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Dispose of in accordance with federal, state, provincial and local regulations. 13.2 Special Considerations: If the material is unsuitable for recycling or reclamation, enclosed-controlled incineration is recommended unless otherwise prohibited by local ordinance.

sure to consult the latest edition.

Worldpac, Inc.

ShipMate, Inc. P.O. Box 787

37137 Hickory Street

Newark, CA 94560 USA Tel: +1 (510) 608-5525 Fax: +1 (510) 742-9262 http://www.worldpac.com

Sisters, OR 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700

http://www.shipmate.com

16.4

16.5

Prepared for:

Prepared by:

WORLDPAC ::::jillings		SAFETY DATA SHEET	Page 4 of 5 <b>WP-054</b>
Prepa	red to OSHA, ACC, ANSI, NOHSC	r, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date	te: 12/31/2013
		14. TRANSPORTATION INFORMATION	
		er shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional d , IMDG, SCT, ADGT, ADR and the CTDGR.	lescriptive information
14.1	49 CFR (GND):	NOT REGULATED	
14.2	IATA (AIR):	NOT REGULATED	
14.3	IMDG (OCN):	NOT REGULATED	
14.4	TDGR (Canadian GND):	NOT REGULATED	
14.5	ADR/RID (EU):	NOT REGULATED	
14.6	SCT (MEXICO):	NOT REGULATED	
14.7	ADGR (AUS):	NOT REGULATED	
		15. REGULATORY INFORMATION	
15.1	SARA Reporting Requirements:	This product contains zinc compounds, substances subject to SARA Title III, section 313 reportin	g requirements.
15.2	SARA Threshold Planning Quantity:	NA	
15.3	TSCA Inventory Status:	All components of this product are listed in the TSCA Inventory or are exempt.	
15.4	CERCLA Reportable Quantity (RQ):	NA	
15.5	Other Federal Requirements:	NA	
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects).	
15.7	State Regulatory Information:		
15.8	Other Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC. Irritant (Xi).  Risk Phrases (R): R36/37/38-65-66 – Irritating to eyes, respiratory system and skin. Harmful – may cause lung damage if swallowed. Repeated exposure my cause skin dryness or cracking.  Safety Phrases (S): S(2)-23-24-62 - Keep out of the reach of children. Do not breathe mists/vapors/spray. Avoid contact with skin. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible.	×
		16. OTHER INFORMATION	
16.1	Other Information:	WARNING! CAUSES SERIOUS EYE IRRITATION. Wash hands and exposed skin areas wi water thoroughly after handling. Wear eye protection/face protection. IF IN EYES: Rinse cautic several minutes. Remove contact lenses if present and easy to do - continue rinsing. If eye irr medical advice/attention. KEEP OUT OF REACH OF CHILDREN.	ously with water for
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 Other government regulations must be reviewed for applicability to this product. To the best Worldpac's knowledge, the information contained herein is reliable and accurate as of this date; I suitability or completeness is not guaranteed and no warranties of any type, either express provided. The information contained herein relates only to the specific product(s). If this procupility of the product of the prod	st of ShipMate's & however, accuracy, and or implied, are duct(s) is combined





Page 5 of 5 WP-054

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 12/31/2013

## **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number

### **EXPOSURE LIMITS IN AIR:**

ACGIH	American Conference on Governmental Industrial Hygienists	
TLV Threshold Limit Value		
OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit		
IDLH	Immediately Dangerous to Life and Health	

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



## PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D			
Е			
F	T		





Splash Goggles



**Full Face Respirator** 















Airline Hood/Mask

## or SCBA

## OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

## NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:				
Autoignition   Minimum temperature required to initiate combustion in air with no other source of ignition				
LEL Lower Explosive Limit - lowest percent of vapor in air, by volum explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			

#### **HAZARD RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
ох	Oxidizer
TREFOIL	Radioactive



### **TOXICOLOGICAL INFORMATION:**

	<b>.</b>
LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	s
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>Io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL <sub>m</sub>	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

## **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
TC	Transport Canada	
EPA	U.S. Environmental Protection Agency	
DSL	Canadian Domestic Substance List	
NDSL	SL Canadian Non-Domestic Substance List	
PSL	PSL Canadian Priority Substances List	
TSCA	TSCA U.S. Toxic Substance Control Act	
EU	EU European Union (European Union Directive 67/548/EEC)	
WGK	Wassergefährdungsklassen (German Water Hazard Class)	

## WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>*</b>	<b>(2)</b>		$\odot$	(18)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### EC (67/548/EEC) INFORMATION:

L'A		M	*			×	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

## CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			$\Diamond$		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment