



1. Product and Company Identification

Product Code:	C111CA10VOC	
Product Name:	Brake & Parts Clean, CA 10% VOC	
Company Name:	CYCLO INDUSTRIES, INC. 902 SOUTH US HIGHWAY 1 JUPITER, FL 33477	Phone Number: (800)843-7813
Web site address:	www.cyclo.com	
Email address:	ehs@cyclo.com	
Emergency Contact:	First Aid Emergency CHEMTREC (703) 527-3887	(800)752-7869 (800)424-9300
Information:	First Aid Emergency (Outside U.S.)	(312)906-6194

2. Hazards Identification

Flammable Liquids, Category 2
 Skin Corrosion/Irritation, Category 2
 Serious Eye Damage/Eye Irritation, Category 2A
 Toxic To Reproduction, Category 2
 Specific Target Organ Toxicity (single exposure), Category 3
 Specific Target Organ Toxicity (repeated exposure), Category 2
 Aspiration Toxicity, Category 1



GHS Signal Word:	Danger
GHS Hazard Phrases:	H225: Highly flammable liquid and vapor. H315: Causes skin irritation. H319: Causes serious eye irritation. H361: Suspected of damaging fertility or the unborn child. H335: May cause respiratory irritation. H373: May cause damage to organs through prolonged or repeated exposure. H304: May be fatal if swallowed and enters airways. H280: Contents under pressure. May explode if heated.
GHS Precaution Phrases:	P210: Keep away from heat/sparks/open flames/hot surfaces - No smoking. P280: Wear protective gloves/clothing and eye/face protection. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ventilating/lighting equipment. P264: Wash hands thoroughly after handling. P271: Use only outdoors or in a well-ventilated area. P260: Do not breathe dust/fume/gas/mist/vapours/spray. P273: Avoid release to the environment.
GHS Response Phrases:	P370+378: In case of fire, use foam, alcohol foam, carbon dioxide, dry chemical or water fog for extinction. P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P363: Wash contaminated clothing before reuse. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



SAFETY DATA SHEET

Brake & Parts Clean, CA 10% VOC

Revision: 01/16/2015
Supersedes Revision: 04/17/2013

P309+311: Call a POISON CENTER or doctor/physician if exposed or you feel unwell.

GHS Storage and Disposal Phrases:

P501: Dispose of contents/container in accordance with local/regional/national/international regulation.
P403+233: Store container tightly closed in a well-ventilated place.

Potential Health Effects (Acute and Chronic):

Medical Conditions Generally Aggravated By Exposure: Acute & chronic liver & kidney disease, anemia.

Aggravated By Exposure:

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
67-64-1	Acetone	75.0 -85.0 %
108-88-3	Toluene	5.0 -10.0 %
124-38-9	Carbon dioxide	5.0 -15.0 %
142-82-5	Heptane	1.0 -5.0 %

4. First Aid Measures

Emergency and First Aid Procedures:

If ingested, do not leave individual unattended. Seek medical attention immediately. Aspiration hazard: Do not induce vomiting or give anything by mouth because this material can enter the lungs and can cause severe lung damage. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If in eyes, rinse cautiously with water for several minutes, Remove contact lenses, if present and easy to do. Continue rinsing. In case of skin contact, remove contaminated clothing and shoes and launder before reuse. Wash skin with soap and water. Call physician immediately if adverse reaction occurs.

5. Fire Fighting Measures

Flammability Classification: NFPA Level 3 Aerosol

Flash Pt: 1.00 F (-17.2 C) Method Used: TAG Closed Cup

Explosive Limits: LEL: 1.2 UEL: 13

Autoignition Pt: No data.

Suitable Extinguishing Media: Foam, alcohol foam, carbon dioxide, dry chemical, water fog.

Fire Fighting Instructions: Wear approved positive-pressure self-contained breathing apparatus and protective clothing. Vapor may cause flash fire.

Flammable Properties and Hazards: Water may be ineffective. Water may be used to cool containers to prevent pressure build-up and explosion when exposed to extreme heat. If water is used, fog nozzles preferred. Closed containers may explode from internal pressure build-up when exposed to extreme heat and discharge contents. Vapor accumulation can flash or explode if ignited.



6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Wear appropriate protective clothing and equipment to prevent skin and eye contact. Contain any liquid from leaking containers. Remove sources of ignition. Increase area ventilation. Sweep or gather up material and place in proper container for disposal or recovery. Do not puncture or incinerate container. Contents under pressure. Clean up using dry procedures; avoid dusting. Sweep or gather up material and place in proper container for disposal or recovery. Do not allow to enter sanitary drains, sewer or surface and subsurface waters.

7. Handling and Storage

Precautions To Be Taken in Handling: Keep away from heat/sparks/open flames/hot surfaces - No smoking. Wear protective gloves/clothing and eye/face protection. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid release to the environment. Keep out of the reach of children.

Precautions To Be Taken in Storing: Store container tightly closed in a well-ventilated place.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
67-64-1	Acetone	PEL: 1000 ppm	TLV: 500 ppm STEL: 750 ppm	No data.
108-88-3	Toluene	PEL: 200 ppm STEL: 500 ppm/(10min) CEIL: 300 ppm	TLV: 50 ppm	No data.
124-38-9	Carbon dioxide	PEL: 5000 ppm	TLV: 5000 ppm STEL: 30,000 ppm	No data.
142-82-5	Heptane	PEL: 500 ppm	TLV: 400 ppm	No data.

Respiratory Equipment (Specify Type): Use an approved NIOSH organic vapor respirator below the TLV. If TLV is exceeded or overexposure is likely, use a positive pressure or self contained breathing apparatus.

Eye Protection: Wear safety glasses or goggles to protect against exposure.

Protective Gloves: Use chemical resistant gloves for prolonged skin contact.

Other Protective Clothing: Rubber apron.

Engineering Controls (Ventilation etc.): Exhaust ventilation. Showers. Eyewash stations.



9. Physical and Chemical Properties

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	Clear, colorless spray/mist with typical solvent odor.
Melting Point:	No data.
Boiling Point:	No data.
Autoignition Pt:	No data.
Flash Pt:	1.00 F (-17.2 C) Method Used: TAG Closed Cup
Explosive Limits:	LEL: 1.2 UEL: 13
Specific Gravity (Water = 1):	No data.
Vapor Pressure (vs. Air or mm Hg):	No data.
Vapor Density (vs. Air = 1):	No data.
Evaporation Rate:	No data.
Solubility in Water:	Negligible
Percent Volatile:	10.0 %

10. Stability and Reactivity

Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	Keep away from heat, sparks and flame. Temperature over 120 degrees F.
Incompatibility - Materials To Avoid:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition Or Byproducts:	Carbon monoxide. Carbon dioxide.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	Avoid excessive heat, sparks and open flame.

11. Toxicological Information

Toxicological Information:	No data available.
	CAS# 142-82-5:
	Other Studies:, TDLo, Oral, Rat, 60.00 GM/KG, 3 W.
	Results:
	Kidney, Ureter, Bladder: Changes in liver weight.
	- National Technical Information Service, Vol/p/yr: OTS0571116,
	Other Studies:, TDLo, Oral, Rat, 260.0 GM/KG, 13 W.
	Results:
	Kidney, Ureter, Bladder: Changes in bladder weight.
	Endocrine:Hypoglycemia.
	Nutritional and Gross Metabolic:Weight loss or decreased weight gain.
	- National Technical Information Service, Vol/p/yr: OTS0571116,
	Other Studies:, TCLo, Inhalation, Rat, 4000. PPM, 6 D.
	Results:
	Brain and Coverings: Recordings from specific areas of CNS.
	Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Ear: Changes in cochlear structure or function.
	Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

**Brake & Parts Clean, CA 10% VOC**

Revision: 01/16/2015

Supersedes Revision: 04/17/2013

- Pharmacology and Toxicology, Munksgaard International Pub., POB 2148, Copenhagen K Denmark, Vol/p/yr: 76,41, 1995

Other Studies:, TDLo, Intraperitoneal, Rat, 9625. MG/KG, 7 D.

Results:

Liver: Other changes.

Blood:Changes in serum composition (e.g.

Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels: Multiple enzyme effects.

- Toxicology Letters., Elsevier Science Pub. B.V., POB 211, 1000 AE, Amsterdam 1000 AE Netherlands, Vol/p/yr: 14,169, 1982

Other Studies:, TDLo, Intraperitoneal, Rat, 8840. MG/KG, 45 D.

Results:

Liver: Other changes.

Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels: Phosphatases.

Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels: Hepatic microsomal mixed oxidase (dealkylation, hydroxylation, etc.)

- JAT, Journal of Applied Toxicology., John Wiley & Sons Ltd., Baffins Lane, Chichester, W.Sussex PO19 1UD UK, Vol/p/yr: 8,81, 1988

Acute toxicity, TCLo, Inhalation, Human, 1000. PPM, 6 M.

Results:

Behavioral: Hallucinations, distorted perceptions.

- "U.S. Bureau of Mines Report of Investigation No. 2979," Patty, F.A., and W.P. Yant, 1929 Volume, Vol/p/yr: 2979,-, 1929

Acute toxicity, LC50, Inhalation, Rat, 103.0 GM/M3, 4 H.

Results:

Behavioral: Change in motor activity (specific assay).

Behavioral: Alteration of classical conditioning.

- Gigiena Truda i Professional'nye Zabolevaniya.(Labor Hygiene and Occupational Disease), V/O Mezhdunarodnaya Kniga, Moscow 113095 Russia, Vol/p/yr: 32(10),23, 1988

Acute toxicity, LCLO, Inhalation, Mouse, 59.00 GM/M3, 41 M.

Results:

Behavioral: Convulsions or effect on seizure threshold.

- Biochemische Zeitschrift., For publisher information, see EJBCAI, Berlin Germany, Vol/p/yr: 115,235, 1921

Acute toxicity, LD50, Intravenous, Mouse, 222.0 MG/KG.

Results:

Brain and Coverings: Changes in circulation (hemorrhage,thrombosis, etc.

Lungs, Thorax, or Respiration:Dyspnea.

Gastrointestinal:Nausea or vomiting.

- Journal of Pharmaceutical Sciences., American Pharmaceutical Assoc., 2215 Constitution Ave., NW, Washington, DC 20037, Vol/p/yr: 67,566, 1978



SAFETY DATA SHEET

Brake & Parts Clean, CA 10% VOC

Revision: 01/16/2015
Supersedes Revision: 04/17/2013

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
67-64-1	Acetone	n.a.	n.a.	A4	n.a.
108-88-3	Toluene	n.a.	3	A4	n.a.
124-38-9	Carbon dioxide	n.a.	n.a.	n.a.	n.a.
142-82-5	Heptane	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

Results of PBT and vPvB assessment:

No data available.

CAS# 142-82-5:

Effective concentration to 50% of test organisms., Water Flea (*Daphnia magna*), 82500. UG/L, 96 H, Intoxication,, Water temperature: 28.00 C (82.4 F) C.

Results:

No observed effect.

- Acute Toxicity of Petroleum Products, Crude Oil and Oil Refinery Effluent on Plankton, Benthic Invertebrates and Fish, Das, P.K.M.K., and S.K. Konar, 1988

LC50, Water Flea (*Daphnia magna*), 50.00 MG/L, 24 H, Intoxication,, Water temperature: 20.00 C (68.0 F) - 22.00 C (71.6 F) C, pH: 7.70, Hardness: 16.00 dH.

Results:

No observed effect.

- Results of the Damaging Effect of Water Pollutants on *Daphnia magna* (Befunde der Schadwirkung Wassergefährdender Stoffe Gegen *Daphnia magna*), Bringmann, G., and R. Kuhn, 1977

LC50, Western Mosquitofish (*Gambusia affinis*), adult(s), 4924000. UG/L, 48 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90.

Results:

Age Effects.

- Toxicity to *Gambusia affinis* of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

LC50, Western Mosquitofish (*Gambusia affinis*), adult(s), 4924000. UG/L, 24 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90.

Results:

Age Effects.

- Toxicity to *Gambusia affinis* of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

Not reported., Western Mosquitofish (*Gambusia affinis*), adult(s), 5600000. UG/L, 96 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90.

Results:

No observed effect.

- Toxicity to *Gambusia affinis* of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

LC50, Western Mosquitofish (*Gambusia affinis*), adult(s), 4924000. UG/L, 96 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90.

Results:

No observed effect.

- Toxicity to *Gambusia affinis* of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957



Brake & Parts Clean, CA 10% VOC

Revision: 01/16/2015

Supersedes Revision: 04/17/2013

Not reported., Coho Salmon, Silver Salmon (*Oncorhynchus kisutch*), 100000. UG/L, 96 H, Mortality, Water temperature: 8.00 C (46.4 F) C, pH: 8.10.

Results:

Age Effects.

- Effects of Some Components of Crude Oil on Young Coho Salmon, Morrow, J.E., R.L. Gritz, and M.P. Kirton, 1975

LC50, Mozambique Tilapia (*Oreochromis mossambicus*), 375000. UG/L, 96 H, Mortality, Water temperature: 27.80 C (82.0 F) C.

Results:

No observed effect.

- Acute Toxicity of n-Heptane and n-Hexane on Worm and Fish, Ghatak, D.B., M.M. Hossain, and S.K. Konar, 1988

LC50, Midge Family (Chironomidae), larva(e), 838000. UG/L, 96 H, Intoxication,, Water temperature: 28.00 C (82.4 F) C, pH: 7.00, Hardness: 260.00 MG/L.

Results:

No observed effect.

- Acute Toxicity of Petroleum Products, Crude Oil and Oil Refinery Effluent on Plankton, Benthic Invertebrates and Fish, Das, P.K.M.K., and S.K. Konar, 1988

Effective concentration to 50% of test organisms., Algae (Algae), 1500. UG/L, 8 H, Physiology.

Results:

No observed effect.

- Gulf Underwater Flare Experiment (GUFEX): Effects of Hydrocarbons on Phytoplankton, Brooks, J.M., G.A. Fryxell, D.F. Reid, and W.M. Sackett, 1977

Not reported., Pacific Oyster (*Crassostrea gigas*), egg(s), 3400000. UG/L, 48 H, Mortality, Water temperature: 20.00 C (68.0 F) - 21.50 C (70.7 F) C.

Results:

No observed effect.

- The Effect of Alaskan Crude Oil and Selected Hydrocarbon Compounds on Embryonic Development of the Pacific Oyster, *Crassostrea gigas*, Legore, R.S., 1974

LC50, Oligochaete (*Branchiura sowerbyi*), 2500000. UG/L, 96 H, Mortality, Water temperature: 27.80 C (82.0 F) C.

Results:

No observed effect.

- Acute Toxicity of n-Heptane and n-Hexane on Worm and Fish, Ghatak, D.B., M.M. Hossain, and S.K. Konar, 1988

Effective concentration to 50% of test organisms., Snail (*Viviparus bengalensis*), 472000. UG/L, 96 H, Intoxication,, Water temperature: 28.00 C (82.4 F) C.

Results:

No observed effect.

- Acute Toxicity of Petroleum Products, Crude Oil and Oil Refinery Effluent on Plankton, Benthic Invertebrates and Fish, Das, P.K.M.K., and S.K. Konar, 1988

Lethal concentration to 0% of test organisms., Carp (*Leuciscus idus* ssp. *melanotus*), 220.0 MG/L, 48 H, Mortality.

Results:



No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

LC50, Carp (Leuciscus idus ssp. melanotus), 270.0 MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

Lethal concentration to 100% of test organisms., Carp (Leuciscus idus ssp. melanotus), 350.0 MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

Lethal concentration to 0% of test organisms., Carp (Leuciscus idus ssp. melanotus), 1370. MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

LC50, Carp (Leuciscus idus ssp. melanotus), 2940. MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

Lethal concentration to 100% of test organisms., Carp (Leuciscus idus ssp. melanotus), 3420. MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizität mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

13. Disposal Considerations

Waste Disposal Method:

Dispose of contents/container in accordance with local/regional/national/international regulation.



SAFETY DATA SHEET

Brake & Parts Clean, CA 10% VOC

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Consumer Commodity
DOT Hazard Class: ORM-D ORM-D
UN/NA Number:

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Aerosols, Ltd. Qty.
UN Number: 1950
Hazard Class: N.A. **ADR Classification:** 2

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Aerosols, Ltd. Qty.
UN Number: 1950 **Packing Group:**
Hazard Class: N.A. **IMDG Classification:** 2.1
Marine Pollutant: No

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Aerosols, flammable, 2.1, Ltd Qty

 (Packing Instruction Y203 Applies)
UN Number: 1950
Hazard Class: N.A. **IATA Classification:** 2.1

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
67-64-1	Acetone	No	Yes 5000 LB	No
108-88-3	Toluene	No	Yes 1000 LB	Yes
124-38-9	Carbon dioxide	No	No	No
142-82-5	Heptane	No	No	No

CAS # Hazardous Components (Chemical Name)
Other US EPA or State Lists

67-64-1	Acetone	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: No; NJ EHS: Yes - 0006; NY Part 597: Yes; PA HSL: Yes - E; SC TAP: No; WI Air: Yes
108-88-3	Toluene	CAA HAP,ODC: HAP; CWA NPDES: Yes; TSCA: Yes - Inventory, 8A CAIR; CA PROP.65: Yes; CA TAC, Title 8: TAC, Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: CMR, Part 5; NC TAP: Yes; NJ EHS: Yes - 1866; NY Part 597: Yes; PA HSL: Yes - E; SC TAP: Yes; WI Air: Yes
124-38-9	Carbon dioxide	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 0343; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air: Yes
142-82-5	Heptane	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 1339; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air: No



SAFETY DATA SHEET

Brake & Parts Clean, CA 10% VOC

Revision: 01/16/2015


Supersedes Revision: 04/17/2013

CAS #	Hazardous Components (Chemical Name)	International Regulatory Lists
67-64-1	Acetone	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes
108-88-3	Toluene	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes
124-38-9	Carbon dioxide	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes
142-82-5	Heptane	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes

16. Other Information

Revision Date: 01/16/2015

Hazard Rating System:



Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

Cyclo Industries, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Cyclo Industries, Inc. makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, Inc. will not be responsible for damages resulting from use of or reliance upon this information.