



SAFETY DATA SHEET

Power Steering Stop Leak

Page: 1

Revision: 02/16/2015

Supersedes Revision: 09/11/2013

1. Product and Company Identification

Product Code: C233
Product Name: Power Steering Stop Leak
Company Name: CYCLO INDUSTRIES, INC.
902 SOUTH US HIGHWAY 1
JUPITER, FL 33477
Phone Number: (800)843-7813
Web site address: www.cyclo.com
Email address: ehs@cyclo.com
Emergency Contact: First Aid Emergency (800)752-7869
CHEMTREC (703) 527-3887 (800)424-9300
Information: First Aid Emergency (Outside U.S.) (312)906-6194

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2A

Carcinogenicity, Category 1B

Specific Target Organ Toxicity (single exposure), Category 3

Acute Toxicity: Oral, Category 5



GHS Signal Word: Danger

GHS Hazard Phrases: H303: May be harmful if swallowed.
H333: Harmful if inhaled.
H319: Causes serious eye irritation.
H335: May cause respiratory irritation.
H350: May cause cancer.

GHS Precaution Phrases: P201: Obtain special instructions before use.
P202: Do not handle until all safety precautions have been read and understood.
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
P264: Wash hands thoroughly after handling.
P271: Use only outdoors or in a well-ventilated area.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P281: Use personal protective equipment as required.

GHS Response Phrases: P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P363: Wash contaminated clothing before reuse.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309+311: Call a POISON CENTER or doctor/physician if exposed or you feel unwell.

GHS Storage and Disposal Phrases: P405: Store locked up.
P501: Dispose of contents/container in accordance with local/regional/national/international regulation.
P403+233: Store container tightly closed in well-ventilated place.



SAFETY DATA SHEET

Power Steering Stop Leak

Page: 2

Revision: 02/16/2015

Supersedes Revision: 09/11/2013

Potential Health Effects

(Acute and Chronic):

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
64742-52-5	Mineral oil, petroleum distillates, hydrotreated heavy naphthenic	80.0 -100.0 %
NA	Proprietary Performance Additive	0.0 -5.0 %

4. First Aid Measures

Emergency and First Aid Procedures:

If swallowed, do not induce vomiting. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of skin contact, wash with soap and water. Remove contaminated clothing and shoes and launder before reuse. Call physician immediately if adverse reaction occurs.

5. Fire Fighting Measures

Flash Pt:	> 200.00 F (93.3 C)	Method Used: TAG Closed Cup
Explosive Limits:	LEL: No data.	UEL: No data.
Autoignition Pt:	No data.	
Suitable Extinguishing Media:	Dry chemical, water fog, CO2 or foam. Exposed material may be cooled with water.	
Fire Fighting Instructions:	Wear approved positive-pressure self-contained breathing apparatus and protective clothing. Do not direct a solid stream of water or foam into hot, burning pools; this may cause frothing and increase fire intensity.	
Flammable Properties and Hazards:	No data available.	

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:	Wear appropriate protective clothing and equipment to prevent skin and eye contact. Contain any liquid from leaking containers. Remove sources of ignition. Increase area ventilation. Absorb spills on inert material such as perlite, vermiculite, sand or dirt. Place in double polyethylene bags. Isolate from other waste materials. Do not allow to enter sanitary drains, sewer or surface and subsurface waters.
---	--

7. Handling and Storage

Precautions To Be Taken in Handling:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required. Keep out of the reach of children.
Precautions To Be Taken in Storing:	Store locked up. Store container tightly closed in well-ventilated place.

8. Exposure Controls/Personal Protection



SAFETY DATA SHEET

Power Steering Stop Leak

Page: 3

Revision: 02/16/2015

Supersedes Revision: 09/11/2013

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
64742-52-5	Mineral oil, petroleum distillates, hydrotreated heavy naphthenic	No data.	No data.	No data.
NA	Proprietary Performance Additive	No data.	No data.	No data.

Respiratory Equipment None unless oil mist exceeds 5mg/m3.

(Specify Type):

Eye Protection: Chemical safety goggles with side shields or face shield.

Protective Gloves: Neoprene or nitrile rubber.

Other Protective Clothing: No data available.

Engineering Controls None unless oil mist exceeds 5mg/m3.

(Ventilation etc.):

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Amber liquid with mild petroleum odor.

Melting Point: < -40.00 C (-40.0 F)

Boiling Point: No data.

Autoignition Pt: No data.

Flash Pt: > 200.00 F (93.3 C) Method Used: TAG Closed Cup

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): .88

Vapor Pressure (vs. Air or mm Hg): 0

Vapor Density (vs. Air = 1): No data.

Evaporation Rate: 0

Solubility in Water: 0% at 20.0 C (68.0 F)

Viscosity: 7.1 - 8.1

pH: NP

Percent Volatile: 0.0 % by weight.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - High temperatures.

Instability:

Incompatibility - Materials To Avoid: Strong oxidizers such as hydrogen peroxide, bromine and chromic acid.

Hazardous Decomposition Or Byproducts: Carbon monoxide and carbon dioxide from burning. Oxides of phosphorus. Oxides of sulfur.

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Conditions To Avoid - No data available.

Hazardous Reactions:



11. Toxicological Information

Toxicological Information:

No data available.

CAS# 64742-52-5:

Mutagenicity:, Mutation test: Mutation in microorganisms., 10.00 UL/PLAT, Bacteria - Salmonella typhimurium,.

Results:

Behavioral: Coma.

Biochemical:Metabolism (intermediary): Other.

- Cell Biology and Toxicology., Princeton Scientific Pub., Inc., 301 N. Harrison St., CN 5279, Princeton, NJ 08540, Vol/p/yr: 2,63, 1986

Acute toxicity, LD (Lethal dose), Oral, Rat, 5.000 GM/KG.

Results:

Tumorigenic: Neoplastic by RTECS criteria.

Lungs, Thorax, or Respiration: Tumors.

Tumorigenic:Tumors at site of application.

- Acute Toxicity Data. Journal of the American College of Toxicology, Part B., Mary Ann Liebert, Inc., 1651 Third Ave., New York, NY 10128, Vol/p/yr: 1,133, 1990

Acute toxicity, LD (Lethal dose), Skin, Species: Rabbit, 5.000 GM/KG.

Results:

Behavioral: Coma.

Biochemical:Metabolism (intermediary): Other.

- Acute Toxicity Data. Journal of the American College of Toxicology, Part B., Mary Ann Liebert, Inc., 1651 Third Ave., New York, NY 10128, Vol/p/yr: 1,133, 1990

Tumorigenic Effects:, TDLo, Skin, Mouse, 480.0 GM/KG, 80 W.

Results:

Tumorigenic: Neoplastic by RTECS criteria.

Skin and Appendages: Other: Tumors.

Tumorigenic:Tumors at site of application.

- United States Environmental Protection Agency, Office of Pesticides and Toxic Substances., U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances, 401 M St., SW, Washington, DC 20460, Vol/p/yr: 8EHQ-0887-,

Tumorigenic Effects:, TDLo, Skin, Mouse, 402.0 GM/KG, 78 W.

Results:

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria.

Skin and Appendages: Other: Tumors.

Tumorigenic:Tumors at site of application.

- British Journal of Cancer., Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 2XS UK, Vol/p/yr: 48,429, 1983

Tumorigenic Effects:, TDLo, Skin, Mouse, 398.0 GM/KG, 22 W.

Results:

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria.

Skin and Appendages: Other: Tumors.

Tumorigenic:Tumors at site of application.

- British Journal of Cancer., Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 2XS UK, Vol/p/yr: 48,429, 1983

Standard Draize Test, Skin, Species: Rabbit, 500.0 MG, Severe.



SAFETY DATA SHEET

Power Steering Stop Leak

Page: 5

Revision: 02/16/2015
Supersedes Revision: 09/11/2013**Results:**

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria.

Skin and Appendages: Other: Tumors.

Tumorigenic: Tumors at site of application.

- Acute Toxicity Data. Journal of the American College of Toxicology, Part B., Mary Ann Liebert, Inc., 1651 Third Ave., New York, NY 10128, Vol/p/yr: 1,133, 1990

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
64742-52-5	Mineral oil, petroleum distillates, hydrotreated heavy naphthenic	n.a.	n.a.	n.a.	n.a.
NA	Proprietary Performance Additive	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Dispose of contents/container in accordance with local/regional/national/international regulation.

14. Transport Information

LAND TRANSPORT (US DOT):**DOT Proper Shipping Name:** Not-Restricted**DOT Hazard Class:****UN/NA Number:****LAND TRANSPORT (European ADR/RID):****ADR/RID Shipping Name:** Not-Restricted**UN Number:****Hazard Class:****MARINE TRANSPORT (IMDG/IMO):****IMDG/IMO Shipping Name:** Not-Restricted**AIR TRANSPORT (ICAO/IATA):****ICAO/IATA Shipping Name:** Not-Restricted

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
64742-52-5	Mineral oil, petroleum distillates, hydrotreated heavy naphthenic	No	No	No
NA	Proprietary Performance Additive	No	No	No

CAS #	Hazardous Components (Chemical Name)
64742-52-5	Mineral oil, petroleum distillates, hydrotreated heavy naphthenic
NA	Proprietary Performance Additive

Other US EPA or State ListsCAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No



SAFETY DATA SHEET

Power Steering Stop Leak

Page: 6

Revision: 02/16/2015


Supersedes Revision: 09/11/2013

CAS #	Hazardous Components (Chemical Name)	International Regulatory Lists
64742-52-5	Mineral oil, petroleum distillates, hydrotreated heavy naphthenic	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes
NA	Proprietary Performance Additive	Canadian DSL: No; Canadian NDSL: No; Taiwan TCSCA: No

16. Other Information

Revision Date: 02/16/2015

Hazard Rating System:



Additional Information About This Product: No data available.

Company Policy or Disclaimer:

Cyclo Industries, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Cyclo Industries, Inc. makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, Inc. will not be responsible for damages resulting from use of or reliance upon this information.