HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: CAI-108

Revision Date: 24-Sep-2013 Revision Number: 8

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Trade Name: CAI-108
Synonyms: None
Chemical Family: Alcohol
Internal ID Code HM005556

Product Use

Application: Corrosion Inhibitor

Manufacturer's Name and Contact Details

Name and Address Halliburton Energy Services

645 - 7th Ave SW Suite 2200

Calgary, AB T2P 4G8 Canada

Emergency Telephone Number (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. HAZARD(S) IDENTIFICATION

WHIMIS Classification

WHMIS Hazard Class B2 Flammable Liquids

D1A Very Toxic Materials D2B Toxic Materials E Corrosive Material

WHMIS Symbol(s)



Summary of hazards of the product

Hazard Overview May cause eye, skin, and respiratory irritation. May be harmful if swallowed. May

be absorbed through the skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS					
Substances	CAS Number	PERCENT (w/w)	HMIRA Registry Number	Filing Date	
Propargyl alcohol	107-19-7	30 - 60%	Not applicable	Not applicable	

4. FIRST AID MEASURES

Description of first aid measures

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after flushing. In case of contact, immediately flush skin with plenty of soap and water for at least

15 minutes. Get medical attention.

Ingestion Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

May cause eye and skin burns. May be fatal if swallowed.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIRE FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

Skin

Special hazards arising from the substance or mixture

Special Exposure Hazards

Decomposition in fire may produce toxic gases.

Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

Hazardous combustion products

Carbon monoxide and carbon dioxide

6. ACCIDENTAL RELEASE MEASURES

Personal precautions and emergency producedures

Protective Equipment

Use appropriate protective equipment.

Environmental Precautionary Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning / Absorption

Remove ignition sources and work with non-sparking tools. Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse.

Conditions for safe storage and Incompatible materials for storage

Keep container closed when not in use. Keep from heat, sparks, and open flames. Store in a cool, dry location. Store in a well ventilated area. Store away from acids. Store away from alkalis.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Exposure Limits

Substances	CAS Number	ACGIH TLV-TWA	OSHA PEL-TWA
Propargyl alcohol	107-19-7	TWA: 1 ppm	Not applicable

Appropriate engineering controls

Engineering Controls Use in a well ventilated area.

Personal Protective Equipment (PPE)

Respiratory Protection Organic vapor respirator.

Hand ProtectionSkin Protection
Butyl rubber gloves.
Rubber apron.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists. **Other Precautions** Eyewash fountains and safety showers must be easily accessible.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State: Liquid Color: Clear

Odor: Mild Odor Threshold: No information available

Property Values
Remarks/ - Method

pH: 2.32

pH Concentration of Solution:No information available.Freezing Point/RangeNo information available.°CMelting Point/RangeNo information availableBoiling Point/Range (C):No information available.

Flash Point/Range (C): 54

Flash Point Method:

Autoignition Temperature (C):

Flammability Limits in Air - Lower (%):

Flammability Limits in Air - Upper (%):

Evaporation Rate (Butyl Acetate=1):

Vapor Pressure @ 20 C (mmHg):

No information available.

Specific Gravity @ 20 C (Water=1): 0.994
Solubility in Water (g/100ml): Soluble

Solubility in other solvents
Partition Coefficient/n-Octanol/Water:
Decomposition Temperature (C):
Viscosity
No information available.
No information available.
No information available.
No information available No information available No information available No information available No information available

Other Information

Molecular Weight (g/mole):No information available.VOC Content (%)No information available

10. STABILITY AND REACTIVITY

Conditions of Reactivity

Conditions to Avoid Keep away from heat, sparks and flame.

Hazardous Polymerization: Will Not Occur

Chemical Stability

Stable

Sensitivity to Static Discharge

Not available

Sensitivity to Mechanical Impact

Not available

Incompatible materials

Strong oxidizers. Strong acids. Contact with alkalis.

Hazardous Decomposition Products

Carbon monoxide and carbon dioxide.

11. TOXICOLOGICAL INFORMATION

Routes of entry

Eye or skin contact, inhalation.

Information on Toxicological Effects

Acute effects from exposure

Inhalation May cause respiratory irritation.

Eye Contact Causes severe eye irritation which may damage tissue.

Skin Contact Causes severe skin irritation. May cause skin burns. Harmful if absorbed through the skin.

Ingestion May be fatal if swallowed.

Chronic effects from exposure

Irritancy of product

Irritation Corrosive to eyes Corrosive to skin

Sensitization of product

Sensitization Not confirmed to cause skin or respiratory sensitization.

Mutagenicity

Mutagenic Effects Contains no ingredient listed as a mutagen

Carcinogenicity

Carcinogenic Effects

No ingredient of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA.

Reproductive Toxicity

Reproductive Toxicity Not a confirmed reproductive toxicant.

Teratogenicity/embryotoxicity

Teratogenic Not a confirmed teratogen or embryotoxin.

Toxicologically synergistic material Not available

Acute Toxicity

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation

Propargyl alcohol	107-19-7	20 mg/kg (Rat) 20-50 mg/kg (Rat) 93-110 mg/kg (Rat)	16 mg/kg (Rabbit) 88 mg/kg (Rabbit)	600 ppm (Rat) 4 h 520 ppm (Rat) 4 h
		54-55 mg/kg (Rat)		

12. ECOLOGICAL INFORMATION

Toxicity

Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Propargyl alcohol	107-19-7	No information available	LC50: 1.49-1.56 mg/L (Pimephales promelas)	No information available	EC50:32 mg/L (Daphnia magna)

Persistence and Degradability

No information available

Bioaccumlation potential

No information available

Mobility in soil

No information available

Results of PBT and vPvB assessment

No information available.

Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

13. DISPOSAL CONSIDERATIONS

Disposal Method Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Canadian TDG

UN Number: UN2929,

UN Proper Shipping Name: Toxic Liquid, Flammable, Organic, N.O.S.

Transport Hazard Class(es): , 6.1
Subsidiary Hazard: , (3)
Packing Group: , II

EMS: EmS F-E, S-D

IATA/ICAO

UN Number: UN2929,

UN Proper Shipping Name: Toxic Liquid, Flammable, Organic, N.O.S.

Transport Hazard Class(es): , 6.1

Subsidiary Hazard: , (3)

Packing Group: , II

IMDG/IMO

UN Number: UN2929,

UN Proper Shipping Name: Toxic Liquid, Flammable, Organic, N.O.S.

Transport Hazard Class(es): , 6.1
Subsidiary Hazard: , (3)
Packing Group: , II

EMS: EmS F-E, S-D

Special Precautions for User None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class B2 Flammable Liquids

D1A Very Toxic Materials D2B Toxic Materials E Corrosive Material

WHMIS Symbol(s)

US Regulations
US TSCA Inventory

All components listed on inventory or are exempt.

16. OTHER INFORMATION

Preparation Information

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

Revision Date: 24-Sep-2013

Not applicable

Additional Information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products,

contact Chemical Compliance at 1-580-251-4335.

Key or legend to abbreviations and acronyms

WHMIS: Workplace Hazardous Materials Information System

Key literature references and sources for data

www.ChemADVISOR.com/

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS