HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: CHARGE, 2 1/8 HTC HMX - C2133081

Revision Date: 20-Dec-2012

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: CHARGE, 2 1/8 HTC HMX - C2133081

Synonyms: None Chemical Family: Explosive

Application: Explosive Charge

Manufacturer/Supplier Halliburton Energy Services

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT (w/w)	ACGIH TLV-TWA	OSHA PEL-TWA
Cyclotetramethylenetetranitrami ne (HMX)	2691-41-0	NF	Not applicable	Not applicable
Lead	7439-92-1	NF	TWA: 0.05 mg/m ³	0.05 mg/M3
Iron	7439-89-6	NF	Not applicable	10 mg/M3
Aluminum	7429-90-5	NF	TWA: 1 mg/m ³	15 mg/m ³
Tungsten	7440-33-7	NF	TWA: 5 mg/m ³ STEL: 10 mg/m ³	Not applicable
Copper	7440-50-8	NF	TWA: 0.2 mg/m ³	1 mg/m ³
Graphite	7782-42-5	NF	TWA: 2 mg/m ³	15 mg/M3
Corrosion resistant steel	Mixture	NF	Not applicable	Not applicable
Desensitizing wax	Mixture	NF	Not applicable	Not applicable

3. HAZARDS IDENTIFICATION

Hazard Overview Explosive. May cause eye, skin, and respiratory irritation. May cause headache,

dizziness, and other central nervous system effects. May be harmful if swallowed.

4. FIRST AID MEASURES

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin Wash with soap and water. Get medical attention if irritation persists.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after flushing.

Ingestion Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Treat symptomatically.

5. FIRE FIGHTING MEASURES

Flash Point/Range (F):

Flash Point/Range (C):

Flash Point Method:

Autoignition Temperature (F):

Autoignition Temperature (C):

Flammability Limits in Air - Lower (%):

Flammability Limits in Air - Upper (%):

Not Determined

Not Determined

Not Determined

Not Determined

Fire Extinguishing Media None. Do NOT fight fire. Isolate area and evacuate personnel to a safe area.

Guard against intruders. Allow fire to burn itself out.

Special Exposure Hazards May detonate with impact or on heating. May explode and throw fragments 1 mile

or more in fire. Evacuate all persons, including emergency responders.

Special Protective Equipment

for Fire-Fighters

Not applicable.

NFPA Ratings: Health 1, Flammability 3, Reactivity 4
HMIS Ratings: Health 1, Flammability 3, Reactivity 4

6. ACCIDENTAL RELEASE MEASURES

Personal Precautionary

Measures

Use appropriate protective equipment. Use only competent persons for cleanup.

Environmental Precautionary

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

Absorption

Isolate area and remove sources of friction, impact, heat, low level electrical current, and RF energy. Remove ignition sources and work with non-sparking tools.

toois

7. HANDLING AND STORAGE

Handling PrecautionsDo NOT consume food, drink, or tobacco in contaminated areas. Avoid contact

with eyes, skin, or clothing. Wash hands after use. Launder contaminated clothing

before reuse.

Storage Information Store only in ATF approved magazines. Keep away from friction, impact, and heat.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area.

Respiratory Protection Dust/mist respirator. (N95, P2/P3)

Hand Protection Cloth gloves.

CHARGE, 2 1/8 HTC HMX - C2133081

Page 2 of 6

Skin Protection Cotton coveralls, undergarments, and socks. Conductive soled shoes.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:SolidColor:MetallicOdor:Odorless

:Ha Not Determined Specific Gravity @ 20 C (Water=1): Not Determined Density @ 20 C (lbs./gallon): Not Determined Bulk Density @ 20 C (lbs/ft3): Not Determined **Boiling Point/Range (F):** Not Determined **Boiling Point/Range (C):** Not Determined Freezing Point/Range (F): Not Determined Freezing Point/Range (C): Not Determined Vapor Pressure @ 20 C (mmHg): Not Determined Vapor Density (Air=1): Not Determined **Percent Volatiles:** Not Determined **Evaporation Rate (Butyl Acetate=1):** Not Determined Solubility in Water (g/100ml): Insoluble Not Determined

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistokes):

Partition Coefficient/n-Octanol/Water:

Molecular Weight (g/mole):

Not Determined

Not Determined

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid May detonate with friction, impact, heat, and low level electrical current.

Incompatibility (Materials to

Avoid)

Strong acids. Strong alkalis.

Hazardous Decomposition

Products

Shrapnel. Oxides of nitrogen. Metal oxides. Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation. Product does not present exposures health hazards during

normal handling and use. However, this product is an explosive material and uncontrolled detonation may cause severe physical injury including death. All explosives are dangerous and must be handles carefully and used following approved safety procedures under the direction of competent, experience persons in accordance with all applicable regulations

and ordinances.

Sympotoms related to exposure

Acute Toxicity

Inhalation May cause effects to the blood and blood system. May cause central nervous system

depression including headache, dizziness, drowsiness, incoordination, slowed reaction

time, slurred speech, giddiness and unconsciousness.

May cause damage to the nervous, urinary, and reproductive systems. Nitrogen oxides

generated during use are irritating to the respiratory system.

Eye Contact May cause eye irritation.

Skin Contact May be absorbed through the skin and contribute to the symptoms listed under ingestion.

Nitrogen oxides generated during use are skin irritants.

Ingestion May cause abdominal pain, vomiting, nausea, and diarrhea.

Chronic Effects/Carcinogenicity Prolonged or repeated exposure may cause blood forming system, nervous, urinary tract

and reproductive system damage. Prolonged or repeated exposure may cause embryo and

fetus toxicity.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Cyclotetramethylenetetra nitramine (HMX)	2691-41-0	6490 mg/kg (Rat)	5 g/kg(Rat)630 mg/kg(Rabbit)	No data available	
Lead	7439-92-1	No data available	No data available	No data available	
Iron	7439-89-6	984 mg/kg (Rat)	No data available	No data available	
Aluminum	7429-90-5	No data available	No data available	No data available	
Tungsten	7440-33-7	No data available	No data available	No data available	
Copper	7440-50-8	No data available	No data available	No data available	
Graphite	7782-42-5	10000 mg/kg (Rat)	No data available	No data available	
Corrosion resistant steel	Mixture	No data available	No data available	No data available	
Desensitizing wax	Mixture	No data available	No data available	No data available	

12. ECOLOGICAL INFORMATION

Ecotoxicological Information

Ecotoxicity Product

Acute Fish Toxicity: Not determined
Acute Crustaceans Toxicity: Not determined
Acute Algae Toxicity: Not determined

Ecotoxicity Substance

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Cyclotetramethylenetet ranitramine (HMX)	2691-41-0	No information available	LC50: 8.8-26 mg/L (Pimephales promelas)	No information available	No information available
Lead	7439-92-1	No information available	No information available	No information available	No information available
Iron	7439-89-6	No information available	No information available	No information available	No information available
Aluminum	7429-90-5	EC50: 6919.83 mg/L (Skeletonema costatum)	LC50: >10000 mg/L (Scophthalmus maximus)	No information available	LC50: 190 mg/L (Arcatia tonsa)
Tungsten	7440-33-7	No information available	No information available	No information available	No information available
Copper	7440-50-8	EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata)	LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas)	No information available	EC50: 0.03 mg/L (Daphnia magna)
Graphite	7782-42-5	No information available	No information available	No information available	No information available
Corrosion resistant steel	Mixture	No information available	No information available	No information available	No information available
Desensitizing wax	Mixture	No information available	No information available	No information available	No information available

Persistence and degradability

No information available

Bioaccumulative potential

No information available

Mobility in soil

No information available

Results of PBT and vPvB assessment

No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Disposal MethodDisposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Do NOT reuse container. Store only in ATF approved magazines.

14. TRANSPORT INFORMATION

Land Transportation

DOT

UN0059, Charges, Shaped , 1.1D , II EX-8903031 NAERG 112

Canadian TDG

Charges, Shaped , 1.1D , UN0059 , II EX-8903031

ADR

UN0059, Charges, Shaped , 1.1D , II EX-8903031

Air Transportation

ICAO/IATA

UN0059, Charges, Shaped , 1.1D , II EX-8903031

Sea Transportation

IMDG

UN0059, Charges, Shaped , 1.1D , II EX-8903031 EmS F-B, S-X

Other Transportation Information

Labels: Explosive 1.1D

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory

All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

Acute Health Hazard

Fire Hazard

Sudden Release of Pressure Hazard

EPA SARA (313) Chemicals

This product contains toxic chemical(s) listed below which is(are) subject to the reporting requirements of Section 313 of Title III of SARA and 40 CFR Part 372:

Lead//7439-92-1 Copper//7440-50-8

EPA CERCLA/Superfund Reportable Spill Quantity EPA Reportable Spill Quantity is 400 Pounds based on Lead (CAS: 7439-92-1).

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does meet the criteria of a hazardous waste as

defined by the US EPA, because of:

Reactivity D003

California Proposition 65

The California Proposition 65 regulations apply to this product.

MA Right-to-Know Law

One or more components listed.

NJ Right-to-Know Law

One or more components listed.

PA Right-to-Know Law

One or more components listed.

Canadian Regulations

Canadian DSL Inventory

All components listed on inventory or are exempt.

WHMIS Hazard Class

Dangerously Reactive Material

16. OTHER INFORMATION

The following sections have been revised since the last issue of this SDS

Not applicable

Additional Information

For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products,

contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the

sole responsibility of the user.

END OF MSDS