# SAFETY DATA SHEET



## 1. Identification

Product identifier CIMSTAR® QUAL STAR® C

METALWORKING FLUID

Other means of identification

SDS number Not applicable Product code B00153

Recommended use METALWORKING FLUID

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CIMCOOL® Industrial Products LLC

3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

**Emergency telephone** 

number

1-800-424-9300 (CHEMTREC)

Emergency telephone number (outside USA)

1-703-527-3887 (CHEMTREC)

**Supplier** 

Company name Milacron Canada Corp.

Address 1175 Appleby Line Road, Unit B-1
Burlington Ontario L7L5H9 Canada

Telephone (General

Information)

905-319-1919

Emergency telephone number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier Not available.

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye irritation Category 2A

Environmental hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Causes serious eye irritation.

**Precautionary statement** 

**Prevention** Wash thoroughly after handling. Wear eye protection/face protection.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Material name: CIMSTAR® QUAL STAR® C

1/8

Other hazards None known.

**Supplemental information**The classified hazards shown on this SDS are associated with the product concentrate. These

hazards are not expected under recommended use conditions and dilution.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
SEVERELY-HYDROTREATED NAPHTHENIC DISTILLATES		64742-52-5	≤25
ALCOHOLS, C12-14, ETHOXYLATED PROPOXYLATED		68439-51-0	≤3
ISOPROPANOLAMINE		78-96-6	≤3
MONOETHANOLAMINE		141-43-5	≤3
SODIUM ALKYLARYL SULFONATE		93820-59-8	≤3
Other components below reportable	e levels		≤70

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

**Skin contact** Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

redness, swelling, and blurred vision.

**Eye contact** Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Ingestion Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

you feel unwell.

Most important

symptoms/effects, acute and delayed

ueiayeu

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

**General information** If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

## 5. Fire-fighting measures

Suitable extinguishing media Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that are

appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment.

Fire fighting

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the

Use standard firefighting procedures and consider the hazards of other involved materials. In the

event of fire and/or explosion do not breathe fumes.

**General fire hazards** No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal

protection, see section 8 of the SDS.

Material name: CIMSTAR® QUAL STAR® C SDS Canada

#### Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

#### **Environmental precautions**

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

#### 7. Handling and storage

#### Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

#### Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Do not allow material to freeze. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

Value

## 8. Exposure controls/personal protection

## Occupational exposure limits

#### **ACGIH**

	туре	
(CAS 64742-52-5)	TWA	5 mg/m3
US. ACGIH Threshold Limit Value	es	
	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
,	TWA	3 ppm
Canada. Alberta OELs (Occupatio	onal Health & Safety Code, Sc	hedule 1, Table 2)
	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3
		6 ppm
	TWA	7.5 mg/m3
		3 ppm
Canada, British Columbia OFI s.	(Occupational Exposure Limit	- f Ob Ob O
	• •	s for Chemical Substances, Occupational Health and
	• •	s for Chemical Substances, Occupational Health and  Value
Safety Regulation 296/97, as ame  MONOETHANOLAMINE (CAS 141-43-5)	nded)	•
Safety Regulation 296/97, as ame MONOETHANOLAMINE	nded) Type	Value
Safety Regulation 296/97, as ame MONOETHANOLAMINE	Type STEL TWA	Value 6 ppm 3 ppm
Safety Regulation 296/97, as ame  MONOETHANOLAMINE (CAS 141-43-5)	Type STEL TWA	Value 6 ppm 3 ppm
Safety Regulation 296/97, as ame  MONOETHANOLAMINE (CAS 141-43-5)	Type STEL TWA 7/2006, The Workplace Safety	Value 6 ppm 3 ppm And Health Act)
Safety Regulation 296/97, as ame  MONOETHANOLAMINE (CAS 141-43-5)  Canada. Manitoba OELs (Reg. 21)  MONOETHANOLAMINE	Type  STEL  TWA 7/2006, The Workplace Safety Type	Value 6 ppm 3 ppm And Health Act) Value
Safety Regulation 296/97, as ame  MONOETHANOLAMINE (CAS 141-43-5)  Canada. Manitoba OELs (Reg. 21)  MONOETHANOLAMINE	Type STEL TWA 7/2006, The Workplace Safety Type STEL TWA	Value 6 ppm 3 ppm And Health Act) Value 6 ppm 3 ppm
Safety Regulation 296/97, as ame MONOETHANOLAMINE (CAS 141-43-5)  Canada. Manitoba OELs (Reg. 21)  MONOETHANOLAMINE (CAS 141-43-5)	Type STEL TWA 7/2006, The Workplace Safety Type STEL TWA	Value 6 ppm 3 ppm And Health Act) Value 6 ppm 3 ppm
Safety Regulation 296/97, as ame MONOETHANOLAMINE (CAS 141-43-5)  Canada. Manitoba OELs (Reg. 21)  MONOETHANOLAMINE (CAS 141-43-5)	Type  STEL  TWA  7/2006, The Workplace Safety Type  STEL  TWA  TWA  of Exposure to Biological or C	Value 6 ppm 3 ppm And Health Act) Value 6 ppm 3 ppm hemical Agents)

**Type** 

Material name: CIMSTAR® QUAL STAR® C

3/8 

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Type Value

MONOETHANOLAMINE STEL 15 mg/m3 (CAS 141-43-5) 6 ppm

TWA 7.5 mg/m3 3 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is

recommended.

Skin protection

Hand protection Use protective gloves made of: Nitrile.Other Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

Appearance CLEAR
Physical state Liquid.
Form Liquid.
Color Not available.
Odor Chemical
Odor threshold Not available.

**pH** 10.0

Melting point/freezing point  $< 28 \degree F (< -2.2 \degree C)$ Initial boiling point and boiling  $> 212 \degree F (> 100 \degree C)$ 

range

Flash point Not Applicable

**Evaporation rate** Like water when diluted

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) 100 % Water Miscible

Partition coefficient Not available.

(n-octanol/water)

SDS Canada

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

PH in aqueous solution 8.8 @ 5%

Specific gravity 1.020

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form

cancer causing nitrosamines.

**Hazardous decomposition** 

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

## 11. Toxicological information

Information on likely routes of exposure

InhalationNot classified.Skin contactNot classified.

**Eye contact** Causes eye irritation.

Ingestion Not classified.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

#### ALCOHOLS, C12-14, ETHOXYLATED PROPOXYLATED (CAS 68439-51-0)

Acute
Dermal
Liquid

LD50 Rabbit > 2000 mg/kg ATE

**Oral** Liquid

LD50 Rat > 2000 mg/kg

ISOPROPANOLAMINE (CAS 78-96-6)

Acute
Dermal
Liquid

LD50 Rabbit

abbit 1576 mg/kg

**Oral** Liquid

LD50 Rat 2813 mg/kg

MONOETHANOLAMINE (CAS 141-43-5)

<u>Acute</u>

Dermal

LD50 Rabbit 1025 mg/kg

Components **Species Test Results** 

SODIUM ALKYLARYL SULFONATE (CAS 93820-59-8)

Acute Dermal Liquid

LD50 Rabbit 2000 mg/kg

Oral Liquid

LD50 Rat 1080 mg/kg

Skin corrosion/irritation Not classified.

Serious eye damage/eye

Causes eye irritation.

irritation

Respiratory or skin sensitization Canada - Alberta OELs: Irritant

> MONOETHANOLAMINE (CAS 141-43-5) Irritant

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard** 

Not classified. **Chronic effects** 

The classification for health and environmental hazards is derived by a combination of calculation **Further information** 

methods and test data, if available.

### 12. Ecological information

Contains a substance which causes risk of hazardous effects to the environment. **Ecotoxicity** 

Components **Test Results** 

ALCOHOLS, C12-14, ETHOXYLATED PROPOXYLATED (CAS 68439-51-0)

Aquatic

Acute

Crustacea EC50 Daphnia 0.5 mg/l, 48 hours ATE Fish LC50 Ide, silver or golden orfe (Leuciscus 1 - 10 mg/l, 96 hours

idus)

ISOPROPANOLAMINE (CAS 78-96-6)

Aquatic

Fish LC50 Goldfish (Carassius auratus) 210 mg/l, 96 hours

Acute

EC50 Daphnia 109 mg/l, 48 hours Crustacea

MONOETHANOLAMINE (CAS 141-43-5)

**Aquatic** 

Fish LC50 Rainbow trout, donaldson trout 114 - 196 mg/l, 96 hours

(Oncorhynchus mykiss)

Material name: CIMSTAR® QUAL STAR® C SDS Canada 6/8 

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Components Species Test Results

SODIUM ALKYLARYL SULFONATE (CAS 93820-59-8)

**Aquatic** 

Acute

Crustacea EC50 Daphnia 2.9 mg/l, 48 hours
Fish LC50 Bluegill (Lepomis macrochirus) 1.67 mg/l, 96 hours

#### Persistence and degradability

### **Bioaccumulative potential**

Partition coefficient n-octanol / water (log Kow)

ISOPROPANOLAMINE -0.93 MONOETHANOLAMINE -1.31

**Mobility in soil**This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

**TDG** 

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

### 15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

**Controlled Drugs and Substances Act** 

Not regulated.

**Export Control List (CEPA 1999, Schedule 3)** 

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

International regulations

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

### **Kyoto protocol**

Not applicable.

#### **Montreal Protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

## **International Inventories** Country(s) or region

obuility (5) of region	inventory nume	on inventory or exempt (yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Inventory name

Yes

Philippine Inventory of Chemicals and Chemical Substances

#### 16. Other information

**Philippines** 

Issue date 05-30-2017

Version #

NFPA ratings Health: 1

> Flammability: 0 Instability: 0

The information provided in this Safety Data Sheet is correct to the best of our knowledge, **Disclaimer** 

> information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Product and Company Identification: Product and Company Identification **Revision information** 

> Hazards Identification: US Hazard Categories Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Transport Information: Proper Shipping Name/Packing Group

Regulatory Information: United States

Material Attributes & Uses; Experimental Data: Experimental Data

HazReg Data: North America

GHS: Classification

Material name: CIMSTAR® QUAL STAR® C 

On inventory or exempt (yes/no)\*

Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)