SAFETY DATA SHEET



1. Identification

Product identifier CIMTECH® 610 with InSol™ and MSL® Technology

METALWORKING FLUID

Other means of identification

SDS number Not applicable Product code B01002

Recommended use METALWORKING FLUID

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CIMCOOL® Industrial Products LLC

3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

Emergency telephone

number

1-800-424-9300 (CHEMTREC)

Emergency telephone number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier

Company name Milacron Canada Corp.

Address 1175 Appleby Line Road, Unit B-1

Burlington Ontario L7L5H9 Canada

Telephone (General

Information)

905-319-1919

Emergency telephone number (outside USA)

1-703-527-3887 (CHEMTREC)

Supplier Not available.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye irritation Category 2A

Sensitization, skin Category 1

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes serious eye irritation. May cause an allergic skin reaction.

Precautionary statement

Prevention Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing

should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective

gloves.

Material name: CIMTECH® 610 with InSol™ and MSL® Technology

Version #: 01 Issue date: 06-12-2017

1 / 9

Response IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information 24.87% of the mixture consists of component(s) of unknown acute dermal toxicity. 66.95% of the

mixture consists of component(s) of unknown acute inhalation toxicity.

The classified hazards shown on this SDS are associated with the product concentrate. These hazards are not expected under recommended use conditions and dilution.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
TRIETHANOLAMINE		102-71-6	≤30
NEODECANOIC ACID		26896-20-8	≤10
DIAMINOPOLYPROPYLENE GLYCOL		9046-10-0	≤5
ISOPROPANOLAMINE		78-96-6	≤3
PELARGONIC ACID		112-05-0	≤3
METHYLISOTHIAZOLINONE		2682-20-4	≤0.5
Other components below reporta	ble levels		≤60

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Skin contact Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

Eye contact Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

you feel unwell.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. May cause an allergic skin reaction.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

General information If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Alcohol resistant foam. Dry powder. Carbon dioxide (CO2). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing Not applicable, non-combustible.

media

During fire, gases hazardous to health may be formed.

Specific hazards arising from the chemical

the chemical

Wear suitable protective equipment.

Special protective equipment and precautions for firefighters Fire fighting

Fire fighting Use stand equipment/instructions containers

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid breathing mist or vapor. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Do not allow material to freeze. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. Alberta OELs (Occupation	nal Health & Safety Code, So	hedule 1, Table 2)
, ,	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
Canada. British Columbia OELs. (C Safety Regulation 296/97, as amen		ts for Chemical Substances, Occupational Health and
	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
	2006 The Workplace Safety	And Hoolth Act
Canada. Manitoba OELS (Red. 217)	2000. THE WOLKDIAGE SAIELV	Allu nealth Acti
Canada. Manitoba OELs (Reg. 217/	Type	Value
TRIETHANOLAMINE (CAS 102-71-6)	•	•
TRIETHANOLAMINE (CAS	Type TWA	Value 5 mg/m3
TRIETHANOLAMINE (CAS 102-71-6)	Type TWA	Value 5 mg/m3
TRIETHANOLAMINE (CAS 102-71-6)	Type TWA Exposure to Biological or C	Value 5 mg/m3 Chemical Agents)
TRIETHANOLAMINE (CAS 102-71-6) Canada. Ontario OELs. (Control of TRIETHANOLAMINE (CAS	Type TWA Exposure to Biological or C Type	Value 5 mg/m3 Shemical Agents) Value
TRIETHANOLAMINE (CAS 102-71-6) Canada. Ontario OELs. (Control of TRIETHANOLAMINE (CAS 102-71-6)	Type TWA Exposure to Biological or C Type TWA	Value 5 mg/m3 Chemical Agents) Value 3.1 mg/m3
TRIETHANOLAMINE (CAS 102-71-6) Canada. Ontario OELs. (Control of TRIETHANOLAMINE (CAS 102-71-6)	Type TWA Exposure to Biological or C Type TWA	Value 5 mg/m3 Chemical Agents) Value 3.1 mg/m3 0.5 ppm
TRIETHANOLAMINE (CAS 102-71-6) Canada. Ontario OELs. (Control of TRIETHANOLAMINE (CAS 102-71-6)	Type TWA Exposure to Biological or C Type TWA TWA	Value 5 mg/m3 Chemical Agents) Value 3.1 mg/m3 0.5 ppm Sting the Quality of the Work Environment)

Material name: CIMTECH® 610 with InSol™ and MSL® Technology

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is

recommended.

Skin protection

Hand protection Use protective gloves made of: Nitrile.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants.

9. Physical and chemical properties

Appearance CLEAR
Physical state Liquid.
Form Liquid.

ColorNot available.OdorCHEMICALOdor thresholdNot available.

pH 8.2

Melting point/freezing point $< -30 \,^{\circ}\text{F} \,(< -34.4 \,^{\circ}\text{C})$ Initial boiling point and boiling $> 212 \,^{\circ}\text{F} \,(> 100 \,^{\circ}\text{C})$

range

Flash point Not Applicable

Evaporation rate Like water when diluted

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) 100 % Water Miscible

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

pH in aqueous solution 7.8 @ 5%

Specific gravity 1.092

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form

cancer causing nitrosamines.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

Inhalation Not classified.

Skin contact May cause an allergic skin reaction.

Eye contact Causes eye irritation.

Ingestion Not classified.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. May cause an allergic skin reaction.

Information on toxicological effects

Not known. **Acute toxicity**

Components **Species Test Results**

ISOPROPANOLAMINE (CAS 78-96-6)

Acute

Dermal

Liquid

LD50 Rabbit 1576 mg/kg

Oral Liauid

LD50 Rat 2813 mg/kg

METHYLISOTHIAZOLINONE (CAS 2682-20-4)

Acute

Inhalation

Mist

LC50 Rat 0.11 mg/l, 4 hours

NEODECANOIC ACID (CAS 26896-20-8)

Acute

Dermal

Liquid

LD50 Rabbit > 3640 mg/kg

Inhalation

Vapor

> 3 mg/l LC50 Rat

Oral

Liquid

LD50 Rat 2066 mg/kg

Components **Species Test Results**

PELARGONIC ACID (CAS 112-05-0)

Acute Dermal Liquid

LD50 Rat > 2000 mg/kg

Oral Liquid

LD50 Rat > 2000 mg/kg

TRIETHANOLAMINE (CAS 102-71-6)

Acute Dermal Liquid

LD50 Rabbit > 2000 mg/kg

Oral Liquid

LD50 Rat 4190 mg/kg

Not classified. Skin corrosion/irritation

Serious eye damage/eye

Causes eye irritation.

irritation

Respiratory or skin sensitization Canada - Alberta OELs: Irritant

> TRIETHANOLAMINE (CAS 102-71-6) Irritant

Canada - Quebec OELs: Sensitizer

TRIETHANOLAMINE (CAS 102-71-6) Sensitizer.

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Not classified.

The classification for health and environmental hazards is derived by a combination of calculation **Further information**

methods and test data, if available.

12. Ecological information

Contains a substance which causes risk of hazardous effects to the environment. **Ecotoxicity**

Components		Species	Test Results	
ISOPROPANOLAMIN	IE (CAS 78-96-6)			
Aquatic				
Fish	LC50	Goldfish (Carassius auratus)	210 mg/l, 96 hours	
Acute				
Crustacea	EC50	Daphnia	109 mg/l, 48 hours	

Material name: CIMTECH® 610 with InSol™ and MSL® Technology

^{*} Estimates for product may be based on additional component data not shown.

Components **Species Test Results**

METHYLISOTHIAZOLINONE (CAS 2682-20-4)

Aquatic

Acute

LC50 Rainbow trout, donaldson trout Fish 4.77 mg/l, 96 hours

(Oncorhynchus mykiss)

NEODECANOIC ACID (CAS 26896-20-8)

Aquatic

Acute

Crustacea EC50 Daphnia 50 - 1000 mg/l, 48 hours Fish LC50 Rainbow trout.donaldson trout 100 - 300 mg/l, 96 hours

(Oncorhynchus mykiss)

PELARGONIC ACID (CAS 112-05-0)

Aquatic

Acute

Crustacea EC50 Daphnia 96 mg/l, 48 hours Fish LC50 Rainbow trout, donaldson trout 91 mg/l, 96 hours

(Oncorhynchus mykiss)

TRIETHANOLAMINE (CAS 102-71-6)

Aquatic

Crustacea EC50 Water flea (Ceriodaphnia dubia) 565.2 - 658.3 mg/l, 48 hours

Acute

Fish LC50 Bluegill (Lepomis macrochirus) 450 - 1000 mg/l, 96 hours

Persistence and degradability

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ISOPROPANOLAMINE -0.93PELARGONIC ACID 3.42 **TRIETHANOLAMINE** -2.3

Mobility in soil This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow **Disposal instructions**

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

^{*} Estimates for product may be based on additional component data not shown.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name On inventory or ex	cempt (yes/no)*			
Australia	Australian Inventory of Chemical Substances (AICS)	Yes			
Canada	Domestic Substances List (DSL)	No			
Canada	Non-Domestic Substances List (NDSL)	Yes			
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes			
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No			
Europe	European List of Notified Chemical Substances (ELINCS)	No			
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No			
Korea	Existing Chemicals List (ECL)	Yes			
New Zealand	New Zealand Inventory	Yes			
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes			
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes			
*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)					

16. Other information

Issue date 06-12-2017

Version # 01

Health: 1 NFPA ratings

Flammability: 0 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: CIMTECH® 610 with InSol™ and MSL® Technology

Revision information

Product and Company Identification: Product Codes Hazards Identification: US Hazard Categories Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties
Transport Information: Proper Shipping Name/Packing Group
Regulatory Information: United States
Material Attributes & Uses; Experimental Data: Product Uses
HazReg Data: North America

GHS: Classification

Material name: CIMTECH® 610 with InSol™ and MSL® Technology