SAFETY DATA SHEET



1. Identification

Product identifier CIMTECH® 100

METALWORKING FLUID

Other means of identification

SDS number Not applicable B00107 **Product code**

Recommended use METALWORKING FLUID

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name CIMCOOL® Industrial Products LLC

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

Emergency telephone

number

1-800-424-9300 (CHEMTREC)

Emergency telephone number (outside USA) 1-703-527-3887 (CHEMTREC)

Supplier

Company name Milacron Canada Corp.

Address 1175 Appleby Line Road, Unit B-1

Burlington Ontario L7L5H9 Canada

Telephone (General

Information)

905-319-1919

Emergency telephone number (outside USA) 1-703-527-3887 (CHEMTREC)

Supplier Not available.

2. Hazard(s) identification

Corrosive to metals Category 1 Physical hazards Serious eye irritation Category 2A **Health hazards**

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement May be corrosive to metals. Causes serious eye irritation.

Precautionary statement

Material name: CIMTECH® 100

Prevention Keep only in original packaging. Wash thoroughly after handling. Wear eye protection/face

protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present Response

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Absorb

spillage to prevent material-damage.

Storage Store in a corrosion resistant container with a resistant inner liner.

SDS Canada Version #: 02 Revision date: 05-12-2017 Issue date: 04-03-2017

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information 1.35% of the mixture consists of component(s) of unknown acute dermal toxicity.

The classified hazards shown on this SDS are associated with the product concentrate. These

hazards are not expected under recommended use conditions and dilution.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
MONOETHANOLAMINE		141-43-5	≤7
NEODECANOIC ACID		26896-20-8	≤3
PELARGONIC ACID		112-05-0	≤1.5
Other components below reportable levels			≤97

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Skin contact Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

redness, swelling, and blurred vision.

Eye contact Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Ingestion Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

you feel unwell.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed
General information

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Show this safety data sheet to the doctor in attendance. If exposed or concerned: Get medical

advice/attention.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that

are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

Not applicable, non-combustible.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment.

Fire fighting

General fire hazards

equipment/instructions
Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: CIMTECH® 100 SDS Canada

Version #: 02 Revision date: 05-12-2017 Issue date: 04-03-2017

Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in original tightly closed container. Keep only in the original container. Store away from incompatible materials (see Section 10 of the SDS). Do not allow material to freeze. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm
Canada. Alberta OELs (Occupation	onal Health & Safety Code, Sc	hedule 1, Table 2)
, .	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3
		6 ppm
	TWA	7.5 mg/m3
		3 ppm
Safety Regulation 296/97, as ame	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
,	TWA	3 ppm
Canada. Manitoba OELs (Reg. 21	7/2006, The Workplace Safety	And Health Act)
	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm
Canada. Ontario OELs. (Control o	of Exposure to Biological or C	hemical Agents)
	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm

Material name: CIMTECH® 100 SDS Canada

3/9

Version #: 02 Revision date: 05-12-2017 Issue date: 04-03-2017

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

	Туре	Value	
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3	
,		6 ppm	
	TWA	7.5 mg/m3	
		3 nnm	

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is

recommended.

Skin protection

Hand protection Use protective gloves made of: Nitrile.Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance CLEAR
Physical state Liquid.
Form Liquid.
Color Not available.
Odor CHEMICAL
Odor threshold Not available.

pH 10.0

Melting point/freezing point $< 28 \degree F (< -2.2 \degree C)$ Initial boiling point and boiling $> 212 \degree F (> 100 \degree C)$

range

Flash point Not Applicable

Evaporation rate Like water when diluted

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) 100 % Water Miscible

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties

Oxidizing properties

PH in aqueous solution

Specific gravity

Not explosive.

Not explosive.

9.1 @ 5%

1.052

10. Stability and reactivity

Reactivity May be corrosive to metals.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Acids. Aluminum. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which

may form cancer causing nitrosamines.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

InhalationNot classified.Skin contactNot classified.

Eye contact Causes eye irritation.

Ingestion Not classified.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

MONOETHANOLAMINE (CAS 141-43-5)

Acute Dermal

LD50 Rabbit 1025 mg/kg

NEODECANOIC ACID (CAS 26896-20-8)

<u>Acute</u> Dermal

Liquid

LD50 Rabbit > 3640 mg/kg

Inhalation

Vapor

LC50 Rat > 3 mg/l

Oral

Liquid

LD50 Rat 2066 mg/kg

PELARGONIC ACID (CAS 112-05-0)

Acute Dermal

Liquid

LD50 Rat > 2000 mg/kg

Components Species Test Results

Oral *Liquid*

LD50 Rat > 2000 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Not classified.

Serious eye damage/eye

Causes eve irritation.

irritation

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

MONOETHANOLAMINE (CAS 141-43-5) Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Not classified.

Further informationThe classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

91 mg/l, 96 hours

Components		Species	Test Results
MONOETHANOLAMI	NE (CAS 141-43-5)		
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	114 - 196 mg/l, 96 hours
NEODECANOIC ACIE	O (CAS 26896-20-8))	
Aquatic			
Acute			
Crustacea	EC50	Daphnia	50 - 1000 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	100 - 300 mg/l, 96 hours
PELARGONIC ACID	(CAS 112-05-0)		
Aquatic			
Acute			
Crustacea	EC50	Daphnia	96 mg/l, 48 hours

Rainbow trout, donaldson trout

(Oncorhynchus mykiss)

Persistence and degradability

Bioaccumulative potential

Fish

Partition coefficient n-octanol / water (log Kow)

MONOETHANOLAMINE -1.31 PELARGONIC ACID 3.42

Mobility in soil This product is miscible in water.

LC50

^{*} Estimates for product may be based on additional component data not shown.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

UN number UN3267

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (MONOETHANOLAMINE, **UN proper shipping name**

TRIETHANOLAMINE)

Transport hazard class(es)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards** D

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number

Corrosive liquid, basic, organic, n.o.s. (MONOETHANOLAMINE, TRIETHANOLAMINE) **UN proper shipping name**

Transport hazard class(es)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards** No. 8L **ERG Code**

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

UN3267 **UN number**

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (MONOETHANOLAMINE, UN proper shipping name

TRIETHANOLAMINE)

Not established.

Transport hazard class(es)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards**

Marine pollutant No. F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Material name: CIMTECH® 100 SDS Canada

Version #: 02 Revision date: 05-12-2017 Issue date: 04-03-2017 7/9

IATA; IMDG; TDG



15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name On inventory or exe	mpt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compor	nents of this product comply with the inventory requirements administered by the governing country	′(s)

16. Other information

 Issue date
 04-03-2017

 Revision date
 05-12-2017

Version # 02

NFPA ratings Health: 1

Flammability: 0 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety.

Material name: CIMTECH® 100 SDS Canada

Version #: 02 Revision date: 05-12-2017 Issue date: 04-03-2017