

1. Chemical Product and Company Identification

Material name	CIMTECH® 285Z
	METALWORKING FLUID
Version #	01
Issue date	09-15-2014
CAS #	Mixture
MSDS Number	Not applicable
Recommended use	METALWORKING FLUID
Manufacturer	
Company name	CIMCOOL® Industrial Products LLC 3000 Disney Street Cincinnati, Ohio 45209
Telephone (General Information)	513-458-8199
Emergency telephone number	1-800-424-9300 (CHEMTREC)
Emergency telephone number (outside USA)	1-703-527-3887 (CHEMTREC)
Supplier	
Company name Address	Milacron Canada Corp. 1175 Appleby Line Road, Unit B-1 Burlington Ontario L7L5H9 Canada
Telephone (General Information)	905-319-1919
Emergency telephone number (outside USA)	1-703-527-3887 (CHEMTREC)

2. Hazards Identification

Emergency overview	Product is corrosive to aluminum. Causes eye irritation. Causes skin irritation. May be harmful if swallowed. Avoid prolonged contact with eyes, skin and clothing.
Potential health effects	
Routes of exposure	Inhalation. Ingestion. Skin contact. Eye contact.
Eyes	Causes eye irritation. Do not get this material in contact with eyes.
Skin	Irritating to skin. Avoid contact with the skin.
Inhalation	Prolonged inhalation may be harmful. Health injuries are not known or expected under normal use.
Ingestion	May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Do not ingest.

3. Composition/Information on Ingredients

Components	CAS #	Percent
TRIETHANOLAMINE	102-71-6	3 - 7
ISOPROPANOLAMINE	78-96-6	1 - 5
MONOETHANOLAMINE	141-43-5	1 - 5
PELARGONIC ACID	112-05-0	1 - 5
Other components below reportable levels		60 - 100

Other components below reportable levels

4. FIRST AID MEASURES

First aid procedures

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Continue rinsing. Get medical attention immediately.

Skin contact	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation or rash occurs: Get medical advice/attention. Wash clothing separately before reuse.
Inhalation	If symptoms are experienced, remove source of contamination or move victim to fresh air. Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Ingestion	Rinse mouth thoroughly. Do not induce vomiting. Drink 1 or 2 glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a POISON CENTER or doctor/physician if you feel unwell.
Notes to physician	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
General advice	If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

5. FIRE FIGHTING MEASURES

Flammable properties	The product is not flammable.
Extinguishing media	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Not applicable, non-combustible.
Protection of firefighters	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Protective equipment for firefighters	Wear suitable protective equipment.
Fire fighting equipment/instructions	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. In the event of fire and/or explosion do not breathe fumes.
Explosion data	
Sensitivity to static discharge	Not applicable.
Sensitivity to mechanical impact	Not applicable.
Hazardous combustion	Smoke, fumes, oxides of nitrogen, and oxides of carbon

products

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not breathe mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the MSDS.
Environmental precautions	Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.
Methods for containment	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Prevent entry into waterways, sewer, basements or confined areas.
Methods for cleaning up	This product is miscible in water.
	Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the MSDS.
Other information	Clean up in accordance with all applicable regulations.

7. HANDLING AND STORAGE

Handling	Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not breathe vapor. Do not ingest. Do not get this material on clothing. Avoid contact with skin and eyes. Avoid prolonged and repeated contact. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash thoroughly after handling. Wash contaminated clothing before reuse. Practice good housekeeping. Handle and open container with care. Do not empty into drains.
Storage	To maintain product quality, do not store in heat or direct sunlight. Use care in handling/storage. Keep this material away from food, drink and animal feed. Store in original container. Store away from incompatible materials (see Section 10 of the MSDS). Do not allow material to freeze. Room temperature - normal conditions. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure limits

US. ACGIH Threshold Limit Values

	Туре	Value	
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm	
TRIETHANOLÁMINE (CAS 102-71-6)	TWA	5 mg/m3	
MONOETHANOLAMINE (CAS 141-43-5)	TWA	3 ppm	

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

	Туре	Value	
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3	
		6 ppm	
	TWA	7.5 mg/m3	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	
MONOETHANOLAMINE (CAS 141-43-5)	TWA	3 ppm	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
MONOETHANOLAMINE (CAS 141-43-5)	TWA	3 ppm

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

	Туре	Value	
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	
MONOETHANOLAMINE (CAS 141-43-5)	TWA	3 ppm	

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

	Туре	Value	
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	3.1 mg/m3	
MONOETHANOLAMINE (CAS 141-43-5)	TWA	3 ppm	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	0.5 ppm	

	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3
		6 ppm
	TWA	7.5 mg/m3
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3
MONOETHANOLAMINE (CAS 141-43-5)	TWA	3 ppm
US. OSHA Table Z-1 Limits	for Air Contaminants (29 CFR 1910	.1000)
	Туре	Value
MONOETHANOLAMINE (CAS 141-43-5)	PEL	6 mg/m3
		3 ppm
logical limit values	No biological exposure limits noted for the ingredient(s).	
jineering controls	Ensure compliance with applicable exposure limits. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.	
sonal protective equipment		
Eye / face protection	Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is recommended.	
	Wear suitable protective clothing and gloves. Use protective gloves made of: Nitrile.	
Skin protection	wear suitable protective clothing ar	id gloves. Use protective gloves made of. Mithe.

9. PHYSICAL & CHEMICAL PROPERTIES

Appearance	CLEAR
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	CHEMICAL
Odor threshold	Not available.
рН	9.9
Vapor pressure	Not available.
Vapor density	Not available.
Boiling point	> 212 °F (> 100 °C)
Melting point/Freezing point	< 22 °F (< -5.6 °C)
Solubility (water)	100 % Water Miscible
Specific gravity	1.033
Relative density	Not available.
Flash point	Not Applicable
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Auto-ignition temperature	Not available.
Evaporation rate	Like water when diluted
Other data	
pH in aqueous solution	9.0 @ 5%
VOC ASTM D2369	13 %

10. Stability and Reactivity

Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines. Strong acids. Strong oxidizing agents. Avoid contact with oxidizers or reducing agents.
Hazardous decomposition products	Smoke, fumes, oxides of nitrogen, and oxides of carbon
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

11. TOXICOLOGICAL INFORMATION

Toxicological of	data
------------------	------

Components	Species	Test Results
ISOPROPANOLAMINE (CA	-	
Acute	576-96-6)	
Dermal		
LD50	Rabbit	1576 mg/kg
Inhalation		5 5
LC0	Rat	1005 mg/m³, 3 hours
Oral		
LD50	Rat	1715 mg/kg
MONOETHANOLAMINE (C)	AS 141-43-5)	
Acute		
Dermal		
LD50	Rabbit	1025 mg/kg
Inhalation		
LC50	Mouse	> 1210 mg/m³
Oral		
LD50	Guinea pig	620 mg/kg
	Mouse	700 mg/kg
	Rat	1515 mg/kg
Other		
LD50	Mouse	50 mg/kg
	Rat	67 mg/kg
PELARGONIC ACID (CAS 1	112-05-0)	
Acute		
Dermal	5.44%	
LD50	Rabbit	> 5000 mg/kg
Oral LD50	Mauaa	15000 mallia
	Mouse	15000 mg/kg
Other LD50	Mouse	224 mg/kg
TRIETHANOLAMINE (CAS		224 mg/kg
	102-71-0)	
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		3 3
LD50	Guinea pig	5300 mg/kg
	Rat	8 g/kg
		5 5

Components	Species	Test Results
Other		
LD50	Mouse	1450 mg/kg
* Estimates for product may b	e based on additional compor	nent data not shown.
Acute effects	May be harmful if swallowed.	
Chronic effects	Prolonged exposure may cause chronic effects.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall	Evaluation of Carcinogenici	ty
TRIETHANOLAMINE (C	AS 102-71-6)	3 Not classifiable as to carcinogenicity to humans.
Symptoms and target organs	Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. Defatting of the skin.	
Further information	Symptoms may be delayed.	
12. ECOLOGICAL INFORM	MATION	
Ecotoxicological data		
Components	Species	Test Results
ISOPROPANOLAMINE (CAS 78-	96-6)	

ISOPRO	PANULAMINE (CAS 78-	-96-6)		
	Aquatic			
	Fish	LC50	Goldfish (Carassius auratus)	210 mg/l, 96 hours
MONOE	THANOLAMINE (CAS 14	41-43-5)		
	Aquatic			
	Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	114 - 196 mg/l, 96 hours
PELARC	GONIC ACID (CAS 112-0	5-0)		
	Acute			
	Crustacea	EC50	Daphnia	96 mg/l, 48 hours
	Aquatic			
	Acute			
	Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	91 mg/l, 96 hours
TRIETH	ANOLAMINE (CAS 102-7	71-6)		
	Aquatic			
	Crustacea	EC50	Water flea (Ceriodaphnia dubia)	565.2 - 658.3 mg/l, 48 hours
	Fish	LC50	Fathead minnow (Pimephales promelas)	10610 - 13010 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Ecotoxicity	Harmful to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected. Contains a substance which causes risk of hazardous effects to the environment.	
Environmental effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.	
Aquatic toxicity	May cause long-term adverse effects in the aquatic environment. Not known.	
Persistence and degradability	Not available.	
Partition coefficient ISOPROPANOLAMINE	-1.19	
MONOETHANOLAMINE PELARGONIC ACID TRIETHANOLAMINE	-1.31 3.42 -1	
Mobility in environmental	This product is miscible in water.	

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Consult authorities before disposal. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

14. Transport Information

TDG

TDG	
UN number	UN3267
UN proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (MONOETHANOLAMINE)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	
Environmental hazards	D
Special precautions for user	Read safety instructions, MSDS and emergency procedures before handling.
ΙΑΤΑ	
UN number	UN3267
UN proper shipping name	Corrosive liquid, basic, organic, n.o.s. (MONOETHANOLAMINE)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	III
Environmental hazards	No.
ERG Code	8L
Special precautions for user	Read safety instructions, MSDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.
IMDG	
UN number	UN3267
UN proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (MONOETHANOLAMINE)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-B
Special precautions for user	Read safety instructions, MSDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

IATA; IMDG; TDG



15. REGULATORY INFORMATION

Canadian regulations

WHMIS status WHMIS classification

WHMIS labeling



Inventory status

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

Controlled

D2B - Other Toxic Effects-TOXIC E - Corrosive

ivenitory status		
Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. OTHER INFORMATION

HMIS® ratings	Health: 1 Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 0 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Prepared by	Ann Ball
This data sheet contains changes from the previous version in section(s):	This document has undergone significant changes and should be reviewed in its entirety.