### **HALLIBURTON**

# MATERIAL SAFETY DATA SHEET

Product Trade Name: CL-26 CROSSLINKER

Revision Date: 02-Jan-2013

#### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: CL-26 CROSSLINKER

Synonyms: None
Chemical Family: Blend
Application: Crosslinker

Manufacturer/Supplier Halliburton Energy Services

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	<b>CAS Number</b>	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Triethanolamine	102-71-6	5-20	5 mg/m <sup>3</sup>	Not applicable
Boric acid	10043-35-3	0-10	2 mg/m <sup>3</sup>	Not applicable
Sodium hydroxide	1310-73-2	2-10	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>
Methanol	67-56-1	5-15	200 ppm (S)	200 ppm

#### 3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye and skin burns. May cause headache, dizziness, and other central

nervous system effects. May be fatal if swallowed. May cause blindness. May be absorbed through the skin. Repeated overexposure may cause liver and kidney

effects.

#### 4. FIRST AID MEASURES

**Inhalation** If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

**Skin** In case of contact, immediately flush skin with plenty of soap and water for at least 15

minutes. Get medical attention. Remove contaminated clothing and launder before

reuse.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of water

for at least 15 minutes and get medical attention immediately after flushing.

**Ingestion** Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

#### **FIRE FIGHTING MEASURES**

Flash Point/Range (F): 118 Flash Point/Range (C): 47

Flash Point Method: Not Determined **Autoignition Temperature (F):** Not Determined **Autoignition Temperature (C):** Not Determined Flammability Limits in Air - Lower (%): Not Determined Flammability Limits in Air - Upper (%): Not Determined

Fire Extinguishing Media Carbon Dioxide, Dry Chemicals, Foam.

**Special Exposure Hazards** Use water spray to cool fire exposed surfaces. Closed containers may explode in

fire. Decomposition in fire may produce toxic gases.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

**NFPA Ratings:** Health 3, Flammability 2, Reactivity 0 **HMIS Ratings:** Health 3, Flammability 2, Reactivity 0

## **ACCIDENTAL RELEASE MEASURES**

Personal Precautionary Measures Use appropriate protective equipment. Wear self-contained breathing apparatus in

enclosed areas.

**Environmental Precautionary** 

**Measures** 

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

**Absorption** 

Isolate spill and stop leak where safe. Remove ignition sources and work with nonsparking tools. Contain spill with sand or other inert materials. Scoop up and

remove.

# HANDLING AND STORAGE

**Handling Precautions** Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after

use. Launder contaminated clothing before reuse.

Store away from oxidizers. Keep from heat, sparks, and open flames. Keep container **Storage Information** 

closed when not in use. Product has a shelf life of 24 months.

#### **EXPOSURE CONTROLS/PERSONAL PROTECTION**

Use in a well ventilated area. Local exhaust ventilation should be used in areas **Engineering Controls** 

without good cross ventilation.

Organic vapor respirator with a dust/mist filter. **Respiratory Protection** 

**Hand Protection** Impervious rubber gloves.

**Skin Protection** Full protective chemical resistant clothing.

**Eye Protection** Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions Eyewash fountains and safety showers must be easily accessible.

## PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Liquid

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Color:Light greenOdor:AlcoholpH:13Specific Gravity @ 20 C (Water=1):1.12Density @ 20 C (lbs./gallon):9.3296

Bulk Density @ 20 C (lbs/ft3): Not Determined **Boiling Point/Range (F):** Not Determined Boiling Point/Range (C): Not Determined Freezing Point/Range (F): Not Determined Freezing Point/Range (C): Not Determined Vapor Pressure @ 20 C (mmHg): Not Determined Vapor Density (Air=1): Not Determined **Percent Volatiles:** Not Determined **Evaporation Rate (Butyl Acetate=1):** Not Determined

Solubility in Water (g/100ml): Soluble

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistokes):

Partition Coefficient/n-Octanol/Water:

Molecular Weight (g/mole):

Not Determined

Not Determined

## 10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

**Conditions to Avoid** Keep away from heat, sparks and flame.

Incompatibility (Materials to

Avoid)

Strong oxidizers. Strong acids.

**Hazardous Decomposition** 

**Products** 

Oxides of nitrogen. Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

## 11. TOXICOLOGICAL INFORMATION

**Principle Route of Exposure** Eye or skin contact, inhalation.

**Inhalation** Causes severe respiratory irritation. May cause central nervous system depression

including headache, dizziness, drowsiness, incoordination, slowed reaction time,

slurred speech, giddiness and unconsciousness.

**Skin Contact**Causes severe burns. May be absorbed through the skin and produce effects similar

to those caused by inhalation and/or ingestion.

**Eye Contact** May cause eye burns.

**Ingestion** May be fatal or cause blindness if swallowed. Causes burns of the mouth, throat and

stomach. May cause abdominal pain, vomiting, nausea, and diarrhea. May cause central nervous system depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions. May cause heart, kidney and

brain disorders.

Aggravated Medical Conditions Skin disorders. Eye ailments.

Chronic Effects/Carcinogenicity Prolonged or repeated exposure may cause eye, blood, lung, liver, kidney, heart,

central nervous system and spleen damage.

Other Information None known.

**Toxicity Tests** 

Oral Toxicity: Not determined

**Dermal Toxicity:** Not determined

Inhalation Toxicity: Not determined

**Primary Irritation Effect:** Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive /

**Developmental Toxicity:** 

Not determined

### 12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Not determined

Bio-accumulation Not determined

# **Ecotoxicological Information**

Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity: Not determined

Chemical Fate Information Not determined

Other Information Not applicable

## 13. DISPOSAL CONSIDERATIONS

**Disposal Method**Disposal should be made in accordance with federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

#### 14. TRANSPORT INFORMATION

# **Land Transportation**

#### DOT

UN2924,Flammable Liquid, Corrosive, N.O.S.(Contains Methanol, Sodium Hydroxide), 3, (8), III, (45.6 C) NAERG 132

#### **Canadian TDG**

Flammable Liquid, Corrosive, N.O.S.(Contains Methanol, Sodium Hydroxide), 3, (8), UN2924, III, (45.6 C)

#### **ADR**

UN2924, Flammable Liquid, Corrosive, N.O.S. (Contains Methanol, Sodium Hydroxide), 3, (8), III

## **Air Transportation**

#### ICAO/IATA

UN2924, Flammable Liquid, Corrosive, N.O.S., 3, (8), III (Contains Methanol, Sodium Hydroxide)

## **Sea Transportation**

**IMDG** 

UN2924, Flammable Liquid, Corrosive, N.O.S. (Contains Methanol, Sodium Hydroxide), 3, (8), III, (45.6 C) EmS F-E, S-C

# **Other Transportation Information**

Labels: Flammable Liquid

Corrosive

#### 15. REGULATORY INFORMATION

**US Regulations** 

**US TSCA Inventory** All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

Acute Health Hazard Chronic Health Hazard

Fire Hazard

**EPA SARA (313) Chemicals** This product contains toxic chemical(s) listed below which is(are) subject to the

reporting requirements of Section 313 of Title III of SARA and 40 CFR Part 372:

Methanol//67-56-1

Sodium Hydroxide//1310-73-2

EPA CERCLA/Superfund Reportable Spill Quantity

EPA Reportable Spill Quantity is 1340 Gallons based on Sodium hydroxide (CAS:

1310-73-2).

**EPA RCRA Hazardous Waste** 

Classification

If product becomes a waste, it does meet the criteria of a hazardous waste as

defined by the US EPA, because of:

Ignitability D001 Corrosivity D002

**California Proposition 65** All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

CL-26 CROSSLINKER Page 5 of 6

## **Canadian Regulations**

**Canadian DSL Inventory** All components listed on inventory or are exempt.

WHMIS Hazard Class

B2 Flammable Liquids

E Corrosive Material D1B Toxic Materials

## 16. OTHER INFORMATION

# The following sections have been revised since the last issue of this MSDS

Not applicable

Additional Information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Material Safety Data Sheet for this or other Halliburton

products, contact Chemical Compliance at 1-580-251-4335.

**Disclaimer Statement**This information is furnished without warranty, expressed or implied, as to accuracy

or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of

the user.

\*\*\*END OF MSDS\*\*\*