### **HALLIBURTON**

# **MATERIAL SAFETY DATA SHEET**

Product Trade Name: CL-31ET INSTANT CROSSLINKER

Revision Date: 03-Jan-2012

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: CL-31ET INSTANT CROSSLINKER

Synonyms: None
Chemical Family: Blend
Application: Crosslinker

Manufacturer/Supplier Halliburton Energy Services, Inc.

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	<b>ACGIH TLV-TWA</b>	OSHA PEL-TWA
Potassium metaborate	13709-94-9	30 - 60%	2 mg/m <sup>3</sup>	Not applicable
Potassium hydroxide	1310-58-3	< 5	2 mg/m <sup>3</sup>	Not applicable

### 3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye, skin, and respiratory burns. May be harmful if swallowed.

### 4. FIRST AID MEASURES

**Inhalation** If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least 15

minutes. Get medical attention. Remove contaminated clothing and launder before

reuse.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of water

for at least 15 minutes and get medical attention immediately after flushing.

**Ingestion** Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician None known.

### **FIRE FIGHTING MEASURES**

Flash Point/Range (F): Not DeterminedMin: > 200 Flash Point/Range (C): Not DeterminedMin: > 93

Flash Point Method: **PMCC** 

**Autoignition Temperature (F):** Not Determined Not Determined **Autoignition Temperature (C):** Flammability Limits in Air - Lower (%): Not Determined Flammability Limits in Air - Upper (%): Not Determined

Water fog, carbon dioxide, foam, dry chemical. Fire Extinguishing Media

**Special Exposure Hazards** Product should not burn, but precautions should be taken during a fire to avoid

corrosive hazard.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

Health 3, Flammability 0, Reactivity 1 **NFPA Ratings: HMIS Ratings:** Health 3, Flammability 1, Physical Hazard 0

### **ACCIDENTAL RELEASE MEASURES**

Personal Precautionary Measures Use appropriate protective equipment.

**Environmental Precautionary** 

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

**Absorption** 

Contain spill with sand or other inert materials. Neutralize to pH of 6-8. Scoop up

and remove. Isolate spill and stop leak where safe.

### HANDLING AND STORAGE

**Handling Precautions** Avoid breathing vapors. Wash hands after use. Launder contaminated clothing

before reuse. Avoid contact with eyes, skin, or clothing.

**Storage Information** Store away from acids. Store away from oxidizers. Store in a well ventilated area.

Product has a shelf life of 24 months.

### **EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Controls** Use in a well ventilated area. Local exhaust ventilation should be used in areas

without good cross ventilation.

**Respiratory Protection** If engineering controls and work practices cannot keep exposure below occupational

> exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should

be performed by an Industrial Hygienist or other qualified professional.

Dust/mist respirator. (95%)

**Hand Protection** Impervious rubber gloves.

**Skin Protection** Rubber apron.

**Eye Protection** Chemical goggles; also wear a face shield if splashing hazard exists.

**Other Precautions** Eyewash fountains and safety showers must be easily accessible.

> **CL-31ET INSTANT CROSSLINKER** Page 2 of 6

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Clear

Odor: Characteristic

 pH:
 > 13.5

 Specific Gravity @ 20 C (Water=1):
 1.31

 Density @ 20 C (lbs./gallon):
 10.91

Bulk Density @ 20 C (lbs/ft3): Not Determined **Boiling Point/Range (F):** Not Determined Not Determined **Boiling Point/Range (C):** Freezing Point/Range (F): Not Determined Freezing Point/Range (C): Not Determined Not Determined Vapor Pressure @ 20 C (mmHg): Vapor Density (Air=1): Not Determined Not Determined **Percent Volatiles: Evaporation Rate (Butyl Acetate=1):** Not Determined

Solubility in Water (g/100ml): Soluble

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Not Determined

Not Determined

Viscosity, Dynamic @ 20 C (centipoise): 5-10

Viscosity, Kinematic @ 20 C (centistrokes):

Partition Coefficient/n-Octanol/Water:

Molecular Weight (g/mole):

Not Determined

Not Determined

### 10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None known.

Incompatibility (Materials to

Avoid)

Strong oxidizers. Strong acids.

**Hazardous Decomposition** 

**Products** 

Potassium hydroxide. Boric acid.

Additional Guidelines Not Applicable

### 11. TOXICOLOGICAL INFORMATION

**Principle Route of Exposure** Eye or skin contact, inhalation.

**Inhalation** Causes severe respiratory irritation.

Skin Contact

Causes severe skin irritation. May cause skin burns.

Eye Contact

Causes severe eye irritation May cause eye burns.

Ingestion Irritation of the mouth, throat, and stomach. May cause abdominal pain, vomiting,

nausea, and diarrhea.

Aggravated Medical Conditions Eye ailments. Skin disorders.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are

chronic health hazards.

Other Information None known.

CL-31ET INSTANT CROSSLINKER Page 3 of 6

### **Toxicity Tests**

Oral Toxicity: LD50: 3310 mg/kg (Rat)

**Dermal Toxicity:** Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive / Not determined

**Developmental Toxicity:** 

### 12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Not determined

Bio-accumulation Not determined

# **Ecotoxicological Information**

Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity: Not determined

Chemical Fate Information Not determined

Other Information Not applicable

# 13. DISPOSAL CONSIDERATIONS

**Disposal Method**Disposal should be made in accordance with federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

# 14. TRANSPORT INFORMATION

### **Land Transportation**

### DOT

UN1814, Potassium Hydroxide Solution, 8, III NAERG 154

### **Canadian TDG**

Potassium Hydroxide Solution, 8, UN1814, III

### **ADR**

UN1814, Potassium Hydroxide Solution, 8, III

CL-31ET INSTANT CROSSLINKER Page 4 of 6

# **Air Transportation**

#### ICAO/IATA

UN1814, Potassium Hydroxide Solution, 8, III

### Sea Transportation

**IMDG** 

UN1814, Potassium Hydroxide Solution, 8, III EmS F-A, S-B

# Other Transportation Information

Labels: Corrosive

## 15. REGULATORY INFORMATION

# **US Regulations**

**US TSCA Inventory** All components listed on inventory or are exempt.

**EPA SARA Title III Extremely Hazardous Substances** 

Not applicable

EPA SARA (311,312) Hazard

**Class** 

Acute Health Hazard

EPA SARA (313) Chemicals

This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

**EPA CERCLA/Superfund Reportable Spill Quantity** 

EPA Reportable Spill Quantity is 3652 Gallons based on Potassium hydroxide (CAS:

1310-58-3).

**EPA RCRA Hazardous Waste** 

Classification

If product becomes a waste, it does meet the criteria of a hazardous waste as

defined by the US EPA, because of:

Corrosivity D002

California Proposition 65 All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

**Canadian Regulations** 

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class E Corrosive Material

### 16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS Not applicable

CL-31ET INSTANT CROSSLINKER Page 5 of 6

#### **Additional Information**

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Material Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

#### **Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

\*\*\*END OF MSDS\*\*\*