

SAFETY DATA SHEET



Product name:	CLAROFAST	Page:	1/8
Revision Date:	2015-03-09	Print date:	2015-03-09
Document No.:	M0155	SDS-ID:	GB-EN/11.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: CLAROFAST
Cat. No. 40100053, 40100054, 40100055
Container size: 1; 7.5; 25 kg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: For embedding of specimens

1.3. Details of the supplier of the safety data sheet

Supplier: Struers A/S
Pederstrupvej 84
DK-2750 Ballerup
Tel: +45 44 600 800

Responsible for safety data sheet authoring: Responsible for safety data sheet authoring: DHI
Any questions to the contents of this safety data sheet should be sent to:
Chemical.info@struers.dk

1.4. Emergency telephone number

Emergency telephone: +45 44 600 800
(Only during office hours)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

The product is not classified.

67/548/EEC / 1999/45/EC: -

GHS/CLP: -

2.2. Label elements

The substance/mixture does not meet the criteria for classification, but the following labelling must be applied:

Contains Methyl methacrylate, Dibenzoyl peroxide. May produce an allergic reaction.

Safety data sheet available on request. (*)

2.3. Other hazards

Fine particles may form explosive vapour/air mixtures. May irritate eyes and skin. Inhalation of dust may irritate the respiratory system.

PBT/vPvB: Not relevant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: acrylic resin.

SAFETY DATA SHEET

Product name:	CLAROFAST	Page:	2/8
Revision Date:	2015-03-09	Print date:	2015-03-09
Document No.:	M0155	SDS-ID:	GB-EN/11.0

67/548/EEC:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
60-100	-	-	-	Methacrylate polymer	-	
0,1-<1	80-62-6	201-297-1	-	Methyl methacrylate	F;R11 R43 Xi;R37/38	D
0,1-<1	94-36-0	202-327-6	-	Dibenzoyl peroxide	E;R3 O;R7 Xi;R36 R43	

GHS/CLP:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
60-100	-	-	-	Methacrylate polymer	-	
0,1-<1	80-62-6	201-297-1	-	Methyl methacrylate	Flam. Liq. 2;H225 STOT SE 3;H335 Skin Irrit. 2;H315 Skin Sens. 1;H317	D
0,1-<1	94-36-0	202-327-6	-	Dibenzoyl peroxide	Org. Perox. B;H241 Eye Irrit. 2;H319 Skin Sens. 1;H317	

References: The full text for all R-phrases and hazard statements are displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

<u>Inhalation:</u>	Move into fresh air and keep at rest.
<u>Skin contact:</u>	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and bring these instructions.
<u>Eye contact:</u>	Immediately flush with plenty of water for up to 10 minutes. Remove any contact lenses and open eyelids widely.
<u>Ingestion:</u>	Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable take to hospital along with these instructions.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

SAFETY DATA SHEET

Product name:	CLAROFAST	Page:	3/8
Revision Date:	2015-03-09	Print date:	2015-03-09
Document No.:	M0155	SDS-ID:	GB-EN/11.0

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Specific hazards: No specific precautions.

5.3. Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions: Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Dampen spillage with water. Collect spillage with granulates, sawdust, rags or other absorbent.

6.4. Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Observe good chemical hygiene practices. Avoid inhalation of dust and contact with skin and eyes.

Technical measures: Avoid spreading dust.

Technical precautions: Local exhaust is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: No special precautions.

Storage conditions: Store in tightly closed original container.

7.3. Specific end use(s)

Specific use(s): Not relevant.

SAFETY DATA SHEET

Product name:	CLAROFAST	Page:	4/8
Revision Date:	2015-03-09	Print date:	2015-03-09
Document No.:	M0155	SDS-ID:	GB-EN/11.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

CAS-No.:	Chemical name:	As:	Exposure limits:		Type:	Notes:	References:	
80-62-6	Methyl methacrylate	-	50	ppm	208 mg/m ³	TWA	-	EH40
		-	100	ppm	416 mg/m ³	STEL	15min	
94-36-0	Dibenzoyl peroxide	-			5 mg/m ³	TWA	-	EH40
-	Dusts, respirable dust	-			4 mg/m ³	TWA	-	EH40
-	Dusts, total inhalable dust	-			10 mg/m ³	TWA	-	EH40

8.2. Exposure controls

<u>Engineering measures:</u>	Provide adequate ventilation. Observe occupational exposure limits and minimise the risk of inhalation of dust. Local exhaust is recommended.
<u>Personal protection:</u>	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
<u>Respiratory equipment:</u>	During dust-raising work: Use respiratory equipment with particle filter, type P2.
<u>Hand protection:</u>	Risk of contact: Wear protective gloves. Laminate (PE/EVOH) gloves are recommended. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.
<u>Eye protection:</u>	Risk of contact: Wear goggles/face shield.
<u>Skin protection:</u>	No special precautions.
<u>Environmental Exposure Controls:</u>	Not available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

<u>Appearance:</u>	Solid., white
<u>Odour:</u>	characteristic
<u>pH:</u>	Not available.
<u>Melting point:</u>	Not available.
<u>Boiling point:</u>	Not available.
<u>Flash point:</u>	Not available.
<u>Explosion limits:</u>	Not available.
<u>Relative density:</u>	1,18
<u>Solubility:</u>	insoluble in water

9.2. Other information

<u>Other data:</u>	Volatile Organic Compound (VOC): <10 g/l (calculated)
--------------------	---

SAFETY DATA SHEET

Product name:	CLAROFAST	Page:	5/8
Revision Date:	2015-03-09	Print date:	2015-03-09
Document No.:	M0155	SDS-ID:	GB-EN/11.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: None known.

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions/materials to avoid: None specific.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition products: When heated and in case of fire, irritating vapours/gases may be formed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation: Dust may irritate throat and respiratory system and cause coughing.

Skin contact: Prolonged contact may cause redness and irritation.

Eye contact: Dust in the eyes will cause irritation.

Ingestion: May irritate and cause malaise.

Specific effects: The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity: The environmental hazard of the product is considered to be limited.

12.2. Persistence and degradability

Degradability: The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation: Is not expected to be bioaccumulable.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

12.6. Other adverse effects

Other adverse effects: None known.

SAFETY DATA SHEET

Product name:	CLAROFAST	Page:	6/8
Revision Date:	2015-03-09	Print date:	2015-03-09
Document No.:	M0155	SDS-ID:	GB-EN/11.0

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Note that fully cured material is not considered as hazardous waste.

Waste from residues: EWC-code: 16 05 09

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

UN-No: -

14.2. UN proper shipping name

Proper Shipping Name: -

14.3. Transport hazard class(es)

Class: -

14.4. Packing group

PG: -

14.5. Environmental hazards

Marine pollutant: -

Environmentally Hazardous substance: -

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant.

SAFETY DATA SHEET

Product name:	CLAROFAST	Page:	7/8
Revision Date:	2015-03-09	Print date:	2015-03-09
Document No.:	M0155	SDS-ID:	GB-EN/11.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation: Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.
Statutory Instruments 2008 No. 2852 - The REACH Enforcement Regulations 2008.
The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).
The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. EH40/2005, Workplace exposure limits 2005, with amendments.
The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status: Not relevant.

SAFETY DATA SHEET

Product name:	CLAROFAST	Page:	8/8
Revision Date:	2015-03-09	Print date:	2015-03-09
Document No.:	M0155	SDS-ID:	GB-EN/11.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 2.

The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Additional information: Classification according to Regulation (EC) No. 1272/2008:
Calculation method.

Wording of

R-phrases/H-statements:

R3	Extreme risk of explosion by shock, friction, fire or other sources of ignition.
R7	May cause fire.
R11	Highly flammable.
R36	Irritating to eyes.
R37/38	Irritating to respiratory system and skin.
R43	May cause sensitisation by skin contact.
H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.
www.dhigroup.com.