HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: CLAYSEAL®

Revision Date: 20-Dec-2012

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Statement of Hazardous Nature Hazardous according to the criteria of NOHSC, Dangerous Goods according to the

criteria of ADG.

Manufacturer/Supplier Halliburton Australia Pty. Ltd.

15 Marriott Road

Jandakot WA 6164 Australia

ACN Number: 009 000 775

Telephone Number: 61 (08) 9455 8300 Fax Number: 61 (08) 9455 5300

Product Emergency Telephone

Australia: 08-64244950

Papua New Guinea: 05 1 281 575 5000

NewZealand: 06-7559274

Fire, Police & Ambulance - Emergency Telephone

Australia: 000

Papua New Guinea: 000

New Zealand: 111

Identification of Substances or Preparation

Product Trade Name: CLAYSEAL®

Synonyms: None

Chemical Family: Ethoxylated polyamine

UN Number: , UN1993

Dangerous Goods Class: 3
Subsidiary Risk: None

Hazchem Code:None AllocatedPoisons Schedule:None AllocatedApplication:Shale stabilizer

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances CAS Number PERCENT Australia New Zealand ACGIH TLV-TWA

NOHSC WES

COMPOSITION/INFORMATION ON INGREDIENTS Methanol 67-56-1 10 - 30% TWA: 200 ppm STEL: 250 ppm TWA: 200 ppm STEL: 328 mg/m³ TWA: 262 mg/m³ STEL: 250 ppm STEL: 250 ppm TWA: 200 ppm STEL: 328 mg/m³ TWA: 262 mg/m³

Non-Hazardous Substance to Total of 100%

HAZARDS IDENTIFICATION

Hazard Overview May cause eye, skin, and respiratory irritation. May cause headache, dizziness, and

other central nervous system effects. Repeated overexposure may cause liver and

kidney effects. May be harmful if swallowed.

Risk Phrases R11 Highly flammable.

R23/24/25 Toxic by inhalation, by contact with skin, and if swallowed.

R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in

contact with skin, and if swallowed.

HSNO Classification Not Determined

FIRST AID MEASURES

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least 15

minutes. Get medical attention. Remove contaminated clothing and launder before

reuse.

In case of contact, or suspected contact, immediately flush eyes with plenty of water Eyes

for at least 15 minutes and get medical attention immediately after flushing.

Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek Ingestion

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

FIRE FIGHTING MEASURES

Water fog, carbon dioxide, foam, dry chemical. Suitable Extinguishing Media

Extinguishing media which must None known.

not be used for safety reasons

May be ignited by heat, sparks or flames. Use water spray to cool fire exposed **Special Exposure Hazards**

surfaces. Closed containers may explode in fire. Decomposition in fire may produce

toxic gases.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Wear self-contained breathing apparatus in enclosed areas.

Environmental Precautionary

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

Boiling Point/Range (C):

Absorption

Isolate spill and stop leak where safe. Remove ignition sources and work with nonsparking tools. Contain spill with sand or other inert materials. Scoop up and

remove.

HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after

use. Launder contaminated clothing before reuse. Ground and bond containers

when transferring from one container to another.

Storage Information Store in a cool well ventilated area. Keep container closed when not in use. Keep

from heat, sparks, and open flames. Product has a shelf life of 36 months.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area.

Respiratory Protection Positive pressure self-contained breathing apparatus if methanol is released.

Hand Protection Impervious rubber gloves.

Skin Protection Rubber apron.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions Eyewash fountains and safety showers must be easily accessible.

PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Color: Orange-brown

Odor: Amine 8-9 :Ha

Specific Gravity @ 20 C (Water=1): 0.9745 - 1.0045 Density @ 20 C (kg/l): 0.9745 - 1.0045 Bulk Density @ 20 C (kg/m³): Not Determined Not Determined

Freezing Point/Range (C): -29

Not Determined Pour Point/Range (C):

Flash Point/Range (C): 28 Flash Point Method: **PMCC**

Autoignition Temperature (C): Not Determined Flammability Limits in Air - Lower (g/m³): Not Determined

Flammability Limits in Air - Lower (%):

Flammability Limits in Air - Upper (g/m³): Not Determined

Flammability Limits in Air - Upper (%): 36.5

Not Determined Vapor Pressure @ 20 C (mmHg): Vapor Density (Air=1): Not Determined **Percent Volatiles:** Not Determined **Evaporation Rate (Butyl Acetate=1):** Not Determined

Solubility in Water (g/100ml): Soluble

Solubility in Solvents (g/100ml): Not Determined VOCs (g/l): Not Determined

Viscosity, Dynamic @ 20 C (centipoise): 2- 15

Viscosity, Kinematic @ 20 C (centistokes): Not Determined

> **CLAYSEAL®** Page 3 of 6

9. PHYSICAL AND CHEMICAL PROPERTIES

Partition Coefficient/n-Octanol/Water:

Molecular Weight (g/mole):

Decomposition Temperature (C):

Not Determined

Not Determined

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None known.

Incompatibility (Materials to

Avoid)

Strong oxidizers.

Hazardous Decomposition

Products

Oxides of nitrogen. Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Sympotoms related to exposure

Inhalation

May cause respiratory irritation. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time,

slurred speech, giddiness and unconsciousness.

Skin Contact Prolonged or repeated contact may cause ulceration of the skin. May be absorbed

through the skin and produce effects similar to those caused by inhalation and/or

ingestion.

Eye Contact May cause eye irritation.

Ingestion May be fatal or cause blindness if swallowed. May cause central nervous system

depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions. May cause liver and kidney damage.

Aggravated Medical Conditions Liver and kidney disorders. Skin disorders. Eye ailments.

Chronic Effects/Carcinogenicity Prolonged or repeated exposure may cause eye, blood, lung, liver, kidney, heart,

central nervous system and spleen damage.

Other Information None known.

Toxicity Tests

Oral Toxicity: Not determined

Dermal Toxicity: Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

CLAYSEAL® Page 4 of 6

Reproductive / Developmental Toxicity:

Not determined

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Not determined

Bio-accumulation Not determined

Ecotoxicological Information

Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity: Not determined

Chemical Fate InformationNot determinedOther InformationNot applicable

13. DISPOSAL CONSIDERATIONS

Disposal MethodDisposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

ADR

UN1993, Flammable Liquid, N.O.S. (Contains Methanol), 3, III

Air Transportation

ICAO/IATA

UN1993,Flammable Liquid, N.O.S., 3, III (Contains Methanol)

Sea Transportation

IMDG

UN1993,Flammable Liquid, N.O.S.(Contains Methanol), 3, III, (27.8 C) EmS F-E, S-E

Other Transportation Information

Labels: Flammable Liquid

15. REGULATORY INFORMATION

Chemical Inventories

Australian AICS Inventory New Zealand Inventory of

Chemicals

US TSCA Inventory EINECS Inventory

Product contains one or more components not listed on inventory.

This product does not comply with NZIOC

All components listed on inventory or are exempt. This product does not comply with EINECS

Classification F - Highly Flammable.

T - Toxic.

Risk Phrases R11 Highly flammable.

R23/24/25 Toxic by inhalation, by contact with skin, and if swallowed.

R39/23/24/25 Toxic: danger of very serious irreversible effects through inhalation, in

contact with skin, and if swallowed.

Safety Phrases S7 Keep container tightly closed.

S16 Keep away from sources of ignition - No Smoking.

S45 In case of accident or if you feel unwell, seek medical advice immediately.

S1/2 Keep locked up and out of reach of children. S36/37 Wear suitable protective clothing and gloves.

16. OTHER INFORMATION

The following sections have been revised since the last issue of this SDS Not applicable

Contact

Australian Poisons Information Centre

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

New Zealand National Poisons Centre

0800 764 766

Additional Information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products,

contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement This information is furnished without warranty, expressed or implied, as to accuracy

or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of

the user.

END OF MSDS