MSDS No: OTH111E5 Issue Date: 27 July 2005
 Page: 1 of 4

MATERIAL SAFETY DATA SHEET

PRODUCT AND COMPANY IDENTIFICATION SECTION 1 Trade Name: OATEY CLEAR THREAD CUTTING OIL Product Use: Oil for pipe cutting and threading Formula: Petroleum Distillates mixture

Synonyms: Thread cutting oil

Firm Name & OATEY CO. 4700 West 160th Street P.O. Box 35906 Cleveland,

Mailing Address: Ohio 44135, U.S.A. http://www.oatey.com

Oatey Phone Number: (216) 267-7100 or (800) 321-9532

Emergency Phone For Emergency First Aid call 1-303-623-5716 COLLECT. For Numbers: chemical transportation emergencies ONLY, call Chemtrec at

1-800-424-9300. Outside the U.S. 1-703-527-3887.

Prepared By: Corporate Director - Safety and Environmental Compliance

Preparation Date: July 27, 2005

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS:	%wt/wt:	CAS NUMBER:	ACGIH TLV TWA:	OSHA PEL TWA:	OTHER:
Petroleum distillates	75%, max.	64741-88-4	5mg/m3	5mg/m3	STEL:
					10 mg/m3
Petroleum distillates	25%, max.	69029-75-0	5mg/m3	5 mg/m3	STEL:
					10 mg/m3
Sulfur additive	2%, max.	68515-88-8	None	None	None
Chlorinated paraffin	< 1%	63449-39-8	None	None	None

OSHA Hazard Classification: Trritant.

SECTION 3 HAZARDS IDENTIFICATION

Emergency Overview:

Transparent amber fluid. Mild eye, skin, inhalation and ingestion irritant.

SECTION 4 FIRST AID MEASURES

CALL 1-303-623-5716 COLLECT

Skin: Remove contaminated clothing immediately. Wash all exposed areas with

soap and water. Get medical attention if irritation develops.

If material gets into eyes or if fumes cause irritation, immediately Eyes:

flush eyes with plenty of water until chemical is removed. If

irritation persists, get medical attention immediately.

Inhalation: If respiratory irritation develops, remove to fresh air. If breathing

becomes difficult, administer oxygen. Administer artificial

respiration if breathing has stopped. Seek immediate medical attention.

Ingestion: DO NOT INDUCE VOMITING. Never give anything by mouth to a person who is

unconscious or drowsy. Get immediate medical attention by calling a Poison Control Center, or hospital emergency room. If medical advice cannot be obtained, then take the person and product to the nearest

medical emergency treatment center or hospital.

MSDS No: OTH111E5
Issue Date: 27 July 2005

Page: 2 of 4

SECTION 5 FIRE FIGHTING MEASURES

Flashpoint / Method: > 300 Degrees F (149 Degrees C) / C.O.C. Flammability: LEL = Not available, UEL = Not available

Extinguishing Use dry chemical, CO2, or foam to extinguish fire. Do not use

water as it may be ineffective as an extinguishing agent.

Media:

Special Fire Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in

Procedure: areas where chemicals are used or stored

Unusual Fire and

Explosion

Hazards: None

Hazardous Decomposition

Products: Combustion will produce toxic and irritating vapors including

oxides of carbon, phosphorus, sulfur, smoke, hydrogen chloride,

and hydrogen sulfide.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Spill or Remove all sources of ignition and ventilate area. Contain spill, stop Leak source of leak, pump spilled material into salvage container, soak up

Procedures: remaining material with absorbent such as sand or clay. Prevent product from entering potable or natural water systems. Put absorbent material in covered, labeled metal containers. Report releases to authorities

as required. See Section 13 for disposal information.

SECTION 7 HANDLING AND STORAGE

Handling: Avoid prolonged and repeated skin contact. Avoid contact with eyes,

skin and clothing. Wash thoroughly after handling. Do not eat, drink or smoke in the work area. Keep product away from heat, sparks, flames and all other sources of ignition. No smoking in storage or use areas.

Keep containers closed when not in use. Launder contaminated

clothing before reuse.

Storage: Store in a cool, dry, well-ventilated area away from incompatible

materials. Store away from direct heat source and strong oxidizing

agents. Keep containers closed when not in use.

Other: Do not pressurize, cut, weld, braze, drill, grind or heat empty

containers as some flammable, hazardous or combustible residue may be

present. Avoid breathing mist. For industrial use only.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: General mechanical ventilation is usually adequate under normal

conditions of use. Use local ventilation if necessary to maintain oil

mist below PEL/TLV

Respiratory For operations where the exposure limit may be exceeded, a NIOSH

Protection: approved organic vapor respirator or supplied air respirator is

recommended. Equipment selection depends on contaminant type and concentration, select in accordance with 29 CFR 1910.134 and good

industrial hygiene practice.

Skin

Protection: Oil/Chemical resistant gloves such as neoprene or nitrile.

Eye

Protection: Safety glasses with side shields or chemical splash goggles if

necessary.

MSDS No: OTH111E5
Issue Date: 27 July 2005

Page: 3 of 4

SECTION 8: Continued

Other: Eye wash and safety shower should be available. Other such as

protective apron as necessary to prevent prolonged skin contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: > 500 Degrees F / 260 Degrees C

Melting Point: Not applicable

Vapor Pressure: < 0.1 mm Hg at 20 degrees C

Vapor Density: > 1.0 (Air = 1.0)

Volatile Components: Negligible Solubility In Water: Negligible pH: Not applicable

Specific Gravity: 0.90 - 0.95 (Water = 1.0)
Evaporation Rate: Negligible (BUAC = 1.0)
Appearance: Transparent amber oily fluid

Odor: Mild petroleum

Will Dissolve In: Oil and organic solvents

Material Is: Liquid

SECTION 10 STABILITY AND REACTIVITY

Stability: Stable.

Conditions To Avoid: Avoid heat, sparks, flames and other sources of ignition.

Hazardous Decomposition

Products: Combustion will produce toxic and irritating vapors including

oxides of carbon, phosphorus, sulfur, smoke, hydrogen

chloride, and hydrogen sulfide.

Incompatibility/

Materials To Avoid: Avoid contact with strong oxidizers.

Hazardous Will not occur.

Polymerization:

SECTION 11 TOXICOLOGICAL INFORMATION

Inhalation: Excessive exposure to mist may irritate respiratory tract.

Skin: May cause irritation. Eye: May cause irritation.

Ingestion: May irritate gastrointestinal tract.

Chronic Prolonged continued skin contact may cause dermatitis, mist may

Toxicity: irritate respiratory tract.

Toxicity Data: Not available

Sensitization: None of the components are known to cause sensitization. Carcinogenicity: None of the components are listed as a carcinogen or suspect

carcinogen by NTP, IARC or OSHA.

Mutagenicity: Not available

Reproductive

Toxicity: Not available

Medical Conditions Aggravated By

Exposure: Persons with pre-existing skin or lung disorders may be at

increased risk from exposure to this product.

MSDS No: OTH111E5
Issue Date: 27 July 2005

Page: 4 of 4

SECTION 12 ECOLOGICAL INFORMATION

VOC

Information: None

VOC Level: Not established

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose in accordance with current local, state and federal

regulations.

RCRA Hazardous Waste Number: Not applicable EPA Hazardous Waste ID Number: Not applicable

EPA Hazard Waste Class: Not applicable

SECTION 14 TRANSPORT INFORMATION

DOT

Proper Shipping Name: Not applicable Hazard Class/Packing Group: Not applicable UN/NA Number: Not applicable Hazard Labels: Not applicable

IMDG

Proper Shipping Name: Not applicable Hazard Class/Packing Group: Not applicable UN Number: Not applicable Label: Not applicable

2004 North American Emergency Response Guidebook Number: None

SECTION 15 REGULATORY INFORMATION

Hazard Category for Section None

311/312:

Section 302 Extremely This product does not contain chemicals regulated

Hazardous Substances (TPQ): under SARA Section 302.

Section 313 Toxic Chemicals: This product contains no chemicals subject to SARA

Title III Section 313 Reporting requirements.

CERCLA 103 Reportable: None

California Proposition 65: This product is not known to contain any chemicals

subject to California Proposition 65 regulation.

TSCA Inventory: All of the components of this product are listed on

the TSCA inventory.

Canadian WHMIS Classification: D2B. This product has been classified

in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

SECTION 16 OTHER INFORMATION

NFPA and HMIS:

NFPA Hazard Signal: Health: 1 Flammability: 1 Reactivity: 0 Special: None

HMIS Hazard Signal: Health: 1 Flammability: 1 Reactivity: 0 PPE: B

Disclaimer:

The information herein has been compiled from sources believed to be reliable, upto-date, and is accurate to the best of our knowledge. However, Oatey cannot give any guarantees regarding information from other sources, and expressly does not make warranties, nor assumes any liability for its use.