



CSN2645000

MSDS Preparation Date (mm/dd/yyyy): 07/25/2012

Page 1 of 7

MATERIAL SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

Product identifier : TUTELA SYNTHETIC GREASE GR-1000 SSL

Product Code(s) : MC 2000S2

Product Use : Industrial applications: Lubricants; grease

Chemical Family : Mixture.

Supplier's name and address: Manufacturer's name and address:

Viscosity Oil Company Refer to Supplier

600-H Joliet Road Willowbrook, IL, U.S.A.

60527

Information Telephone # : (630) 850-4000

24 Hr. Emergency Tel # : Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887

(Outside U.S.).

SECTION 2 - HAZARDS IDENTIFICATION

Classification : WHMIS information: This product is not a WHMIS controlled product in Canada. It

does not meet any of the criteria for a controlled product provided in Part IV of the

Controlled Products Regulations (CPR).

OSHA: This material is classified as hazardous under OSHA regulations (29CFR

1910.1200). Hazardous classification:

Acute Health Hazard

Emergency Overview: Tan grease. Mild petroleum odour.

Caution! May cause mechanical irritation to the eyes and skin.

POTENTIAL HEALTH EFFECTS:

Signs and symptoms of short-term (acute) exposure

Inhalation: No exposure symptoms reported under normal conditions of use.Skin: Direct skin contact may cause slight or mild, transient irritation.

Eyes : May cause mild transient irritation.

Ingestion : No exposure symptoms reported under normal conditions of use.

Effects of long-term (chronic) exposure

: No exposure effects reported.

Carcinogenic status : See TOXICOLOGICAL INFORMATION, Section 11.

Additional health hazards : See TOXICOLOGICAL INFORMATION, Section 11.

Potential environmental effects

: See ECOLOGICAL INFORMATION, Section 12.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredients</u>	CAS#	Wt.%
Mineral oil	N/Av	15.00 - 30.00



Viscosity Oil Company 600-H Joliet Road Willowbrook, IL, U.S.A., 60527

Telephone: 001-630-850-4000

TUTELA SYNTHETIC GREASE GR-1000 SSL

CSN2645000

MSDS Preparation Date (mm/dd/yyyy): 07/25/2012

Page 2 of 7

Calcium carbonate	471-34-1	10.00 - 20.00
-------------------	----------	---------------

SECTION 4 - FIRST AID MEASURES

Inhalation : If breathed in, move person into fresh air. If breathing is irregular or stopped,

administer artificial respiration. If breathing is difficult, give oxygen by qualified

medical personnel only. Obtain medical attention immediately.

Skin contact : Immediately flush skin with running water for at least 15 minutes, while removing

contaminated clothing. Wash contaminated clothing before re-use. Obtain medical

attention immediately.

Eye contact : Immediately flush eyes with running water for at least 20 minutes. Remove contact

lenses if present and easy to do. Obtain medical assistance immediately.

Ingestion : Rinse mouth with water. Do not induce vomiting, unless directed to do so by qualified

medical personnel. Never give anything by mouth if victim is unconscious. Get

medical attention immediately.

Notes For Physician : Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

Fire hazards/conditions of flammability

: Not flammable under normal conditions of use.

Flammability classification (OSHA 29 CFR 1910.1200)

: Non-flammable.

Oxidizing properties : None known.

Explosion data: Sensitivity to mechanical impact / static discharge

: Not expected to be sensitive to mechanical impact or static discharge.

Suitable extinguishing media : Dry chemical; Carbon dioxide (CO2); Foam; water fog. Do not use a solid water

stream as it may scatter and spread fire.

Special fire-fighting procedures/equipment

: Move containers from fire area if safe to do so. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Water spray may be useful in cooling equipment exposed to heat and flame. Avoid spreading burning liquid with water spray used for cooling purposes. Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion products

Oxides of carbon. Metal oxides.

NFPA Rating 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

: Health: 2 Flammability: 1 Instability: 0 Special Hazards: None

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions : Wear suitable protective equipment. Refer to protective measures listed in sections 7

and 8. Keep people away from and upwind of spill/leak.

Environmental precautions : Do not allow material to contaminate ground water system. If necessary, dike well

ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or

drinking supply.


Spill response/cleanup : Ventilate area of release. Remove all sources of ignition. Stop spill or leak at source

if safely possible. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Do not flush into surface water or sanitary sewer system. Contaminated absorbent material may pose the same hazards as the

spilled product. Notify the appropriate authorities as required.

Prohibited materials: None known or reported by the manufacturer.

Special spill response procedures





CSN2645000

MSDS Preparation Date (mm/dd/yyyy): 07/25/2012

Page 3 of 7

: If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).

US CERCLA Reportable quantity (RQ): None reported.

SECTION 7 - HANDLING AND STORAGE

Safe Handling procedures : Do not breathe fumes or mists. Use only in well-ventilated areas. Wear protective

gloves/clothing and eye/face protection. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Keep away from incompatibles. Keep container tightly closed. Empty containers retain residue (liquid and/or vapour) and

can be dangerous. Wash thoroughly after handling.

Storage requirements : Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat.

Inspect periodically for damage or leaks. Protect against physical damage. No

smoking in the area. Keep away from incompatibles.

Incompatible materials : Oxidizing agents.

Special packaging materials : Always keep in containers made of the same materials as the supply container.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits				
	ACGIH TLV		OSHA PEL	
<u>Ingredients</u>	TWA	STEL	PEL	STEL
Mineral oil	N/Av	N/Av	N/Av	N/Av
Calcium carbonate	N/Av	N/Av	15 mg/m³ (total dust); 5 mg/m³ (respirable fraction)	N/Av

Ventilation and engineering measures

: Use only in well-ventilated areas. Provide sufficient ventilation to keep vapour

concentration below the given TLV and/or PEL.

Respiratory protection: Respiratory protection is required if the concentrations exceed the TLV. Use

NIOSH/MSHA approved equipment. Advice should be sought from respiratory

protection specialists.

Skin protection: Wear gloves impervious to this material. Advice should be sought from glove

suppliers.

Eye / face protection : Chemical splash goggles must be worn when handling this material.

Other protective equipment : Ensure that eyewash stations and safety showers are close to the workstation

location.

General hygiene considerations

Do not breathe fumes or mists. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

Remove and wash contaminated clothing before re-use.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES


Physical state: Grease.Appearance: tanOdour: Petroleum odour.Odour threshold: N/Av

pH : N/Ap

Boiling point : N/Av Specific gravity : N/Av

Melting/Freezing point : N/Av Coefficient of water/oil distribution

: N/Av





CSN2645000

MSDS Preparation Date (mm/dd/yyyy): 07/25/2012

Page 4 of 7

Vapour pressure (mmHg @ 20° C / 68° F)

: N/Av

N/Av Evaporation rate (n-Butyl acetate = 1)

Solubility in water

Volatiles (% by weight)

: N/Av : N/Av

: insoluble

Volatile organic Compounds (VOC's)

Vapour density (Air = 1)

None.

N/Av

Flash point

: N/Av : N/Av Flash point Method Auto-ignition temperature

Lower flammable limit (% by vol.) Upper flammable limit (% by vol.)

N/Av N/Av

Flame Projection Length N/Ap Flashback observed : N/Ap

164 - 205 cSt at 40°C Viscosity

Absolute pressure of container

: N/Ap

Section 10: Stability And Reactivity

Stability and reactivity Stable under normal conditions.

Hazardous polymerisation does not occur. Hazardous polymerization

Direct sources of heat. Avoid contact with incompatible materials. Conditions to avoid

Materials To Avoid And Incompatibility

None reported by the manufacturer.

Hazardous decomposition products

None known, refer to hazardous combustion products in Section 5.

SECTION 11 - TOXICOLOGICAL INFORMATION

Target organs Skin and eyes.

: Inhalation: YES Skin Absorption: NO YES YES Routes of exposure Skin & Eyes: Ingestion:

Toxicological data : There is no available data for the product itself, only for the ingredients. See

below for individual ingredient acute toxicity data.

	LCso(4hr)	LD50		
<u>Ingredients</u>	inh, rat	(Oral, rat)	(Rabbit, dermal)	
Mineral oil	N/Av	N/Av	N/Av	
Calcium carbonate	N/Av	6450 mg/kg	N/Av	

No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP. Carcinogenic status

Reproductive effects Not expected to be cause reproductive effects.

Not expected to be a teratogen. Teratogenicity

Not expected to be mutagenic in humans. Mutagenicity

No information available. **Epidemiology**

Sensitization to material Not expected to be a skin or respiratory sensitizer.

No information available. Synergistic materials Mild eye irritant Mild skin irritant. Irritancy

other important hazards None known.

Conditions aggravated by overexposure

: Pre-existing skin and respiratory disorders.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity : No data is available on the product itself. The product should not be allowed to enter

drains or water courses, or be deposited where it can affect ground or surface

waters.



Mobility

Viscosity Oil Company 600-H Joliet Road Willowbrook, IL, U.S.A., 60527

Telephone: 001-630-850-4000

TUTELA SYNTHETIC GREASE GR-1000 SSL

CSN2645000

MSDS Preparation Date (mm/dd/yyyy): 07/25/2012

Page 5 of 7

: The product itself has not been tested.

Persistence : The product itself has not been tested. None of the ingredients in this product are

considered to be readily biodegradable, and this product is not soluble in water.

Therefore, this product is expected to persist in the environment.

Bioaccumulation potential

: The product itself has not been tested.

Other Adverse Environmental effects

: None known.

SECTION 13 - DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not cut, weld, drill or grind on or near this container.

Methods of Disposal

Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for

specific rules.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14: TRANPORT INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
49CFR/DOT	None	Not regulated.	Not regulated	none	\otimes
49CFR/DOT Additional information	None.				
TDG	None	Not regulated.	Not regulated	none	\otimes
TDG Additional information	None.				
IMDG	None	Not regulated.	Not regulated	none	\bigotimes
IMDG Additional information	None.	1			1

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

CERCLA Reportable Quantity (RQ) (40 CFR 117.302): Refer to supplier.



CSN2645000

Page 6 of 7

MSDS Preparation Date (mm/dd/yyyy): 07/25/2012

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: None. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This material is not subject to SARA notification requirements, since it does not contain any Toxic Chemical constituents above de minimus concentrations.

US State Right to Know Laws:

California Proposition 65: To the best of our knowledge, this product does not contain any chemicals known to the State of California to cause cancer or reproductive harm.

Other U.S. State "Right to Know" Lists: None of the components of this product are specifically listed on any State 'Right to Know' lists.

International Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Refer to Section 2 for a WHMIS Classification for this product.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and this MSDS contains all the information required by the CPR.

SECTION 16 - OTHER INFORMATION

HMIS Rating : *- Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

Health: 2 Flammability: 1 Reactivity: 0

Legend : ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability

Act of 1980

CFR: Code of Federal Regulations

cSt: Centistokes

DOT: Department of Transportation EPA: Environmental Protection Agency

HMIS: Hazardous Materials Identification System HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer IMDG: International Maritime Dangerous Goods

Inh: Inhalation

LC: Lethal Concentration

LD: Lethal Dose

MSHA: Mine Safety and Health Administration

N/Ap: Not Applicable N/Av: Not Available

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act

RTECS: Registry of Toxic Effects of Chemical Substances



Viscosity Oil Company 600-H Joliet Road Willowbrook, IL, U.S.A., 60527

Telephone: 001-630-850-4000

TUTELA SYNTHETIC GREASE GR-1000 SSL

CSN2645000

MSDS Preparation Date (mm/dd/yyyy): 07/25/2012

Page 7 of 7

SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

: 1. ACGIH, Threshold Limit Values and Biological Exposure Indices for 2012.

2. International Agency for Research on Cancer Monographs, searched 2012.

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2012

(Chempendium and RTECs).

4. Material Safety Data Sheet from manufacturer.

5. US EPA Title III List of Lists, July 2011 version.

6. California Proposition 65 List - June 22, 2012 version.

Prepared for:

References

Viscosity Oil Company

600-H Joliet Road, Willowbrook, IL, U.S.A., 60527

Telephone: 001-630-850-4000 http://www.viscosityoil.com

Please direct all enquiries to Viscosity Oil.



Prepared by:

ICC The Compliance Center Inc.

http://www.thecompliancecenter.com



DISCLAIMER OF LIABILITY

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Viscosity Oil Company and CCOHS' Web Information Service. The information in the Material Safety Data Sheet (MSDS) is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Viscosity Oil Company expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Viscosity Oil Company.

Preparation Date (mm/dd/yyyy)

: 07/25/2012

END OF DOCUMENT