

 Product name:
 CONDUFAST
 Page:
 1/8

 Revision Date:
 2015-01-20
 Print date:
 2015-01-20

 Document No.:
 M0051
 SDS-ID:
 GB-EN/14.0

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: CONDUFAST

Cat. No. 40100039

Container size: 1 kg

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<u>Application:</u> For embedding of specimens

#### 1.3. Details of the supplier of the safety data sheet

Supplier: Struers A/S

Pederstrupvej 84 DK-2750 Ballerup Tel:+45 44 600 800

Responsible for safety data Responsible for safety data sheet authoring: DHI

sheet authoring: Any questions to the contents of this safety data sheet should be sent to:

Chemical.info@struers.dk

#### 1.4. Emergency telephone number

Emergency telephone: +45 44 600 800

(Only during office hours)

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

The product is not classified.

<u>67/548/EEC / 1999/45/EC:</u> - GHS/CLP: -

#### 2.2. Label elements

The substance/mixture does not meet the criteria for classification, but the

following labelling must be applied:

Contains Dibenzoyl peroxide. May produce an allergic reaction.

Safety data sheet available on request.

### 2.3. Other hazards

Dust may irritate the eyes and the respiratory system. Fine particles may form explosive vapour/air mixtures. (\*)

PBT/vPvB: Not relevant.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.2. Mixtures

The product contains: polymer.

 Product name:
 CONDUFAST
 Page:
 2/8

 Revision Date:
 2015-01-20
 Print date:
 2015-01-20

 Document No.:
 M0051
 SDS-ID:
 GB-EN/14.0

#### 67/548/EEC:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
30-60	-		-	Methylmethacrylate polymer	-	
30-60	-		-	Iron powder	-	
5-15	-		-	Graphite powder	-	
<1	94-36-0	202-327-6	-	Dibenzoyl peroxide	E;R3 O;R7 Xi;R36 R43	

#### GHS/CLP:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
30-60	-		-	Methylmethacrylate polymer	-	
30-60	-		-	Iron powder	-	
5-15	-		-	Graphite powder	-	
<1	94-36-0	202-327-6	-	Dibenzoyl peroxide	Org. Perox. B;H241 Eye Irrit. 2;H319 Skin Sens. 1;H317	

References: The full text for all R-phrases and hazard statements are displayed in section 16.

# **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Inhalation: If uncomfortable during dust-raising work: Move into fresh air and keep at rest.

Skin contact: In case of eczema or other skin disorders: Seek medical attention and bring

these instructions.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact

lenses and open eyelids widely. If irritation persists: Seek medical attention and

bring along these instructions.

<u>Ingestion:</u> Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable take to hospital along with these

instructions.

### 4.2. Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

### 4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

 Product name:
 CONDUFAST
 Page:
 3/8

 Revision Date:
 2015-01-20
 Print date:
 2015-01-20

 Document No.:
 M0051
 SDS-ID:
 GB-EN/14.0

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1. Extinguishing media

Extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog.

#### 5.2. Special hazards arising from the substance or mixture

<u>Specific hazards:</u> When heated and in case of fire, irritating vapours/gases may be formed.

5.3. Advice for firefighters

<u>Protective equipment for</u> Selection of respiratory protection for fire fighting: follow the general fire

<u>fire-fighters:</u> precautions indicated in the workplace.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid generation and spreading of dust. Avoid contact with skin or inhalation of

spillage, dust or vapour. Avoid contact with eyes. (\*)

6.2. Environmental precautions

<u>Environmental</u> Avoid discharge into water courses or onto the ground.

precautions:

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Dampen spillage with water. Absorb spillage with suitable absorbent material.

6.4. Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Safe handling advice: Avoid inhalation of dust. Avoid contact with skin and eyes. Observe good

chemical hygiene practices.

<u>Technical measures:</u> Work practice should minimise contact.

<u>Technical precautions:</u> Local exhaust is recommended.

# 7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

<u>Storage conditions:</u> Store in tightly closed original container.

7.3. Specific end use(s)

Specific use(s): Not relevant.

 Product name:
 CONDUFAST
 Page:
 4/8

 Revision Date:
 2015-01-20
 Print date:
 2015-01-20

 Document No.:
 M0051
 SDS-ID:
 GB-EN/14.0

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

Occupational exposure limits:

CAS-No.:	Chemical name:	As:	Exposure limits:	Type:	Notes:	References:
94-36-0	Dibenzoyl peroxide	-	5 mg/m3	TWA	-	EH40
7782-42-5	Graphite, respirable dust	-	4 mg/m3	TWA	-	EH40
7782-42-5	Graphite, inhalable dust	-	10 mg/m3	TWA	-	EH40
-	Dusts, total inhalable dust	-	10 mg/m3	TWA	-	EH40
-	Dusts, respirable dust	-	4 mg/m3	TWA	-	EH40

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Observe occupational exposure limits and

minimise the risk of inhalation of dust. Local exhaust is recommended.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation and work of brief duration, use suitable

respiratory equipment. Use respiratory equipment with particle filter, type P2.

<u>Hand protection:</u> Risk of contact: Wear protective gloves. Nitrile gloves are recommended.

<u>Eye protection:</u> Risk of contact: Wear goggles/face shield.

Skin protection: No special precautions.

Environmental Exposure

Controls:

Not available.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Appearance: Fine grey-black beads

Odour: mild

<u>pH:</u> Not available.
<u>Boiling point:</u> Not available.
<u>Flash point:</u> Not available.
<u>Explosion limits:</u> Not available.
<u>Relative density:</u> 1,1-1,18

Solubility: insoluble in water

9.2. Other information

Other data: Volatile Organic Compound (VOC): 3,8 g/l (calculated)

 Product name:
 CONDUFAST
 Page:
 5/8

 Revision Date:
 2015-01-20
 Print date:
 2015-01-20

 Document No.:
 M0051
 SDS-ID:
 GB-EN/14.0

#### **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

Reactivity: None known.

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions/materials to avoid: Heating. Direct sunlight.

10.5. Incompatible materials

Incompatible materials: None known.

10.6. Hazardous decomposition products

<u>Hazardous decomposition</u> When heated and in case of fire, irritating vapours/gases may be formed.

products:

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1. Information on toxicological effects

<u>Inhalation:</u> Dust may irritate throat and respiratory system and cause coughing.

Skin contact: Prolonged contact may cause redness and irritation. Risk of sensitisation or

allergic reactions among sensitive individuals.

Eye contact: Dust in the eyes will cause irritation.

<u>Ingestion:</u> May irritate and cause malaise.

<u>Specific effects:</u> May cause sensitisation.

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

Ecotoxicity: The product is not expected to be hazardous to the environment.

12.2. Persistence and degradability

<u>Degradability:</u> The product is not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

12.6. Other adverse effects

Other adverse effects: None known.

 Product name:
 CONDUFAST
 Page:
 6/8

 Revision Date:
 2015-01-20
 Print date:
 2015-01-20

 Document No.:
 M0051
 SDS-ID:
 GB-EN/14.0

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Note that fully cured material is not considered as hazardous waste.

Waste from residues: EWC-code: 16 05 09

# **SECTION 14: TRANSPORT INFORMATION**

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

# 14.1. UN number

UN-No:

# 14.2. UN proper shipping name

Proper Shipping Name:

### 14.3. Transport hazard class(es)

Class: -

# 14.4. Packing group

PG: -

# 14.5. Environmental hazards

Marine pollutant: -

Environmentally Hazardous

substance:

# 14.6. Special precautions for user

Special precautions: None known.

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

<u>Transport in bulk:</u> Not relevant.

 Product name:
 CONDUFAST
 Page:
 7/8

 Revision Date:
 2015-01-20
 Print date:
 2015-01-20

 Document No.:
 M0051
 SDS-ID:
 GB-EN/14.0

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation: Regulation (EC) No 1272/2008 of the European Parliament and of the Council of

16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006 with amendments.

Statutory Instruments 2008 No. 2852 - The REACH Enforcement Regulations

2008.

EH40/2005, Workplace exposure limits 2005, with amendments.

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009

(S.I 2009 No. 716).

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No.

2677) with amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

# 15.2. Chemical Safety Assessment

<u>CSA status:</u> Not relevant.

 Product name:
 CONDUFAST
 Page:
 8/8

 Revision Date:
 2015-01-20
 Print date:
 2015-01-20

 Document No.:
 M0051
 SDS-ID:
 GB-EN/14.0

#### **SECTION 16: OTHER INFORMATION**

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 2, 6.

The (\*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorue

Wording of

H319

R-phrases/H-statements:

R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.

R7 May cause fire.
R36 Irritating to eyes.

R43 May cause sensitisation by skin contact.

H241 Heating may cause a fire or explosion.
H317 May cause an allergic skin reaction.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with

any other product or any other process is the responsibility of the user.

 $\label{eq:mark_problem} \mbox{Made by DHI - Environment and Toxicology, Agern All\'e 5, DK-2970 H\"{e}rsholm, Denmark.} \\ \mbox{www.dhigroup.com}.$ 

Causes serious eye irritation.