

# MATERIAL SAFETY DATA SHEET

**Product Trade Name:** COREXIT 9527 OIL SPILL DISPERSANT

**Revision Date:** 02-Jan-2013

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Trade Name:** COREXIT 9527 OIL SPILL DISPERSANT  
**Synonyms:** None  
**Chemical Family:** Glycol Ether  
**Application:** Surfactant

**Manufacturer/Supplier** Halliburton Energy Services  
P.O. Box 1431  
Duncan, Oklahoma 73536-0431  
Emergency Telephone: (281) 575-5000

**Prepared By** Chemical Compliance  
Telephone: 1-580-251-4335  
e-mail: fdunexchem@halliburton.com

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Surfactant esters	Mixture	NF	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	60 - 100%	20 ppm	50 ppm

## 3. HAZARDS IDENTIFICATION

**Hazard Overview** May cause eye, skin, and respiratory irritation. May cause headache, dizziness, and other central nervous system effects. May be harmful if swallowed. May be absorbed through the skin. Repeated overexposure may cause liver and kidney effects. Combustible.

## 4. FIRST AID MEASURES

**Inhalation** If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

**Skin** In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse.

**Eyes** In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

**Ingestion** If swallowed, induce vomiting immediately by giving two glasses of water and sticking fingers down throat; never give anything to an unconscious person. Get medical attention.

**Notes to Physician** Not Applicable

## 5. FIRE FIGHTING MEASURES

Flash Point/Range (F):	144
Flash Point/Range (C):	62
Flash Point Method:	PMCC
Autoignition Temperature (F):	460
Autoignition Temperature (C):	238
Flammability Limits in Air - Lower (%):	1.1
Flammability Limits in Air - Upper (%):	12.7

**Fire Extinguishing Media** Carbon Dioxide, Dry Chemicals, Foam.

**Special Exposure Hazards** Use water spray to cool fire exposed surfaces. Closed containers may explode in fire. Decomposition in fire may produce toxic gases.

**Special Protective Equipment for Fire-Fighters** Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

**NFPA Ratings:** Health 2, Flammability 2, Reactivity 0

**HMIS Ratings:** Health 2, Flammability 2, Reactivity 0

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautionary Measures** Use appropriate protective equipment.

**Environmental Precautionary Measures** Prevent from entering sewers, waterways, or low areas.

**Procedure for Cleaning / Absorption** Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

## 7. HANDLING AND STORAGE

**Handling Precautions** Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse.

**Storage Information** Store away from oxidizers. Keep from heat, sparks, and open flames. Keep container closed when not in use.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls** Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

**Respiratory Protection** Organic vapor respirator.

**Hand Protection** Neoprene gloves. Nitrile gloves. Butyl rubber gloves. Use Viton or 4H gloves.

**Skin Protection** Rubber apron.

**Eye Protection** Chemical goggles; also wear a face shield if splashing hazard exists. Do NOT wear contact lenses.

**Other Precautions** Eyewash fountains and safety showers must be easily accessible.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Liquid

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Color:	Amber
Odor:	Ether
pH:	Not Determined
Specific Gravity @ 20 C (Water=1):	0.99
Density @ 20 C (lbs./gallon):	8.30
Bulk Density @ 20 C (lbs/ft3):	Not Determined
Boiling Point/Range (F):	340
Boiling Point/Range (C):	171
Freezing Point/Range (F):	Not Determined
Freezing Point/Range (C):	Not Determined
Vapor Pressure @ 20 C (mmHg):	Not Determined
Vapor Density (Air=1):	>1
Percent Volatiles:	Not Determined
Evaporation Rate (Butyl Acetate=1):	Not Determined
Solubility in Water (g/100ml):	Disperses
Solubility in Solvents (g/100ml):	Not Determined
VOCs (lbs./gallon):	Not Determined
Viscosity, Dynamic @ 20 C (centipoise):	Not Determined
Viscosity, Kinematic @ 20 C (centistokes):	Not Determined
Partition Coefficient/n-Octanol/Water:	Not Determined
Molecular Weight (g/mole):	Not Determined

## 10. STABILITY AND REACTIVITY

Stability Data:	Stable
Hazardous Polymerization:	Will Not Occur
Conditions to Avoid	Keep away from heat, sparks and flame.
Incompatibility (Materials to Avoid)	Strong oxidizers. Strong alkalis. Prolonged contact with aluminum.
Hazardous Decomposition Products	Carbon monoxide and carbon dioxide.
Additional Guidelines	Not Applicable

## 11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure	Eye or skin contact, inhalation.
Inhalation	May cause respiratory irritation. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.
Skin Contact	May cause skin irritation. May be absorbed through the skin and produce effects similar to those caused by inhalation and/or ingestion.
Eye Contact	May cause severe eye irritation.
Ingestion	Irritation of the mouth, throat, and stomach. May cause abdominal pain, vomiting, nausea, and diarrhea. May cause central nervous system depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions.
Aggravated Medical Conditions	Skin disorders. Eye ailments. Liver and kidney disorders. Blood disorders. Lung disorders.

**Chronic Effects/Carcinogenicity** Prolonged or repeated exposure may cause liver, kidney and blood effects.  
Prolonged or repeated exposure may cause fetal damage and testicular effects.

**Other Information** None known.

#### **Toxicity Tests**

**Oral Toxicity:** LD50: 550 mg/kg (Rat)

**Dermal Toxicity:** Not determined

**Inhalation Toxicity:** Not determined

**Primary Irritation Effect:** Not determined

**Carcinogenicity** Not determined

**Genotoxicity:** Not determined

**Reproductive /  
Developmental Toxicity:** Not determined

### **12. ECOLOGICAL INFORMATION**

**Mobility (Water/Soil/Air)** Not determined

**Persistence/Degradability** Not determined

**Bio-accumulation** Not determined

#### **Ecotoxicological Information**

**Acute Fish Toxicity:** Not determined

**Acute Crustaceans Toxicity:** Not determined

**Acute Algae Toxicity:** Not determined

**Chemical Fate Information** Not determined

**Other Information** Not applicable

### **13. DISPOSAL CONSIDERATIONS**

**Disposal Method** Disposal should be made in accordance with federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

### **14. TRANSPORT INFORMATION**

#### **Land Transportation**

##### **DOT**

Not restricted

##### **Canadian TDG**

Not restricted

**ADR**  
Not restricted

## **Air Transportation**

**ICAO/IATA**  
Not restricted

## **Sea Transportation**

**IMDG**  
Not restricted

## **Other Transportation Information**

**Labels:** None

## **15. REGULATORY INFORMATION**

### **US Regulations**

**US TSCA Inventory** All components listed on inventory or are exempt.

**EPA SARA Title III Extremely Hazardous Substances** Not applicable

**EPA SARA (311,312) Hazard Class** Acute Health Hazard  
Chronic Health Hazard  
Fire Hazard

**EPA SARA (313) Chemicals** This product contains toxic chemical(s) listed below which is(are) subject to the reporting requirements of Section 313 of Title III of SARA and 40 CFR Part 372:  
Glycol Ethers//111-76-2

**EPA CERCLA/Superfund Reportable Spill Quantity** Not applicable.

**EPA RCRA Hazardous Waste Classification** If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.

**California Proposition 65** All components listed do not apply to the California Proposition 65 Regulation.

**MA Right-to-Know Law** One or more components listed.

**NJ Right-to-Know Law** One or more components listed.

**PA Right-to-Know Law** One or more components listed.

### **Canadian Regulations**

**Canadian DSL Inventory** All components listed on inventory or are exempt.

**WHMIS Hazard Class** B3 Combustible Liquids  
D2B Toxic Materials

## **16. OTHER INFORMATION**

**The following sections have been revised since the last issue of this MSDS**  
Not applicable

**Additional Information**

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Material Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**\*\*\*END OF MSDS\*\*\***