

Pfizer Ltd

CT13 9NJ

Ramsgate Road

Sandwich, Kent

United Kingdom

Revision date: 28-Feb-2013 Version: 1.0 Page 1 of 11

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Inc
Pfizer Pharmaceuticals Group
235 East 42nd Street
New York, New York 10017
1-212-573-2222

+00 44 (0)1304 616161
Emergency telephone number: Emergency telephone number:

CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: pfizer-MSDS@pfizer.com

International CHEMTREC (24 hours): +1-703-527-3887

Material Name: CORTISPORIN Ophthalmic Suspension Sterile (neomycin and polymyxin B sulfates and hydrocortisone ophthalmic suspension, USP)

Trade Name: CORTISPORIN

Synonyms: Neomycin and polymyxin B sulfates and hydrocortisone ophthalmic suspension, USP

Chemical Family: Not applicable

Intended Use: Pharmaceutical product used as antibiotic agent

2. HAZARDS IDENTIFICATION

Appearance: suspension

Statement of Hazard: Non-hazardous in accordance with international standards for workplace safety.

Additional Hazard Information:

Short Term: May be harmful if swallowed. May cause allergic reaction (based on components) **Long Term:** Repeat-dose studies in animals have shown a potential to cause adverse effects on

developing fetus (based on components)

EU Indication of danger: Not classified

Australian Hazard Classification (NOHSC):

Non-Hazardous Substance. Non-Dangerous Goods.

Note: This document has been prepared in accordance with standards for workplace safety, which

require the inclusion of all known hazards of the active substance or its intermediates regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your

workplace.

Page 2 of 11

Material Name: CORTISPORIN Ophthalmic Suspension Sterile

(neomycin and polymyxin B sulfates and hydrocortisone

ophthalmic suspension, USP)

Revision date: 28-Feb-2013 Version: 1.0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	%
Hydrocortisone acetate	50-03-3	200-004-4	Not Listed	1
Neomycin Sulfate	1405-10-3	215-773-1	Xn;R42/43 Repr.Cat.3;R63	0.35
Polymyxin B sulfate	1405-20-5	215-774-7	Xn;R22 Xn;R42/43	0.1
Propylene glycol	57-55-6	200-338-0	Not Listed	*
Sulfuric acid	7664-93-9	231-639-5	C;R35	**
Cetyl alcohol	36653-82-4	253-149-0	Not Listed	*
Glyceryl monostearate	31566-31-1	250-705-4	Not Listed	*
Mineral oil	8012-95-1	232-384-2	Not Listed	*
Thimerosal	54-64-8	200-210-4	N; R50/53 R33 T+; R26/27/28	0.01

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	%
Water for injection	7732-18-5	231-791-2	Not Listed	*
Polyoxyethylene stearate	9004-99-3	Not Listed	Not Listed	*

Additional Information: * Proprietary

** to adjust pH

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention **Eye Contact:**

immediately.

Skin Contact: If irritation occurs or persists, get medical attention. Remove clothing and wash affected skin

with soap and water.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Symptoms and Effects of Exposure: For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Identification and/or Section 11 - Toxicological Information.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Use carbon dioxide, dry chemical, or water spray.

Hazardous Combustion Products: Formation of toxic gases is possible during heating or fire.

Material Name: CORTISPORIN Ophthalmic Suspension Sterile

(neomycin and polymyxin B sulfates and hydrocortisone

ophthalmic suspension, USP)

Revision date: 28-Feb-2013 Version: 1.0

Fire Fighting Procedures: During all fire fighting activities, wear appropriate protective equipment, including self-

contained breathing apparatus.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

6. ACCIDENTAL RELEASE MEASURES

Health and Safety Precautions: Personnel involved in clean-up should wear appropriate personal protective equipment (see

Section 8). Minimize exposure.

Measures for Cleaning / Collecting: Absorb spills with non-combustible absorbent material and transfer into a labeled container for

disposal.

Measures for Environmental

Protections:

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to

Page 3 of 11

avoid environmental release.

Additional Consideration for Large

Spills:

Non-essential personnel should be evacuated from affected area. Report emergency

situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

General Handling: Use adequate ventilation. Avoid contact with eyes, skin and clothing. When handling, use

appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or

environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other

equivalent controls.

Storage Conditions: Store as directed by product packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to available public information for specific member state Occupational Exposure Limits.

Neomycin Sulfate

Pfizer OEL TWA-8 Hr: 100 μg/m³, Sensitizer

Propylene glycol

Australia TWA 150 ppm

474 mg/m³ 10 mg/m³

Ireland OEL - TWAs 150 ppm

470 mg/m³ 10 mg/m³

Latvia OEL - TWA7 mg/m³Lithuania OEL - TWA7 mg/m³

Sulfuric acid

ACGIH Threshold Limit Value (TWA)

Australia STEL

3 mg/m³

Australia TWA

1 mg/m³

Austria OEL - MAKs

0.1 mg/m³

Belgium OEL - TWA

1 mg/m³

Page 4 of 11

Material Name: CORTISPORIN Ophthalmic Suspension Sterile

(neomycin and polymyxin B sulfates and hydrocortisone

ophthalmic suspension, USP)

Cyprus OEL - TWA

Revision date: 28-Feb-2013 Version: 1.0

0.05 mg/m³

8. EXPOSURE CONTROLS / PERSONAL PROTECTION
Bulgaria OEL - TWA 1.0 mg/m³

•	Cyprus OEL - TWA	0.05 mg/m²
(Czech Republic OEL - TWA	1 mg/m ³
		0.05 mg/m ³
ı	Denmark OEL - TWA	0.05 mg/m ³
	Estonia OEL - TWA	0.05 mg/m ³
		<u> </u>
	Finland OEL - TWA	0.05 mg/m ³
Į.	France OEL - TWA	0.05 mg/m ³
(Germany - TRGS 900 - TWAs	0.1 mg/m ³
(Germany (DFG) - MAK	0.1 mg/m ³
	Greece OEL - TWA	0.05 mg/m ³
	Hungary OEL - TWA	0.05 mg/m ³
	Ireland OEL - TWAs	1 mg/m³
	Japan - OELs - Ceilings	1 mg/m ³
	•	
	Latvia OEL - TWA	0.05 mg/m ³
	Lithuania OEL - TWA	0.05 mg/m ³
	Luxembourg OEL - TWA	0.05 mg/m ³
l	Malta OEL - TWA	0.05 mg/m ³
	Netherlands OEL - TWA	0.05 mg/m ³
	OSHA - Final PELS - TWAs:	1 mg/m ³
ı	Poland OEL - TWA	1 mg/m ³
		0.05 mg/m ³
1	Portugal OEL - TWA	0.2 mg/m ³
	Romania OEL - TWA	0.05 mg/m ³
	Slovakia OEL - TWA	
		0.1 mg/m ³
	Slovenia OEL - TWA	0.05 mg/m ³
	Spain OEL - TWA	0.05 mg/m ³
;	Sweden OEL - TWAs	0.1 mg/m ³
0-1-1-	deshal	
Cetyl a		
	Germany - TRGS 900 - TWAs	20 ppm
		200 mg/m ³
Chroom	ud managtagrata	
	yl monostearate	40 / 3
	ACGIH Threshold Limit Value (TWA)	10 mg/m ³
	Lithuania OEL - TWA	5 mg/m ³
;	Sweden OEL - TWAs	5 mg/m ³
Minera		
1	ACGIH Threshold Limit Value (TWA)	5 mg/m ³
1	Australia TWA	5 mg/m ³
	Belgium OEL - TWA	5 mg/m ³
	Bulgaria OEL - TWA	5.0 mg/m ³
	Czech Republic OEL - TWA	5 mg/m ³
	Denmark OEL - TWA	1 mg/m ³
	Finland OEL - TWA	5 mg/m ³
	Greece OEL - TWA	5 mg/m ³
	Lithuania OEL - TWA	1 mg/m ³
	Netherlands OEL - TWA	5 mg/m ³
(OSHA - Final PELS - TWAs:	5 mg/m ³

D700400

Material Name: CORTISPORIN Ophthalmic Suspension Sterile Page 5 of 11

(neomycin and polymyxin B sulfates and hydrocortisone

ophthalmic suspension, USP)

Revision date: 28-Feb-2013 Version: 1.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Poland OEL - TWA 5 mg/m³ 5 mg/m³ Portugal OEL - TWA 5 mg/m³ Romania OEL - TWA Slovakia OEL - TWA 5 ppm 1 mg/m^3 5 mg/m³ 5 mg/m³ Spain OEL - TWA **Sweden OEL - TWAs** 1 mg/m^3

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

Hydrocortisone acetate

Pfizer Occupational Exposure OEB 2 (control exposure to the range of 100ug/m³ to < 1000ug/m³)

Band (OEB):

Polymyxin B sulfate

Pfizer Occupational Exposure OEB 2 - Sensitizer (control exposure to the range of 100ug/m³ to < 1000ug/m³, provide

additional precautions to protect from skin contact) Band (OEB):

General room ventilation is adequate unless the process generates dust, mist or fumes. Local **Engineering Controls:**

and general ventilation should be used as necessary, when handling this material in bulk.

Refer to specific Member State legislation for requirements under Community environmental **Environmental Exposure Controls:**

legislation.

Personal Protective Equipment: Refer to applicable national standards and regulations in the selection and use of personal

protective equipment (PPE).

Impervious gloves are recommended if skin contact with drug product is possible and for bulk Hands:

processing operations.

Eyes: Wear safety glasses or goggles if eye contact is possible.

Skin: Impervious protective clothing is recommended if skin contact with drug product is possible and

for bulk processing operations.

Respiratory protection: If airborne exposures are within or exceed the Occupational Exposure Band (OEB) range, wear

an appropriate respirator with a protection factor sufficient to control exposures to the bottom of

the OEB range.

9. PHYSICAL AND CHEMICAL PROPERTIES

Suspension **Physical State:** Color: No data available.

Molecular Formula: Mixture **Molecular Weight:** Mixture

Polymerization: Will not occur

10. STABILITY AND REACTIVITY

Stable under normal conditions of use. **Chemical Stability:**

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions.

Page 6 of 11

Material Name: CORTISPORIN Ophthalmic Suspension Sterile

(neomycin and polymyxin B sulfates and hydrocortisone

ophthalmic suspension, USP)

Revision date: 28-Feb-2013 Version: 1.0

10. STABILITY AND REACTIVITY

Incompatible Materials: As a precautionary measure, keep away from strong oxidizers

11. TOXICOLOGICAL INFORMATION

General Information: The information included in this section describes the potential hazards of the individual

ingredients.

Acute Toxicity: (Species, Route, End Point, Dose)

Polymyxin B sulfate

Mouse Oral LD50 790 mg/kg Rat SC LD50 50 mg/kg Rat IV LD50 3.98 mg/kg

Hydrocortisone acetate

Mouse IP LD50 2300 mg/kg Rat SC LD50 449 mg/kg

Thimerosal

Rat Oral LD50 75 mg/kg Mouse Oral LD50 91 mg/kg Rat Subcutaneous LD50 98 mg/kg

Neomycin Sulfate

Rat Oral LD 50 2750 mg/kg

Mouse Oral LD 50 2880 mg/kg

Mouse Intraperitoneal LD 50 116 mg/kg

Rat Subcutaneous LD 50 633 mg/kg

Mouse Subcutaneous LD 50 275 mg/kg

Sulfuric acid

Rat Oral LD50 2140 mg/kg

Cetyl alcohol

Rat Oral LD50 5000 mg/kg Rabbit Dermal LD50 > 2,600 mg/kg Mouse Oral LD50 3200 mg/kg

Propylene glycol

Mouse Oral LD50 22,000 mg/kg Rat Oral LD50 20,000 mg/kg Rabbit Dermal LD50 20,800 mg/kg

Glyceryl monostearate

Mouse IP LD50 200 mg/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Thimerosal

PZ02103

Page 7 of 11

Material Name: CORTISPORIN Ophthalmic Suspension Sterile

(neomycin and polymyxin B sulfates and hydrocortisone

ophthalmic suspension, USP)

Revision date: 28-Feb-2013 Version: 1.0

11. TOXICOLOGICAL INFORMATION

Eye Irritation Rabbit Mild

Neomycin Sulfate

Skin Irritation Rabbit Moderate Eye Irritation Rabbit Minimal

Sulfuric acid

Eye Irritation Rabbit Severe

Propylene glycol

Skin Irritation Rabbit Mild Eye Irritation Rabbit Mild

Mineral oil

Eye Irritation Rabbit Moderate Skin Irritation Rabbit Mild

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Polymyxin B sulfate

9 Day(s) Mouse Subcutaneous 284 mg/kg LOAEL Skin

Neomycin Sulfate

6 Week(s) Dog Oral 100 mg/kg/day NOAEL No effects at maximum dose

3 Month(s) Guinea Pig Oral 10 mg/kg/day NOAEL No effects at maximum dose

3 Month(s) Dog Subcutaneous 20 mg/kg/day LOAEL Kidney

12 Month(s) Cat Oral 12 mg/kg/day NOAEL Blood forming organs 3 Month(s) Guinea Pig Subcutaneous 10 mg/kg/day LOAEL Kidne

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Neomycin Sulfate

Reproductive & Fertility Mouse Oral 4000 mg/L NOAEL No effects at maximum dose 2 Generation Reproductive Toxicity Oral 25 mg/kg/day NOAEL Fetotoxicity Rat Reproductive & Fertility Rat 25 mg/kg/day NOAEL No effects at maximum dose Oral

Prenatal & Postnatal Development Rat Subcutaneous 6 mg/kg/day LOAEL Developmental toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Neomycin Sulfate

Bacterial Mutagenicity (Ames) Salmonella, E. coli Negative

Mammalian Cell Mutagenicity Chinese Hamster Ovary (CHO) cells Negative

In Vivo Cytogenetics Mouse Negative

In Vitro Chromosome Aberration Human Lymphocytes Positive

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Neomycin Sulfate

2 Year(s) Rat Oral 25 mg/kg/day NOAEL Not carcinogenic

D700400

PZ02103

Material Name: CORTISPORIN Ophthalmic Suspension Sterile Page 8 of 11

(neomycin and polymyxin B sulfates and hydrocortisone

ophthalmic suspension, USP)

Revision date: 28-Feb-2013 Version: 1.0

11. TOXICOLOGICAL INFORMATION

Carcinogen Status: None of the components present in this material at concentrations equal to or greater than

0.1% are listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

Sulfuric acid

IARC: Group 1 (Carcinogenic to Humans)

OSHA: Listed

12. ECOLOGICAL INFORMATION

Environmental Overview: The environmental characteristics of this material have not been fully evaluated. Releases to

the environment should be avoided.

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Neomycin Sulfate

Daphnia magna (Water Flea) OECD EC50 48 Hours 68 mg/L Salmo gairdneri (Trout) OECD NOEC 96 Hours >1000 mg/L

Bacterial Inhibition: (Inoculum, Method, End Point, Result)

Neomycin Sulfate

Activated sludge OECD EC50 3 Hours 399 mg/L

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. This product contains trace quantities of mercury and may qualify as a RCRA Hazardous Waste. Status should be confirmed using the EPA Toxicity Characteristic Leaching Procedure (TCLP).

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

EU Symbol: Not classified **EU Indication of danger:** Not classified

Page 9 of 11

Material Name: CORTISPORIN Ophthalmic Suspension Sterile

(neomycin and polymyxin B sulfates and hydrocortisone

ophthalmic suspension, USP)

Revision date: 28-Feb-2013 Version: 1.0

15. REGULATORY INFORMATION

OSHA Label:

Non-hazardous in accordance with international standards for workplace safety.

Canada - WHMIS: Classifications

WHMIS hazard class:

None required

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

Hydrocortisone acetate

Australia (AICS):PresentStandard for the Uniform SchedulingSchedule 2for Drugs and Poisons:Schedule 3EU EINECS/ELINCS List200-004-4

Neomycin Sulfate

California Proposition 65 developmental toxicity initial date 10/1/92

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

Present
215-773-1

Polymyxin B sulfate

Australia (AICS): Present EU EINECS/ELINCS List 215-774-7

Propylene glycol

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

Present
200-338-0

Water for injection

Inventory - United States TSCA - Sect. 8(b)PresentAustralia (AICS):PresentREACH - Annex IV - Exemptions from thePresent

obligations of Register:

EU EINECS/ELINCS List 231-791-2

Sulfuric acid

CERCLA/SARA 313 Emission reporting 1.0 %
CERCLA/SARA Hazardous Substances 1000 lb and their Reportable Quantities: 454 kg
CERCLA/SARA - Section 302 Extremely Hazardous 1000 lb

TPQs

CERCLA/SARA - Section 302 Extremely Hazardous 1000 lb

Substances EPCRA RQs

Inventory - United States TSCA - Sect. 8(b) Present

Page 10 of 11

Material Name: CORTISPORIN Ophthalmic Suspension Sterile

(neomycin and polymyxin B sulfates and hydrocortisone

ophthalmic suspension, USP)

Revision date: 28-Feb-2013 Version: 1.0

15. REGULATORY INFORMATION

Australia (AICS):PresentStandard for the Uniform SchedulingSchedule 6

for Drugs and Poisons:

EU EINECS/ELINCS List 231-639-5

Cetyl alcohol

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

Present
253-149-0

Glyceryl monostearate

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

Present
250-705-4

Polyoxyethylene stearate

Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present

Mineral oil

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

Present
232-384-2

Thimerosal

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

Present
200-210-4

Additional Information: White petrolatum is not classified as a carcinogen. Nota N applies since the full refining history

is known and it can be shown that the substances from which the petroleum jelly was produced

are not a carcinogen.

16. OTHER INFORMATION

Text of R phrases mentioned in Section 3

R22 - Harmful if swallowed.

R63 - Possible risk of harm to the unborn child.

R35 - Causes severe burns.

R33 - Danger of cumulative effects.

R42/43 - May cause sensitization by inhalation and skin contact.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R26/27/28 - Very toxic by inhalation, in contact with skin and if swallowed.

Data Sources: Pfizer proprietary drug development information. Safety data sheets for individual ingredients.

Prepared by: Product Stewardship Hazard Communication

Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

Page 11 of 11

Material Name: CORTISPORIN Ophthalmic Suspension Sterile (neomycin and polymyxin B sulfates and hydrocortisone ophthalmic suspension, USP)

Revision date: 28-Feb-2013 Version: 1.0

End of Safety Data Sheet