



## **Cell Conditioner with Entrone**

Cell Conditioner is a primary injection fluid that washes the capillary bed, clears and expands the small blood vessels of the circulatory system, prepares the soft tissue cells for better reception of the main arterial treatment and improves drainage.

Cell Conditioner contains a small amount of formaldehyde and other preservative materials so that it will not waterlog the tissues.

It is of a high drainage nature to aid in displacing blood and body liquids from the blood vascular system.

In order to achieve preservation, the main chemical preservative solution must contact all of the tissue areas of the body. If it is unable to do this because of obstruction in the circulatory system, then the arterial fluid cannot be expected to achieve its intended purpose of preserving such areas.

Cell Conditioner aids in this function by clearing the way for the main arterial treatment. When used according to the following directions, Cell Conditioner will greatly improve the results on every embalming operation.

### **DIRECTIONS**

Dilute at the rate of 8 oz. with enough water at room temperature to make one-half gallon. Addition of 2-3 oz. of pH-A will enhance the effectiveness of Cell Conditioner. Inject solution slowly, without drainage if possible. Allow 10 to 15 minutes for maximum reaction, then initiate drainage and proceed with normal embalming procedures.

**BEFORE USING, READ MATERIAL SAFETY DATA SHEET.  
FOR PROFESSIONAL EMBALMING USE ONLY.**

# MATERIAL SAFETY DATA SHEET

## THE CHAMPION COMPANY

400 Harrison Street

Springfield, Ohio 45505

EMERGENCY TELEPHONE NO. (937) 324-5681

CHEMTREC: (800) 424-9300 (Spill, Leak, Fire, Exposure or Accident)

### HAZARD RATING

Health 2

Fire 2

Reactivity 0

Special 0

## I. PRODUCT INFORMATION

General Type: Embalming Fluid  
Trade Name: Cell Conditioner

## II. HAZARDOUS INGREDIENTS

<u>MATERIAL (CAS)</u>	<u>%</u>	<u>OSHA PEL</u> <u>TWA/STEL (15)</u>	<u>ACGIH TLV</u> <u>TWA/STEL (15)</u>
Formaldehyde (50-00-0)	3	.75ppm/2ppm	.3ppm (ceiling)
Possible Carcinogen: NTP, IARC			
Methanol (67-56-1)	9	200ppm/NONE	200ppm/250ppm

## III. PHYSICAL DATA

Boiling Point	204° F +	Freezing Point	N/A
Specific Gravity	1.022	Vapor Pressure	UNKNOWN
Vapor Density	1	Solubility in Water	COMPLETE
Percent Volatiles	9	Evaporation Rate	1
		(Butyl Acetate = 1)	
Appearance and Odor	Reddish clear solution with moderate odor.		

## IV. FIRE AND EXPLOSION HAZARD DATA

Flash Point	185° F (COC) Combustible Liquid
Flammable Limits In Air	Lower 6.7 Upper 72
Extinguishing Media	Foam, Dry Chemical, Carbon Dioxide, Water Spray
Special Fire Fighting Procedures	Wear self-contained breathing apparatus, cool container with water spray.
Unusual Fire and Explosion Hazard	-----

## V. HEALTH HAZARD DATA

Threshold Limit Value	See Part II
Effects of Overexposure	If swallowed may cause burns, nausea, vomiting, diarrhea, blindness or death. Skin contact may cause burns, dermatitis or serious skin injury. Eye contact may cause burns, inflammation, eye injury or blindness. Inhalation may cause burning of throat and lungs, difficult breathing and collapse, liver damage, nerve damage or blindness. Can be absorbed through skin.
Emergency and First Aid Procedures	Contact physician immediately. If swallowed give milk or water and induce vomiting by sticking finger down throat and get medical attention. If unconscious - give nothing. If eye or skin contact - flush with water for 15 minutes. Remove contaminated clothing, get medical attention. If inhaled - remove to fresh air, give artificial respiration if not breathing, get medical attention.

---

---

## VI. REACTIVITY DATA

Stability	Product is stable
Conditions to Avoid	Sparks, heat and open flames
Incompatibilities	Strong acids and alkalis
Hazardous Decomposition Products	At high temperatures may release carbon monoxide or carbon dioxide
Hazardous Polymerization	Will not occur

---

---

## VII. SPILL OR LEAK PROCEDURES

If Material is Spilled	Neutralize with sodium sulfite solution and flush to sewer with large quantity of water - if allowed. Mop up with dry, non-reactive absorbent and dispose of as solid waste as allowed.
Waste Disposal Method	Flush to chemical sewer, incinerate, dispose in sanitary landfill - if allowed or flush to waste treatment system - if allowed.

---

---

## VIII. SPECIAL PROTECTION INFORMATION

Respiratory Protection	Unnecessary if area is adequately ventilated - use organic vapor mask if necessary.
Local Ventilation	Preferred
Mechanical Ventilation	Acceptable if necessary
Special Ventilation	Not normally required
Other Ventilation	Not normally required
Protective Gloves	Impervious vinyl or rubber type
Eye Protection	Coverall goggles or full face shield
Other Protective Equipment	Safety shower, eye wash and full protective clothing is required.

---

---

## IX. SPECIAL PRECAUTIONS

Maintain adequate ventilation and engineering controls to insure exposure levels below OSHA limits. Avoid prolonged inhalation or contact with skin or eyes.

Keep bottles tightly capped. Keep away from heat and flames. Store in cool, dry, well-ventilated area.

---

The information herein given is in good faith but no warranty, expressed or implied, is made, except that to the best of the Company's knowledge it is accurate. The Champion Company does not assume any legal responsibilities for use or dependence upon same. Customers may wish to conduct tests of their own. The user is urged to read the information provided on the label before using product.

Cell Conditioner

Date August 1, 2010

---

---