

LOWE OIL CO -- CHAMPION WHITE LITHIUM GREASE 4313

MSDS Safety Information

FSC: 9150

MSDS Date: 06/11/1992

MSDS Num: BVSHC

LIIN: 00F036733

Product ID: CHAMPION WHITE LITHIUM GREASE 4313

MFN: 01

Responsible Party

Cage: 0PN79

Name: LOWE OIL CO

Address: 510 PRICE LANE

City: CLINTON MO 64735-5000

Info Phone Number: 816-885-8151

Emergency Phone Number: 816-885-8151

Proprietary Ind: Y

Review Ind: Y

Published: Y

Preparer Co. when other than Responsible Party Co.

Cage: 0PN79

Name: LOWE OIL CO

Address: 510 PRICE LANE

City: CLINTON MO 64735-5000

Contractor Summary

Cage: 0PN79

Name: LOWE OIL CO

Address: 510 PRICE LANE

City: CLINTON MO 64735-5000

Phone: 816-885-8151

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: INHALATION: PETROLEUM OIL MIST AT CONCENTRATIONS THAT EXCEED THE EXPOSURE STANDARD: RESPIRATORY IRRITATION/DISCOMFORT. SKIN: MINOR IRRITATION W/PROLONGED/REPEATED CONTACT. GREASE IN HIGH PRESSURE GUN, IF INJECTED UNDER SKIN CAN CAUSE NECROSIS. EYES: MINOR IRRITATION. INGESTION: IRRITATION. POSSIBLE ASPIRATION HAZARD.

Explanation Of Carcinogenicity: NONE

Signs And Symptoms Of Overexposure: IRRITATION, DISCOMFORT, NAUSEA, DIARRHEA

Medical Cond Aggravated By Exposure: EXISTING SKIN DISORDERS

First Aid: INHALATION: MOVE TO FRESH AIR. IF BREATHING STOPS, GIVE CPR. SKIN: WASH W/SOAP & WATER. EYES: IMMEDIATELY FLUSH W/WATER FOR 15 MINS.

INGESTION: DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
Handling and Disposal
=====

Spill Release Procedures: PICK UP & PLACE IN CONTAINER FOR DISPOSAL.

Waste Disposal Methods: CONSIDER RECYCLING/CONTROLLED INCINERATION. DISPOSE OF
IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS. D005.

Handling And Storage Precautions: STORE CLEAN, DRY, <120°F TO PRESERVE FOR
INTENDED USE. DON'T STORE W/STRONG OXIDIZERS.

Other Precautions: MAY BE HARMFUL IF INHALED/SWALLOWED. USE ONLY W/ADEQUATE
VENTILATION. KEEP OUT OF REACH OF CHILDREN.

=====
Fire and Explosion Hazard Information
=====

Extinguishing Media: CO, DRY CHEMICAL/FOAM

Fire Fighting Procedures: WATER STREAM MAY SPREAD FIRE, USE WATER SPRAY ONLY TO
COOL CONTAINERS NOT ON FIRE.

Unusual Fire/Explosion Hazard: WILL NOT FLASH SPONTANEOUSLY. MAY IGNITE IF
EXPOSED TO OPEN FLAME.

=====
Control Measures
=====

Respiratory Protection: UP TO 25 MG/CUM, HALF-MASK ORGANIC VAPOR RESPIRATOR. UP
TO 50 MG/CUM: FULL-FACE ORGANIC VAPOR RESPIRATOR/FULL FACE SELF CONTAINED
RESPIRATOR. >50 MG/CUM, FIRE FIGHTING/UNKNOWN CONCENTRATION, USE SCBA W
/POSITIVE PRESSURE.

Ventilation: MAINTAIN LOCAL/DILUTION VENTILATION TO KEEP AIR CONCENTRATION
BELOW TLV/PEL.

Protective Gloves: NITRILE/NEOPRENE

Eye Protection: SAFETY GLASSES, CHEMICAL GOGGLES

Other Protective Equipment: FACE SHIELD

Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

=====
Physical/Chemical Properties
=====

Vapor Density: >1

Spec Gravity: 0.91

Evaporation Rate & Reference: SLOWER THAN N-BU AC

Appearance and Odor: AMBER GREASE

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: EXCESSIVE HEAT, CONDITION THAT COULD GENERATE AN
OIL MIST.

Materials To Avoid: STRONG OXIDIZERS, STRONG ACIDS

Hazardous Decomposition Products: CARBON SMOKE/CO/ALKALINE EARTH OXIDE/OXIDES,
ZINC & BARIUM OXIDES/HYDROGEN SULFIDE/SULFUR OXIDES/INORGANIC ZINC(SEE SUPP

Hazardous Polymerization Indicator: NO

=====
Toxicological Information
==========
Ecological Information
==========
MSDS Transport Information
==========
Regulatory Information
=====

Other Information

HAZCOM Label

Product ID: CHAMPION WHITE LITHIUM GREASE 4313

Cage: 0PN79

Company Name: LOWE OIL CO

Street: 510 PRICE LANE

City: CLINTON MO

Zipcode: 64735-5000

Health Emergency Phone: 816-885-8151

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998

Origination Code: G

Hazard And Precautions: INHALATION: PETROLEUM OIL MIST AT CONCENTRATIONS THAT EXCEED THE EXPOSURE STANDARD: RESPIRATORY IRRITATION/DISCOMFORT. SKIN: MINOR IRRITATION W/PROLONGED/REPEATED CONTACT. GREASE IN HIGH PRESSURE GUN, IF INJECTED UNDER SKIN CAN CAUSE NECROSIS. EYES: MINOR IRRITATION. INGESTION: IRRITATION. POSSIBLE ASPIRATION HAZARD. IRRITATION, DISCOMFORT, NAUSEA, DIARRHEA

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.