Safety Data Sheet

Issue Date: 5-Dec-19

Revision Date: New

Version 1

1. IDENTIFICATION

Product identifier Product Name	Wipe-R-Clean Ultra -35°F Windshield Washer Fluid
Other means of identification SDS #/Part #	4081F/434626-35 (1 gallon)
UN/ID No	UN1993
Recommended use of the chemical Recommended Use	and restrictions on use Windshield washer fluid.
Details of the supplier of the safety CHAMPION BRANDS LLC 1001 Golden Drive Clinton, MO 64735 Phone: 800-821-5693 Emergency telephone number	<u>data sheet</u>
Emergency Telephone	INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

Appearance Purple liquid

Physical state Liquid

2. HAZARDS IDENTIFICATION

Odor Alcohol

Classification

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (single exposure)	Category 1
Flammable liquids	Category 3

<u>Signal Word</u> Danger

Hazard statements

Toxic if swallowed Toxic in contact with skin Toxic if inhaled Causes damage to organs Flammable liquid and vapor



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Wash contaminated clothing before reuse Call a POISON CENTER or doctor if you feel unwell IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor IF SWALLOWED: Immediately call a POISON CENTER or doctor Rinse mouth IN CASE OF FIRE: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Methanol	67-56-1	30-35
Ethylene glycol	107-21-1	1-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures General Advice Provide this SDS to medical personnel for treatment. Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Call a poison center or doctor/physician if you feel unwell. Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.

 Ingestion
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.

 Most important symptoms and effects, both acute and delayed

Symptoms Toxic if inhaled. Toxic if swallowed. Toxic in contact with skin. Causes damage to organs.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Flammable liquid and vapor.

Explosion Data

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required. Remove all sources of ignition.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
Methods and material for containm	ent and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe HandlingHandle in accordance with good industrial hygiene and safety practice. Wash face, hands
and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this
product. Use only outdoors or in a well-ventilated area. Do not breathe
dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces.
— No smoking. Keep container tightly closed. Ground/bond container and receiving
equipment. Use explosion proof equipment. Use only non-sparking tools. Take
precautionary measures against static discharges. Keep cool. Wear protective
gloves/protective clothing and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up.

Incompatible Materials

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methanol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
67-56-1	TWA: 200 ppm	TWA: 260 mg/m ³	TWA: 200 ppm
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m ³
		(vacated) TWA: 260 mg/m ³	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 325 mg/m ³
		(vacated) STEL: 325 mg/m ³	-
		(vacated) S*	
Ethylene glycol	STEL: 50 ppm vapor fraction	(vacated) Ceiling: 50 ppm	-
107-21-1	STEL: 10 mg/m ³ inhalable	(vacated) Ceiling: 125 mg/m ³	
	particulate matter, aerosol only		
	TWA: 25 ppm vapor fraction		

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Wear eye/face protection. Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Wear protective gloves and protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body protection.
Respiratory Protection	Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateLiquidAppearancePurple IColorPurple	iquid	Odor Odor Threshold	Alcohol Not determined
Boiling point / boiling range87 °CFlash point39 °CEvaporation RateNot deteFlammability (Solid, Gas)Liquid -Flammability Limit in AirUpper flammability or explosivelimitsLower flammability or explosiveNot detelimitsLower flammability or explosiveNot dete	/ 102.2 °F ermined Not Applicable ermined	<u>Remarks • Method</u>	

Vapor Density	Not determined
Relative Density	0.947
Water Solubility	Not determined
Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Autoignition temperature	Not determined
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Avoid contact with eyes.
Toxic in contact with skin.
Toxic if inhaled.
Toxic if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit) = 15800	= 22500 ppm (Rat) 8 h = 64000
67-56-1		mg/kg (Rabbit)	ppm (Rat)4 h
Ethylene glycol	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat) = 9530 µL/kg	-
107-21-1		(Rabbit)	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
STOT - single exposure	Causes damage to organs.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

Oral LD50	298.51 mg/kg
Dermal LD50	914.60 mg/kg
ATEmix (inhalation-dust/mist)	1.48 mg/L
ATEmix (inhalation-vapor)	9.15 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Methanol		18 - 20: 96 h Oncorhynchus mykiss	
67-56-1		mL/L LC50 static 19500 - 20700: 96	
		h Oncorhynchus mykiss mg/L LC50	
		flow-through 28200: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through 100: 96 h Pimephales	
		promelas mg/L LC50 static 13500 -	
		17600: 96 h Lepomis macrochirus	
		mg/L LC50 flow-through	
Ethylene glycol	6500 - 13000: 96 h	16000: 96 h Poecilia reticulata mg/L	46300: 48 h Daphnia magna mg/L
107-21-1	Pseudokirchneriella subcapitata	LC50 static 27540: 96 h Lepomis	EC50
	mg/L EC50	macrochirus mg/L LC50 static	
		40000 - 60000: 96 h Pimephales	
		promelas mg/L LC50 static 40761:	
		96 h Oncorhynchus mykiss mg/L	
		LC50 static 41000: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		14 - 18: 96 h Oncorhynchus mykiss	
		mL/L LC50 static	

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Methanol	-0.77
67-56-1	
Ethylene glycol	-1.93
107-21-1	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol		Included in waste stream:		U154
67-56-1		F039		

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Methanol	Toxic
67-56-1	Ignitable

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No	UN1993
Proper Shipping Name	Flammable liquids, n.o.s. (Methanol)
Hazard class	3
Packing Group	III
ΙΑΤΑ	
UN number	UN1992
Proper Shipping Name	Flammable liquid, toxic, n.o.s. (Methanol)
Transport hazard class(es)	3
Packing Group	III
IMDG	
UN number	UN1992
Proper Shipping Name	Flammable liquid, toxic, n.o.s. (Methanol)
Transport hazard class(es)	3
Subsidiary Hazard Class	6.1
Packing Group	III

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Methanol	Х	Х	Х	Х	Х	Х	Х	Х
Ethylene glycol	Х	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methanol	5000 lb		RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ
Ethylene glycol	5000 lb		RQ 5000 lb final RQ
107-21-1			RQ 2270 kg final RQ

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Methanol - 67-56-1	67-56-1	30-35	1.0
Ethylene glycol - 107-21-1	107-21-1	1-5	1.0

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Methanol - 67-56-1	Developmental
Ethylene glycol - 107-21-1	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Methanol 67-56-1	Х	X	Х
Ethylene glycol 107-21-1	Х	X	Х

16. OTHER INFORMATION

<u>NFPA</u> HMIS_	Health Hazards Not determined Health Hazards Not determined	Flammability Not determined Flammability Not determined	Instability Not determined Physical hazards Not determined	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date: Revision Note:	5-Dec-19 New New forma	t		

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet