## 1 Identification of the substance and manufacturer

i identification of the substance a		
Trade name:	PAI16CUBG CUMMINS BEIGE	
Product code: Recommended use: Uses advised against: Manufacturer/Supplier: Emergency telephone number:	VLEN000073 Paint and coatings application. Any that differs from the recommended use Seymour of Sycamore 917 Crosby Avenue Sycamore, IL 60178 USA phone: 815-895-9101 www.seymourpaint.com 1-800-255-3924	Seymour of Sycamore 3041 Dougall Avenue, Suite 503 Windsor, ONT N9E 1S3 CANADA phone: 800-435-4482 www.seymourpaint.com
2 Hazard(s) identification		
Classification of the substance or m		
Flammable Aerosols 1	H222 Extremely flammable	
Gases under Pressure - Liquefied gas	•	ressure; may explode if heated.
Eye Irritation 2A Carcinogenicity 2	H319 Causes serious eye in	cancer. Route of exposure: Inhalation.
Specific Target Organ Toxicity - Single		
		o organs through prolonged or repeated exposure.
Additional information:		
GHS Hazard pictograms	$\land \land \land \land$	
	GHS02 GHS04 GHS07 GHS08	
Signal word	Danger	
Hazard statements	Extremely flammable aerosol.	
	Contains gas under pressure; may explode	if heated.
	Causes serious eye irritation. Suspected of causing cancer. Route of expe	osure: Inhalation
	May cause drowsiness or dizziness.	
	May cause damage to organs through prolo	onged or repeated exposure.
Precautionary statements	Obtain special instructions before use. Keep away from heat/sparks/open flames/h	not surfaces – No smoking
	Do not spray on an open flame or other ign	ition source.
	Pressurized container: Do not pierce or bur	n, even after use.
	Do not breathe dust/fume/gas/mist/vapors/s Wash thoroughly after handling.	spray.
	Use only outdoors or in a well-ventilated are	ea.
	Wear protective gloves/protective clothing/e	eye protection/face protection.
	IF INHALED: Remove person to fresh air ai	nd keep comfortable for breathing. several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.	several minutes. Remove contact tenses, it present and
	Call a poison center/doctor if you feel unwe	H
	If eye irritation persists: Get medical advice Store locked up.	e/attention.
	Protect from sunlight. Do not expose to tem	peratures exceeding 50°C/122°F.
	Dispose of contents/container in accordance	e with local/regional/national/international regulations.

## **3 Composition/information on ingredients**

## **Chemical characterization: Mixtures**

Chemical D	escription:	This product is a mixture of the substances listed below with nonhazardous additions.	
	components:		
	Acetone		25-50%
	propane		15-25%
	Isobutyl Acetate		10-15%
	n-butane		5-10%
	butyl acetate		1-5%
	titanium dioxide		1-5%
	Calcium Carbonate		1-5%
	PM acetate		1-5%
2807-30-9	Glycol Ether EP		1-5%

## 4 First-aid measures

After inhalation:	Supply fresh air; consult doctor in case of complaints.
After skin contact:	Remove contaminated clothing. Wash exposed area with soap and water.
After eye contact:	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing:	Rinse out mouth and then drink plenty of water.
After swallowing:	Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting.

(Contd. on page 2)

Revised On 03/04/2022

Page 2/4

Printing date 03/04/2022	2	Revised On 03/04/2022
Trade name: PAI1	I6CUBG CUMMINS BEIGE	
effects:	ant symptoms and	(Contd. of page 1) Dizziness
Indication of any immediate medical attention needed:		No further relevant information available.
5 Fire-fighting		CO2, extinguishing powder or water spray. Fight larger fires with water spray.
Extinguishing agents: Special hazards:		Can form explosive gas-air mixtures.
Protective eq firefighters:	juipment for	A respiratory protective device may be necessary.
	release measures	
equipment ar	cautions, protective nd emergency	
procedures:		Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol.
Methods and	material for and cleaning up:	Ensure adequate ventilation.
containment	and cleaning up.	
7 Handling an		
Precautions f Storage requ	for safe handling irements:	Use only in well ventilated areas. Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions. Store locked up.
	ontrols/personal prot	
Components 67-64-1 Aceto		equire monitoring at the workplace:
PEL (USA)	Long-term value: 2400 n	ng/m <sup>3</sup> , 1000 ppm
	Long-term value: 590 m	
TLV (USA)	Short-term value: 500 pp Long-term value: 250 pp	om Maria
	A4, BEI	
74-98-6 propa		
PEL (USA) REL (USA)	Long-term value: 1800 n Long-term value: 1800 n	
	see Appendix F Minimal	
110-19-0 Isob		
```	Long-term value: 700 m	
	Long-term value: 700 m	
TLV (USA)	Short-term value: 150 pp Long-term value: 50 ppr	om n
106-97-8 n-bı	<b>.</b>	
	Long-term value: 1900 n	
TLV (USA)	Short-term value: 1000 µ (EX)	opm
123-86-4 buty		
	Long-term value: 710 m	
REL (USA)	Short-term value: 950 m Long-term value: 710 m	g/m², 200 ppm g/m³. 150 ppm
TLV (USA)	Short-term value: 150 pp	om
108-65-6 PM	Long-term value: 50 ppr	n
	<b>acetate</b> Long-term value: 50 ppr	n
, ,	vith biological limit valu	
67-64-1 Aceto	one	
Tir	edium: urine me: end of shift	
	arameter: Acetone (nonsp	,
Hygienic prot	tection:	Keep away from foodstuffs and animal feed. Wash hands after use. Immediately remove all soiled and contaminated clothing. Wash hands after use. Avoid contact with the eyes and skin.
		Do not eat or drink while working. (Contd. on page 3)
		(Conta. on page 3)

Page 3/4

cases where sh If you suspect Hand protection: Nitrile gloves.	(Contd. of page 2) generally not necessary when using this product outdoors or in large open areas. In nort and/or long term overexposure exists, a charcoal filter respirator should be worn. overexposure conditions exist, please consult an authority on chemical hygeine. erial must be impermeable and resistant to the substance.
Hand protection: Cases where shall f you suspect Nitrile gloves.   Hand protection: The glove mate Tightly sealed g   9 Physical and chemical properties	generally not necessary when using this product outdoors or in large open areas. In nort and/or long term overexposure exists, a charcoal filter respirator should be worn. overexposure conditions exist, please consult an authority on chemical hygeine. erial must be impermeable and resistant to the substance.
Eye protection: The glove material trightly sealed of the sealed of	erial must be impermeable and resistant to the substance.
Eye protection: Tightly sealed g   9 Physical and chemical properties	aogales
	5-55
Appearance: Aerosol.	
Odor: Aromatic	
Odor threshold: Alonatic Not determine	d.
pH-value:Not determineMelting point/Melting rangeUndeterminedBoiling point:-110 °C (-166	
Flash point:-19 °C (-2.2 °FFlammability (solid, gas):Extremely flam	<sup>-</sup> ) nmable.
Decomposition temperature: Not determine	bd.
Auto igniting: Product is not	self-igniting.
Danger of explosion:In use, may forLower Explosion Limit:1.7 Vol %Upper Explosion Limit:10.9 Vol %	orm flammable/explosive vapour-air mixture.
Vapor pressure:Not determineRelative Density:Between 0.77Vapor densityNot determineEvaporation rateNot applicablePartition coefficient: n-octonal/water:Not determine	and 0.85 (Water equals 1.00) ed. e.
Solubility:Not determineViscosity:Not determineWater:0.0 %	ed.
10 Stability and reactivity	
Reactivity: Stable at norma	al temperatures.
Conditions to avoid: Do not allow temperatures.	can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing
Chemical stability: Not fully evaluated	ated. reactions known.
Incompatible materials: No further relev	vant information available.
Hazardous decomposition: No dangerous	decomposition products known.
11 Toxicological information	
LD/LC50 values that are relevant for classification:	
110-19-0 Isobutyl Acetate	
Oral LD50 4,763 mg/kg (rbt)	
123-86-4 butyl acetate     Oral   LD50   14,000 mg/kg (rat)	
Inhalative LC50/4 h >21 mg/l (rat)	
13463-67-7 titanium dioxide	
Oral LD50 >20,000 mg/kg (rat)	
Dermal LD50 >10,000 mg/kg (rbt)	
Inhalative LC50/4 h >6.82 mg/l (rat) 108-65-6 PM acetate	
Oral LD50 8,500 mg/kg (rat)	
Inhalative LC50/4 h 35.7 mg/l (rat)	
Information on toxicological effects: No data availab	
Skin effects:   No irritant effect     Eye effects:   Irritating effect.	
Sensitization: No sensitizing	effects known.
12 Ecological information	
	water, do not empty into drains.
Aquatic toxicity: Hazardous for	
Persistence and degradability: The product is Other information: This product (HCFC's), performation:	degradable after prolonged exposure to natural weathering processes. does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons fluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated
Persistence and degradability: The product is Other information: This product (HCFC's), performation:	does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons

Printing date 03/04/2022

Revised On 03/04/2022

Page 4/4

Mobility in soil: Other adverse effects:	(Contd. of pa No further relevant information available. No further relevant information available.
Disposal considerations Dispose of in accordance with local, disposed of responsibly. Do not heat Recommendation: Recommended cleansing agent:	state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must or cut empty containers with electric or gas torches. Completely empty cans should be recycled. Water, if necessary with cleansing agents.
Transport information	
UN-Number DOT	UN1950 UN1950 UN1950
DOT	DOT Aerosols, flammable
ADR Transport hazard class(es): Class	1950 Aerosols 2.1 Gases
Marine pollutant: Special precautions for user: EMS Number:	No Warning: Gases F-D,S-U
Packaging Group: UN "Model Regulation":	 UN1950, Aerosols, 2.1
SARA Section 355 (extremely haze None of the ingredients in this produ SARA Section 313 (Specific toxic	ct are listed.
None of the ingredients is listed.	chemical istings).
Toxic Substances Control Act (TSCA):	All hazardous ingredients are found on the inventory list of substances.
Canadian Domestic Substances L (DSL): Consumer Product Safety	All ingredients are listed or exempted.
Comission (CPSC):	This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
California Proposition 65 chemica 13463-67-7 titanium dioxide	ils known to cause cancer:
108-10-1 methyl isobutyl ketone	
100-41-4 ethyl benzene	
1333-86-4 Carbon black	
	e birth defects or reproductive harm:
108-10-1 methyl isobutyl ketone	כ אותו עכוכנוס טו וכאוטעענוויפ וומווו.
EPA:	
67-64-1 Acetone	
110-19-0 Isobutyl Acetate	
10-10-0 ISODULYI AUELALE	
Other information	