

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

DCA-14001

Revision Date: 25-Jul-2014

Revision Number: 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product Identifier****Product Name** DCA-14001**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use	Buffer
Sector of use	SU2 - Mining, (including offshore industries)
Product category	PC20 - Products such as pH-regulators, flocculants, precipitants, neutralization agents, other unspecific
Process categories	PROC4 - Use in batch and other process (synthesis) where opportunity for exposure arises

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services
Halliburton House, Howemoss Place
Kirkhill Industrial Estate
Dyce
Aberdeen, AB21 0GN
United Kingdom

Emergency Phone Number: +44 1224 795277 or +1 281 575 5000

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com**1.4. Emergency telephone number**

+44 1224 795277 or +1 281 575 5000

Emergency telephone - §45 - (EC)1272/2008	
Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO): +47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards Identification**2.1. Classification of the substance or mixture****REGULATION (EC) No 1272/2008**

Skin Corrosion / irritation	Category 1 - (H314)
-----------------------------	---------------------

Classification according to EU Directives 67/548/EEC or 1999/45/EC
 For the full text of the R-phrases mentioned in this Section, see Section 16

Classification C - Corrosive.
Risk Phrases R34 Causes burns.

2.2. Label Elements

Hazard Pictograms



Signal Word Danger

Hazard Statements

H314 - Causes severe skin burns and eye damage

Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapors/spray
 P264 - Wash face, hands and any exposed skin thoroughly after handling
 P280 - Wear protective gloves/eye protection/face protection
 P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
 P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
 P363 - Wash contaminated clothing before reuse
 P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
 P310 - Immediately call a POISON CENTER or doctor/physician
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Contains

Substances

Ammonium acetate
 Acetic acid

CAS Number

631-61-8
 64-19-7

2.3. Other Hazards

None known

SECTION 3: Composition/information on Ingredients

Substances	EINECS	CAS Number	PERCENT (w/w)	EEC Classification	EU - CLP Substance Classification	REACH No.
Ammonium acetate	211-162-9	631-61-8	60 - 100%	Not applicable	Not applicable	No data available
Acetic acid	200-580-7	64-19-7	10 - 30%	R10 C; R35	Skin Corr. 1A (H314) Flam. Liq. 3 (H226)	01-2119475328-30

For the full text of the R-phrases mentioned in this Section, see Section 16

3.1. Substances

Not applicable

3.2. Mixtures

Mixture

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.
Eyes	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
Skin	In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse.
Ingestion	Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.

4.2. Most Important symptoms and effects, both acute and delayed

May cause eye and skin burns. May cause respiratory irritation

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

SECTION 5: Firefighting Measures

5.1. Extinguishing media**Suitable Extinguishing Media**

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture**Special Exposure Hazards**

Decomposition in fire may produce toxic gases.

5.3. Advice for firefighters**Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Neutralize to pH of 6-8. Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

7.2. Conditions for safe storage, including any incompatibilities

Store away from alkalis. Store in a cool well ventilated area. Keep container closed when not in use. Product has a shelf life of 24 months.

7.3. Specific End Use(s)

Exposure Scenario No information available

Other Guidelines

No information available

SECTION 8: Exposure Controls/Personal Protection**8.1. Control parameters****Exposure Limits**

Substances	CAS Number	EU	UK OEL	Netherlands	France OEL
Ammonium acetate	631-61-8	Not applicable	Not applicable	Not applicable	Not applicable
Acetic acid	64-19-7	10 ppm	Not applicable	Not applicable	10 ppm

Substances	CAS Number	Germany MAK/TRK	Spain	Portugal	Finland
Ammonium acetate	631-61-8	Not applicable	Not applicable	Not applicable	Not applicable
Acetic acid	64-19-7	TWA: 10 ppm TWA: 25 mg/m ³ MAK: 10 ppm MAK: 25 mg/m ³	15 ppm VLA-EC; 37 mg/m ³ VLA-EC VLA-ED: 10 ppm VLA-ED: 25 mg/m ³	STEL: 15 ppm TWA: 10 ppm	STEL: 10 ppm STEL: 25 mg/m ³ TWA: 5 ppm TWA: 13 mg/m ³

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Ammonium acetate	631-61-8	Not applicable	Not applicable	Not applicable	Not applicable
Acetic acid	64-19-7	Not applicable	Not applicable	Not applicable	STEL: 20 ppm STEL: 37.5 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Ammonium acetate	631-61-8	Not applicable	Not applicable	Not applicable	Not applicable
Acetic acid	64-19-7	10 ppm	NDSch: 30 mg/m ³ NDS: 15 mg/m ³	TWA: 25 mg/m ³ STEL: 25 mg/m ³	TWA: 25 mg/m ³

Substances	CAS Number	Denmark
Ammonium acetate	631-61-8	Not applicable
Acetic acid	64-19-7	TWA: 10 ppm TWA: 25 mg/m ³

Derived No Effect Level (DNEL)

No information available.

Worker

Substances	Long-term exposure - systemic effects, Inhalation	Acute / short term exposure - systemic effects, Inhalation	Long-term exposure - local effects, Inhalation	Acute / short term exposure - local effects, Inhalation	Long-term exposure - systemic effects, Dermal	Acute / short term exposure - systemic effects, Dermal	Long-term exposure - local effects, Dermal	Acute / short term exposure - local effects, Dermal	Hazards for the eyes - local effects
Acetic acid	Not available	Not available	25 mg/m ³	25 mg/m ³	Not available	Not available	Not available	Not available	Not available

General Population

Substances	Long-term exposure - systemic effects, Inhalation	Acute / short term exposure - systemic effects, Inhalation	Long-term exposure - local effects, Inhalation	Acute / short term exposure - local effects, Inhalation	Long-term exposure - systemic effects, Dermal	Acute / short term exposure - systemic effects, Dermal	Long-term exposure - local effects, Dermal	Acute / short term exposure - local effects, Dermal	Long-term exposure - systemic effects, Oral	Acute / short term exposure - local effects, Oral	Hazards for the eyes - local effects
Acetic acid	Not available	Not available	25 mg/m ³	25 mg/m ³	Not available	Not available	Not available	Not available	Not available	Not available	Not available

Predicted No Effect Concentration (PNEC)

No information available.

Substances	Freshwater	Marine water	Intermittent release	Sewage treatment plant	Sediment (freshwater)	Sediment (marine water)	Air	Soil	Secondary poisoning
Acetic acid	3.06 mg/l	0.306 mg/l	30.58 mg/l	85 mg/l	11.4 mg/kg	1.14 mg/kg	Not available	0.478 mg/kg	Not available

8.2. Exposure controls**Engineering Controls**

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional.

Hand Protection

Organic vapor/acid gas respirator with a dust/mist filter.

Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Nitrile gloves. (>= 0.35 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great diversity of types.

Skin Protection

Rubber apron.

Eye Protection

Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions

Eyewash fountains and safety showers must be easily accessible.

Environmental Exposure Controls No information available

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid	Color: Colorless
Odor: Slight vinegar	Odor Threshold: No information available

Property Remarks/ - Method	Values
pH:	5.45
Freezing Point/Range	-31 °C
Melting Point/Range	No data available
Boiling Point/Range	101 °C
Flash Point	> 100 °C PMCC
Evaporation rate	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Specific Gravity	1.102
Water Solubility	Miscible with water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

9.2. Other information

VOC Content (%)	No data available
------------------------	-------------------

SECTION 10: Stability and Reactivity

10.1. Reactivity

Not applicable

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

None anticipated

10.5. Incompatible Materials

Strong alkalis.

10.6. Hazardous Decomposition Products

Ammonia. Oxides of nitrogen. Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

Inhalation	May cause respiratory irritation.
Eye Contact	May cause severe eye irritation. May cause eye burns.
Skin Contact	Causes severe burns.
Ingestion	Causes burns of the mouth, throat and stomach.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are chronic health hazards.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ammonium acetate	631-61-8	3.25 g/kg (Rat) (similar substance)	> 2000 mg/kg (Rabbit) (Similar substances)	No data available
Acetic acid	64-19-7	3310 mg/kg (Rat) 600 mg/kg (Rabbit) 4960 mg/kg (Mouse)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h

Substances	CAS Number	Skin corrosion/irritation
Ammonium acetate	631-61-8	Non-irritating to the skin (rabbit) (similar substances)
Acetic acid	64-19-7	Corrosive to skin

Substances	CAS Number	Eye damage/irritation
Ammonium acetate	631-61-8	Non-irritating to the eye (rabbit) (similar substances)
Acetic acid	64-19-7	Corrosive to eyes

Substances	CAS Number	Skin Sensitization
Ammonium acetate	631-61-8	Did not cause sensitization on laboratory animals (guinea pig) (similar substances)
Acetic acid	64-19-7	No information available

Substances	CAS Number	Respiratory Sensitization
Ammonium acetate	631-61-8	No information available
Acetic acid	64-19-7	No information available

Substances	CAS Number	Mutagenic Effects
Ammonium acetate	631-61-8	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects. (similar substances)
Acetic acid	64-19-7	In vivo tests did not show mutagenic effects. In vitro tests did not show mutagenic effects

Substances	CAS Number	Carcinogenic Effects
Ammonium acetate	631-61-8	No information available.
Acetic acid	64-19-7	Did not show carcinogenic effects in animal experiments

Substances	CAS Number	Reproductive toxicity
Ammonium acetate	631-61-8	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)
Acetic acid	64-19-7	Did not show teratogenic effects in animal experiments.

Substances	CAS Number	STOT - single exposure
Ammonium acetate	631-61-8	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)
Acetic acid	64-19-7	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	STOT - repeated exposure
Ammonium acetate	631-61-8	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)
Acetic acid	64-19-7	No significant toxicity observed in animal studies at concentration requiring classification. Not applicable due to corrosivity of the substance.

Substances	CAS Number	Aspiration hazard
Ammonium acetate	631-61-8	Not applicable
Acetic acid	64-19-7	Not applicable

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Ammonium acetate	631-61-8	EC50(72h) > 1000 mg/L (Skeletonea costatum) (Similar substance)	LC50(48h): 308 mg/L (Cyprinus carpio) LC50(96h): 238 mg/L (Gambusia affinis) NOEC(60d): 154 mg/L (mortality) (Cyprinus carpio)	EC50(16h): 7.2 g/L (Pseudomonas putida) (Similar substance)	EC50(48h): > 919 mg/L (Daphnia magna) (Similar substance) EC50(48h) > 360.89 mg/L (Daphnia magna) (Similar substance)
Acetic acid	64-19-7	EC50: 90 mg/L (Microcystis aeruginosa) EC50(72h): > 1000 mg/L (>300.82 mg/L – acetate ion) (Skeletonea costatum)	LC50: 79 mg/L (Pimephales promelas) LC50: 75 mg/L (Pimephales promelas) LC50(96h) > 1000 mg/L (>300.82 mg/L – acetate ion) (Oncorhynchus mykiss)	NOEC(16h): 1150 mg/L (Pseudomonas putida)	EC50: 47 mg/L (Daphnia magna) LC50: 32 mg/L (Artemia salina) EC50(48h) > 1000 mg/L (>300.82 mg/L – acetate ion) (Daphnia magna) NOEC(21d): 31.4 - 37.9 mg/L (Daphnia magna) (reproduction)

12.2. Persistence and degradability

Biodegradable.

Substances	CAS Number	Persistence and Degradability
Ammonium acetate	631-61-8	Readily biodegradable (99% @ 28d)
Acetic acid	64-19-7	Readily biodegradable (> 95% @ 28d)

12.3. Bioaccumulative potential

Does not bioaccumulate

Substances	CAS Number	Log Pow
Ammonium acetate	631-61-8	-2.79 BCF: 3.162 (Calculated)
Acetic acid	64-19-7	-0.17 BCF 3.16 (Calculated)

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations

13.1. Waste treatment methods**Disposal Method****Contaminated Packaging**

Disposal should be made in accordance with federal, state, and local regulations.
Follow all applicable national or local regulations.

SECTION 14: Transport Information**IMDG/IMO**

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

RID

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental hazard: Not applicable

ADR

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental hazard: Not applicable

IATA/ICAO

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental hazard: Not applicable

14.1. UN Number: Not restricted.

14.2. UN Proper Shipping Name: Not restricted

14.3. Transport Hazard Class(es): Not applicable

14.4. Packing Group: Not applicable

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****International Inventories****EINECS Inventory****US TSCA Inventory****Canadian DSL Inventory**

This product, and all its components, complies with EINECS
 All components listed on inventory or are exempt.
 All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

**Germany, Water Endangering
Classes (WGK)**

WGK 1: Low hazard to waters.

15.2. Chemical Safety Assessment

No information available

SECTION 16: Other Information**Full text of R-phrases referred to under Sections 2 and 3**

R10 Flammable.

R34 Causes burns.

R35 Causes severe burns.

Key literature references and sources for datawww.ChemADVISOR.com/**Revision Date:** 25-Jul-2014**Revision Note**

Update to Format SECTION: 8

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010**Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet