

MATERIAL SAFETY DATA SHEET**Product Trade Name: DCA-32009****Revision Date:** 21-Jan-2014**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Product Trade Name: DCA-32009
Synonyms: None
Chemical Family: Blend
Application: Cleaner

Manufacturer/Supplier Halliburton Energy Services
P.O. Box 1431
Duncan, Oklahoma 73536-0431
Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance
Telephone: 1-580-251-4335
e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Substances | CAS Number | PERCENT (w/w) | ACGIH TLV-TWA | OSHA PEL-TWA |
|---------------------------------|-------------|---------------|-------------------------------|----------------|
| Oxylated alkylphenols | Proprietary | 10 - 30% | Not applicable | Not applicable |
| Alkyl hexanol | Proprietary | 10 - 30% | TWA: 50 ppm | Not applicable |
| Isopropanol | 67-63-0 | 10 - 30% | TWA: 200 ppm STEL: 400 ppm | 400 ppm |
| Ethylene glycol monobutyl ether | 111-76-2 | 30 - 60% | TWA: 20 ppm | 50 ppm |

3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye, skin, and respiratory irritation. May cause headache, dizziness, and other central nervous system effects. May be harmful if swallowed.
Combustible.

4. FIRST AID MEASURES

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse. Destroy or properly dispose of contaminated shoes.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

Ingestion If swallowed, induce vomiting immediately by giving two glasses of water and sticking fingers down throat; never give anything to an unconscious person. Get medical attention.

Notes to Physician Not Applicable

5. FIRE FIGHTING MEASURES

Flash Point/Range (F): 175
Flash Point/Range (C): 79
Flash Point Method: Not Determined
Autoignition Temperature (F): Not Determined
Autoignition Temperature (C): Not Determined
Flammability Limits in Air - Lower (%): 1.5
Flammability Limits in Air - Upper (%): 10.6

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical.

Special Exposure Hazards Use water spray to cool fire exposed surfaces. Closed containers may explode in fire. Decomposition in fire may produce toxic gases.

Special Protective Equipment for Fire-Fighters Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

NFPA Ratings: Health 2, Flammability 2, Reactivity 0
HMIS Ratings: Health 2, Flammability 2, Reactivity 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment.

Environmental Precautionary Measures Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning / Absorption Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

7. HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Avoid breathing vapors.

Storage Information Keep from heat, sparks, and open flames. Store in a cool well ventilated area. Keep container closed when not in use. Store locked up. Product has a shelf life of 24 months.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

Respiratory Protection Organic vapor respirator.
In high concentrations, supplied air respirator or a self-contained breathing apparatus.

| | |
|--------------------------|---|
| Hand Protection | Impervious rubber gloves. |
| Skin Protection | Rubber apron. |
| Eye Protection | Chemical goggles; also wear a face shield if splashing hazard exists. |
| Other Precautions | Eyewash fountains and safety showers must be easily accessible. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|-------------------|
| Physical State: | Liquid |
| Color: | Clear light amber |
| Odor: | Sweet |
| pH: | 8 |
| Specific Gravity @ 20 C (Water=1): | 0.92 |
| Density @ 20 C (lbs./gallon): | 7.68 |
| Bulk Density @ 20 C (lbs/ft3): | Not Determined |
| Boiling Point/Range (F): | 278 |
| Boiling Point/Range (C): | 136 |
| Freezing Point/Range (F): | Not Determined |
| Freezing Point/Range (C): | Not Determined |
| Vapor Pressure @ 20 C (mmHg): | 0.8 |
| Vapor Density (Air=1): | Not Determined |
| Percent Volatiles: | 88 |
| Evaporation Rate (Butyl Acetate=1): | Not Determined |
| Solubility in Water (g/100ml): | Soluble |
| Solubility in Solvents (g/100ml): | Not Determined |
| VOCs (lbs./gallon): | Not Determined |
| Viscosity, Dynamic @ 20 C (centipoise): | Not Determined |
| Viscosity, Kinematic @ 20 C (centistokes): | Not Determined |
| Partition Coefficient/n-Octanol/Water: | Not Determined |
| Molecular Weight (g/mole): | Not Determined |

10. STABILITY AND REACTIVITY

| | |
|---|--|
| Stability Data: | Stable |
| Hazardous Polymerization: | Will Not Occur |
| Conditions to Avoid | Keep away from heat, sparks and flame. |
| Incompatibility (Materials to Avoid) | Strong oxidizers. Strong alkalis. Amphoteric metals such as aluminum, magnesium, lead, tin, or zinc. |
| Hazardous Decomposition Products | Toxic fumes. Carbon monoxide and carbon dioxide. |
| Additional Guidelines | Not Applicable |

11. TOXICOLOGICAL INFORMATION

| | |
|------------------------------------|----------------------------------|
| Principle Route of Exposure | Eye or skin contact, inhalation. |
|------------------------------------|----------------------------------|

Symptoms related to exposure

Acute Toxicity

Product Information

Under certain conditions of use, some of the product ingredients may cause the following:

Inhalation

May cause respiratory irritation. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.

Eye Contact

May cause eye burns. May cause corneal injury.

Skin Contact

Harmful if absorbed through the skin. May cause moderate skin irritation.

Ingestion

May cause abdominal pain, vomiting, nausea, and diarrhea. May cause liver and kidney damage. May cause headache, dizziness, nausea, vomiting, gastrointestinal irritation and central nervous system depression.

Chronic Effects/Carcinogenicity

Prolonged or repeated exposure may cause liver, kidney and blood effects. Prolonged or repeated exposure may cause embryo and fetus toxicity.

Toxicology data for the components

| Substances | CAS Number | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---------------------------------|-------------|--|---|---|
| Oxylated alkylphenols | Proprietary | No data available | No data available | No data available |
| Alkyl hexanol | Proprietary | 5190 µL/kg (Rat) 1516-2774 mg/kg (Rat) 1480 mg/kg (Rat) 600 mg/kg (Guinea pig) | 5660 µL/kg (Rabbit) 2520 mg/kg (Rabbit) 1980 mg/kg (Rabbit) | 227 ppm (Rat) 6h |
| Isopropanol | 67-63-0 | 4396 mg/kg (Rat) 5840 mg/kg (Rat) 3600 mg/kg (Mouse) | 12800 mg/kg (Rat) 12870 mg/kg (Rabbit) 16.4 mL/kg (Rabbit) | 72.6 mg/L (Rat) 4h >1000 ppm(24.6 mg/L) (Rat) |
| Ethylene glycol monobutyl ether | 111-76-2 | 470 mg/kg (Rat) 1414 mg/kg (Guinea pig) 1746 mg/kg (Rat) 320 mg/kg (Rabbit) 530 mg/kg (Rat) 560 mg/kg (Rat) 3000 mg/kg (Rat) 2400 (Rat) | 220 mg/kg (Rabbit) 2270 mg/kg (Rat) 200 mg/kg (Guinea pig) >2000 mg/kg (Rabbit) 841 mg/kg (Rabbit) 435 mg/kg (Rabbit) >2000 mg/kg (Guinea pig) >2000 mg/kg (Rat) 100 mg/kg (Rabbit) 207 mg/kg (Guinea pig) 400-500 mg/kg (Rabbit) | 450 ppm (Rat) 4h 2.174 mg/L (Rat) 4h 2.21 mg/L (Rat) 4h 450-486 ppm (Rat) 4h 925 ppm (Rat) 4h >633 ppm (Guinea pig) 1h |

12. ECOLOGICAL INFORMATION**Ecotoxicological Information****Ecotoxicity Product**

Acute Fish Toxicity: Not determined

Acute Crustaceans Toxicity: Not determined

Acute Algae Toxicity: Not determined

Ecotoxicity Substance

| Substances | CAS Number | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|-----------------------|-------------|---|--|---|---|
| Oxylated alkylphenols | Proprietary | No information available | No information available | No information available | No information available |
| Alkyl hexanol | Proprietary | EC50: 11.5 mg/L (Desmodesmus subspicatus) | LC50: 32-37 mg/L (Oncorhynchus mykiss) LC50: 10 - 33 mg/L (Lepomis macrochirus) | No information available | TLM96: > 10000 mg/l (Crangon crangon) EC50 39 mg/L (Daphnia magna) |
| Isopropanol | 67-63-0 | EC50: > 1000 mg/l(Desmodesmus subspicatus) EC50(7d): 1800 mg/L (mean extinction value) (Scenedesmus quadricauda) | LC50: 9640 mg/l (Pimephales promelas) | TT(16h): 1050 mg/L (Pseudomonas putida) | EC50: 13299 mg/l (Daphnia magna) EC50(24h): > 10000 mg/L (Daphnia magna) |

| | | | | | |
|---------------------------------|----------|---|--|---|--|
| Ethylene glycol monobutyl ether | 111-76-2 | EC50: 839.56 mg/l (Skeletonema costatum) EC50(72h): 911 mg/L (biomass) EC50: > 500 mg/l (Scenedesmus subspicatus) NOEC(72h): 88 mg/L (biomass)(Pseudokirchnerella subcapitata) | LC50: > 1000 mg/l (Scophthalmus maximus juvenile) LC50(96h): 1474 mg/L (Oncorhynchus mykiss) NOEC(21d): > 100mg/L (Danio rerio) | TT/EC3(48h): 463 mg/L (Uronema parduzci) TT/EC3(72h): 73 mg/L (Entosiphon sulcatum) TT/EC3(16h): 700 mg/L (Pseudomonas putida) | EC50: >1000 mg/L (Daphnia magna) EC50 (48h): 1800 mg/L (Daphnia magna) EC50: 1875 mg/l (Daphnia magna) NOEC(21d)(reproduction) : 100 mg/L (Daphnia magna) |
|---------------------------------|----------|---|--|---|--|

12.2 Persistence and degradability

No information available

| Substances | Persistence and Degradability |
|---------------------------------|--------------------------------------|
| Isopropanol | Readily biodegradable |
| Ethylene glycol monobutyl ether | Readily biodegradable (75-88% @ 28d) |

12.3 Bioaccumulative potential

No information available

| Substances | Log Pow |
|---------------------------------|---------|
| Isopropanol | 0.05 |
| Ethylene glycol monobutyl ether | 0.81 |

12.4 Mobility in soil

No information available

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

13. DISPOSAL CONSIDERATIONS

Disposal Method Disposal should be made in accordance with federal, state, and local regulations. Substance should NOT be deposited into a sewage facility.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

DOT

Not restricted

Canadian TDG

Not restricted

ADR

Not restricted

Air Transportation

ICAO/IATA

Not restricted

Sea Transportation

IMDG
Not restricted

Other Transportation Information

Labels: None

15. REGULATORY INFORMATION

US Regulations

| | |
|--|--|
| US TSCA Inventory | All components listed on inventory or are exempt. |
| EPA SARA Title III Extremely Hazardous Substances | Not applicable |
| EPA SARA (311,312) Hazard Class | Acute Health Hazard Chronic Health Hazard Fire Hazard |
| EPA SARA (313) Chemicals | This product contains toxic chemical(s) listed below which is(are) subject to the reporting requirements of Section 313 of Title III of SARA and 40 CFR Part 372: Glycol Ethers//111-76-2 Isopropanol//67-63-0 |
| EPA CERCLA/Superfund Reportable Spill Quantity | Not applicable. |
| EPA RCRA Hazardous Waste Classification | If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA. |
| California Proposition 65 | All components listed do not apply to the California Proposition 65 Regulation. |
| MA Right-to-Know Law | One or more components listed. |
| NJ Right-to-Know Law | One or more components listed. |
| PA Right-to-Know Law | One or more components listed. |

Canadian Regulations

| | |
|-------------------------------|---|
| Canadian DSL Inventory | All components listed on inventory or are exempt. |
| WHMIS Hazard Class | B3 Combustible Liquids D2B Toxic Materials |

16. OTHER INFORMATION

The following sections have been revised since the last issue of this SDS
Not applicable

Additional Information For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

*****END OF MSDS*****