HALLIBURTON

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

DCA-33002

Revision Date: 23-Sep-2015 Revision Number: 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name DCA-33002 Internal ID Code HM008123

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Breaker

Sector of use Refer to the Annex for a listing of uses.

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services

Halliburton House, Howemoss Place

Kirkhill Industrial Estate

Dyce

Aberdeen, AB21 0GN United Kingdom

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

1.4. Emergency telephone number +44 8 08 189 0979 / 1-760-476-3961

Emergency telephone - §4	45 - (EC)1272/2008
Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

REGULATION (EG) NO 1212/2000	
Acute Oral Toxicity	Category 4 - (H302)
Skin Corrosion / irritation	Category 2 - (H315)
Serious Eye Damage / Eye Irritation	Category 2 - (H319)
Respiratory Sensitization	Category 1 - (H334)
Skin Sensitization	Category 1 - (H317)
Specific Target Organ Toxicity - (Single Exposure)	Category 3 - (H335)

Oxidizing solids. Category 3 - (H272)

2.2. Label Elements

Hazard Pictograms



Signal Word Danger

Hazard Statements

H272 - May intensify fire; oxidizer

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

Precautionary Statements - EU (§28, 1272/2008)

P221 - Take any precaution to avoid mixing with combustibles

P280 - Wear protective gloves/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P341 - IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Contains

Substances Sodium persulfate **CAS Number**

7775-27-1

2.3. Other Hazards

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients

3.1. Substances Substance

Substances	EINECS	CAS	PERCENT	EU - CLP Substance	REACH No.
		Number	(w/w)	Classification	
Sodium persulfate	231-892-1	7775-27-1	60 - 100%	Acute Tox. 4 (H302)	01-2119495975-15
				Skin Irrit. 2 (H315)	
				Eye Irrit. 2 (H319)	
				Resp. Sens. 1 (H334)	
				Skin Sens. 1 (H317)	
				STOT SE 3 (H335)	
				Ox. Sol. 3 (H272)	

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

Eyes In case of contact, immediately flush eyes with plenty of water for at least 15

minutes and get medical attention if irritation persists.

Skin In case of contact, immediately flush skin with plenty of soap and water for at

least 15 minutes. Get medical attention.

Ingestion Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical

attention.

4.2. Most Important symptoms and effects, both acute and delayed

Harmful if swallowed. May cause allergic skin and respiratory reaction. Causes eye irritation. Causes skin irritation. May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

SECTION 5: Firefighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Special Exposure Hazards

Oxidizer. May ignite combustibles. Decomposition in fire may produce harmful gases.

5.3. Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Evacuate all persons from the area.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. Avoid dust accumulations. Ensure adequate ventilation. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store away from combustibles. Store in a cool well ventilated area. Keep container closed when not in use. Product has a shelf life of 12 months.

7.3. Specific End Use(s)

Exposure Scenario Please refer to the attached Annex for a listing of exposure scenarios.

Other Guidelines No information available

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Exposure Limits

Substances	CAS Number	EU	UK	Netherlands	France
Sodium persulfate	7775-27-1	Not applicable	2 mg/m ³	1 mg/m³	Not applicable

Substances	CAS Number	Germany	Spain	Portugal	Finland
Sodium persulfate	7775-27-1	Not applicable	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	Not applicable

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Sodium persulfate	7775-27-1	Not applicable	0.1 mg/m³ TWA 0.3 mg/m³ STEL (calculated)	Not applicable	TWA: 2 mg/m³ STEL: 4 mg/m³

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Sodium persulfate	7775-27-1	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Denmark	Romania	Croatia	Cyprus
Sodium persulfate	7775-27-1	TWA: 2 mg/m ³	Not applicable	Not applicable	Not applicable

Derived No Effect Level (DNEL)

Worker

Substances	Long-term	Acute / short	Long-term	Acute / short	Long-term	Acute / short	Long-term	Acute / short	Hazards for
	exposure - systemic effects, Inhalation	exposure -	exposure - local effects, Inhalation		, ,	exposure -	local effects, Dermal		the eyes - local effects
Sodium persulfate	2.06 mg/m ³		2.06 mg/m ³	Not available	18.2 mg/kg		0.102	2.248	Not available
·					bw/day	bw/day	mg/cm2	mg/cm2	

General Population

Substances	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Hazards
	exposure -	short term	exposure -	short term	exposure -	short term	exposure -	short term	exposure -	short term	for the
	systemic	exposure -	local	exposure -	systemic	exposure -	local	exposure -	systemic	exposure -	eyes -
	effects,	systemic	effects,	local	effects,	systemic	effects,	local	effects,	local	local
	Inhalation	effects,	Inhalation	effects,	Dermal	effects,	Dermal	effects,	Oral	effects,	effects
		Inhalation		Inhalation		Dermal		Dermal		Oral	
Sodium	1.03	295 mg/m ³	1.03	295 mg/m ³	9.1 mg/kg	200 mg/kg	0.051	1.124	9.1 mg/kg	30 mg/kg	Not
persulfate	mg/m³		mg/m³		bw/day	bw/day	mg/cm2	mg/cm2	bw/day	bw/day	available

Predicted No Effect Concentration (PNEC)

			,						
Substances	Freshwater	Marine water	release		(freshwater)		Air		Secondary poisoning
Sodium persulfate	0.0763 mg/L	0.011 mg/L		3.6 mg/L	0.275 mg/kg sediment dw	0.0396 mg/kg		soil dw	for
						sediment dw			bio-accumul ation

8.2. Exposure controls

Engineering Controls
Use in a well ventilated area. Localized ventilation should be used to control dust levels.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional. Dust/mist respirator. (N95, P2/P3)

Hand Protection

Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Butyl rubber gloves. (>= 0.7 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed

then the gloves should be replaced. Manufacturer's directions for use should be

observed because of great diversity of types.

Skin ProtectionRubber apron.Eye ProtectionDust proof goggles.

Other Precautions Eyewash fountains and safety showers must be easily accessible.

Environmental Exposure Controls Do not allow material to contaminate ground water system

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Powder Color: White

Odor: Odorless Odor Threshold: No information available

<u>Property</u> <u>Values</u>

Remarks/ - Method

pH: 6

Freezing Point/Range No data available Melting Point/Range No data available **Boiling Point/Range** No data available Flash Point No data available Flammability (solid, gas) No data available upper flammability limit No data available lower flammability limit No data available **Evaporation rate** No data available **Vapor Pressure** No data available **Vapor Density** No data available

Specific Gravity 2.47

Water Solubility
Soluble in water
No data available
Partition coefficient: n-octanol/water
No data available

Explosive PropertiesNo information availableOxidizing PropertiesNo information available

9.2. Other information

Molecular Weight 238.1

VOC Content (%) No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

Avoid contact with readily oxidizable materials.

10.5. Incompatible Materials

Avoid halogens. Contact with acids. Strong alkalis. Combustible materials.

10.6. Hazardous Decomposition Products

Oxides of sulfur. Oxygen. Sulfuric acid.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

Inhalation May cause allergic respiratory reaction. May cause respiratory irritation.

Eye Contact Causes eye irritation.

Skin ContactCauses skin irritation. May cause an allergic skin reaction.IngestionHarmful if swallowed. Irritation of the mouth, throat, and stomach.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 0.1% are

chronic health hazards.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium persulfate	7775-27-1	895 mg/kg (Rat) 1200 mg/kg 930 mg/kg 1000 mg/kg 920 mg/kg	> 10000 mg/kg (Rat)	19.0 mg/L (Rat) 4h > 5.1 mg/L (Rat) 4h
Substances	CAS Number	Skin corrosion/irritation		
Sodium persulfate	7775-27-1	Causes skin irritation. (Rabbit)		

	CAS Number	Eye damage/irritation
Sodium persulfate	7775-27-1	Causes severe eye irritation. (Rabbit)

	CAS Number	Skin Sensitization
Sodium persulfate	7775-27-1	Skin sensitizer in guinea pig.

	CAS Number	Respiratory Sensitization
Sodium persulfate	7775-27-1	May cause sensitization by inhalation

	CAS Number	Mutagenic Effects
Sodium persulfate	7775-27-1	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects.

	CAS Number	Carcinogenic Effects
Sodium persulfate	7775-27-1	Did not show carcinogenic effects in animal experiments (similar substances)

Substances	CAS Number	Reproductive toxicity
Sodium persulfate	7775-27-1	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal
		experiments. (similar substances)

	CAS Number	STOT - single exposure
Sodium persulfate	7775-27-1	May cause respiratory irritation.

	CAS Number	STOT - repeated exposure	
Sodium persulfate	7775-27-1	No significant toxicity observed in animal studies at concentration requiring classification.	

	CAS Number	Aspiration hazard
Sodium persulfate	7775-27-1	Not applicable

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

Substances	CAS	Toxicity to Algae	Toxicity to Fish	Toxicity to	Toxicity to
	Number			Microorganisms	Invertebrates
Sodium persulfate	7775-27-1	EC50 (72h) 116 mg/L (biomass) (Pseudokirchnerella	LC50 (96h) 163 mg/L (Oncorhynchus mykiss)	EC10 (18h) 36 mg/L (Pseudomonas putida)	EC50 (48h) 133 mg/L (Daphnia magna)
		subcapitata)			

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
------------	------------	-------------------------------

Sodium persulfate	7775-27-1	The methods for determining biodegradability are
		not applicable to inorganic substances.

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Sodium persulfate	7775-27-1	No information available

12.4. Mobility in soil

Substances	CAS Number	Mobility
Sodium persulfate	7775-27-1	No information available

12.5. Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

Substances	PBT and vPvB assessment
Sodium persulfate	Not applicable

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Disposal Method

Disposal should be made in accordance with federal, state, and local regulations. Bury in a licensed landfill according to federal, state, and local regulations. Substance should

NOT be deposited into a sewage facility.

Contaminated Packaging

This bag may contain residue of a hazardous material. Some authorities may regulate such containers as hazardous waste. Dispose of container according to national or local regulations.

SECTION 14: Transport Information

IMDG/IMO

UN Number: UN1505

UN Proper Shipping Name: Sodium Persulfate

Transport Hazard Class(es): 5.1
Packing Group: III

Environmental Hazards: Not applicable

RID

UN Number: UN1505

UN Proper Shipping Name: Sodium Persulfate

Transport Hazard Class(es): 5.1
Packing Group: III

Environmental Hazards: Not applicable

<u>ADR</u>

UN Number: UN1505

UN Proper Shipping Name: Sodium Persulfate

Transport Hazard Class(es): 5.1 Packing Group:

Environmental Hazards: Not applicable

IATA/ICAO

UN Number: UN1505

UN Proper Shipping Name: Sodium Persulfate

Transport Hazard Class(es): 5.1 Packing Group: III

Environmental Hazards: Not applicable

14.1. UN Number: UN1505

14.2. UN Proper Shipping Name: Sodium Persulfate

14.3. Transport Hazard Class(es): 5.1

14.4. Packing Group:

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory This product, and all its components, complies with EINECS

US TSCA Inventory
All components listed on inventory or are exempt.
All components listed on inventory or are exempt.
All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering

Classes (WGK)

WGK 1: Low hazard to waters.

15.2. Chemical Safety Assessment

Yes

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3

H272 - May intensify fire; oxidizer

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

Key or legend to abbreviations and acronyms

bw - body weight

CAS - Chemical Abstracts Service

CLP - REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification,

Labelling and Packaging of substances and mixtures

EC - European Commission

EC10 - Effective Concentration 10%

EC50 - Effective Concentration 50%

EEC - European Economic Community

ErC50 - Effective Concentration growth rate 50%

IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL0 – Lethal Loading 0%

LL50 - Lethal Loading 50%

MARPOL - International Convention for the Prevention of Pollution from Ships

mg/kg - milligram/kilogram

mg/L - milligram/liter

NIOSH - National Institute for Occupational Safety and Health

NOEC - No Observed Effect Concentration

NTP - National Toxicology Program

OEL - Occupational Exposure Limit

PBT - Persistent Bioaccumulative and Toxic

PC - Chemical Product category

PEL – Permissible Exposure Limit

ppm – parts per million

PROC - Process category

REACH – REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL - Short Term Exposure Limit

SU - Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/ NZ CCID

Revision Date: 23-Sep-2015

Revision Note

SDS sections updated: 1

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet