

MATERIAL SAFETY DATA SHEET**Product Name** DCT POWER OVEN CLEANER**MSDS Date** August 20, 2010**Revision No.** 02

Page 1 of 9

SECTION 1 **PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT

Product Name DCT Power Oven Cleaner
Product ID Number 130650
Product Description Alkaline Cleaner for Rotisserie Ovens

COMPANY IDENTIFICATION

Supplier Diversified Chemical Technologies, Inc.
15477 Woodrow Wilson
Detroit, MI 48238
(313) 867-5444

Product Technical Information (313) 867-5444**24 Hour Emergency Phone Number (Health & Safety; Transportation) CHEMTREC - (800) 424-9300**

SECTION 2 **COMPOSITION / INFORMATION ON INGREDIENTS**

Hazardous Ingredients	CAS Number	OSHA PEL	ACGIH TLV	OTHER	% WT
Sodium gluconate	527-07-1				1 – 5
Potassium hydroxide 45%	1310-58-3	2 mg/m3	2 mg/m3		35 – 45
TS 1012 – Trade Secret		2 mg/m3 C	2 mg/m3 C	250 mg/m3 IDLH	10 – 20
TS 1057 – Trade Secret					1 – 5

SECTION 3 **HAZARDS IDENTIFICATION**

******EMERGENCY OVERVIEW********CORROSIVE****Harmful if swallowed.****Can cause chemical burns to eyes, skin, respiratory tract, and/or digestive tract upon direct contact.****May be irritating to eyes, skin and/or respiratory tract if contact is frequent or prolonged.****PRIMARY ROUTES OF EXPOSURE** Eyes, Skin, Inhalation, Ingestion**TARGET ORGANS** Eyes, Skin, Respiratory System, Ingestion**POTENTIAL HEALTH EFFECTS****Acute Effects**

Inhalation Can cause chemical burns upon direct contact. May cause moderate to severe irritation to respiratory tract upon prolonged, repeated exposures.

Eye Can cause chemical burns upon direct contact. May cause moderate to severe irritation upon prolonged, repeated exposures.

MATERIAL SAFETY DATA SHEET**Product Name** DCT POWER OVEN CLEANER**MSDS Date** August 20, 2010**Revision No.** 02

Page 2 of 9

SECTION 3 **HAZARDS IDENTIFICATION** **continued**

Skin Can cause chemical burns upon direct contact. May cause moderate to severe skin irritation upon prolonged, repeated exposure.

Ingestion Harmful if swallowed.

Chronic Effects Product has not been tested as a whole to determine its long-term effects. The product does contain ingredients that potentially may affect the following target organs as a result from repeated excessive exposures: Eyes, Skin

Carcinogenicity None **IARC:** N/AP **NTP:** N/AP **OSHA:** N/AP

Medical Conditions Aggravated by Long-Term Exposure Possible pre-existing dermatitis; dry skin conditions; Overexposure to mist may aggravate existing respiratory conditions

SECTION 4 **FIRST AID MEASURES**

INHALATION Remove to fresh air. Rest in half-upright position. Get medical attention if chemical burns exist or irritation persists.

EYE CONTACT Remove contact lenses. Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention if chemical burns exist or irritation persists.

SKIN CONTACT Remove contaminated clothing. Flush skin with plenty of water for at least 15 minutes. Get immediate medical attention if chemical burns exist or irritation persists.

INGESTION Do not induce vomiting. Wash out mouth with water and obtain medical attention. If conscious, milk or water to drink may be beneficial. Treat symptomatically. Get immediate medical attention. Never give anything by mouth to an unconscious person.

NOTES TO PHYSICIAN Treat symptomatically. It is advisable not to induce vomiting due to the risk of aspiration and it is not usually necessary unless a large amount has been ingested or it has been contaminated with another product. Gastric lavage under supervised medical conditions can be carried out if necessary.

SECTION 5 **FIRE FIGHTING MEASURES**

Flash Point none

Flash Point Method PMCC

Auto Ignition Temperature N/D

Flammable Limits

LEL N/D

UEL N/D

Appropriate Extinguishing Media Dry Chemical, Foam, CO2

MATERIAL SAFETY DATA SHEET**Product Name** DCT POWER OVEN CLEANER**MSDS Date** August 20, 2010**Revision No.** 02

Page 3 of 9

SECTION 5 **FIRE FIGHTING MEASURES** **continued**

Unusual Fire or Explosion Hazards Contaminated water runoff may cause environmental damage. Dike and collect water used to fight fire.

Fire Fighting Instructions Firefighters should wear self-contained breathing apparatus (SCBA) and protection for skin. Stay away from ends of containers during a fire; containers may explode due to pressure build-up inside if heated. Do not spray water directly into storage containers due to boil over danger. Water may be used to cool nearby containers and surfaces.

Hazardous Combustion Products Corrosive, irritating fumes, toxic gases and acrid smoke. Combustion can produce a variety of compounds including oxides of carbon; oxides of potassium; water vapor; unburned hydrocarbons; and other unidentified organic and inorganic compounds.

SECTION 6 **ACCIDENTAL RELEASE MEASURES**

NOTIFICATION PROCEDURES In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.
Sodium Hydroxide: RQ = 1000-lb; Potassium Hydroxide: RQ = 1000-lb
National Response Center (Reporting): (800) 424-8802

GENERAL Stop leak if you can do so without risk. Contain spillage and prevent entry into sewer drains and watercourses. Retain all contaminated water for removal and treatment.

SAFETY PRECAUTIONS Use suitable protective clothing appropriate to spill size and risk of exposure. Refer to Section 8 for further details. Use extreme caution because affected area(s) may be slippery. For industrial use only. Keep out of reach of children.

SPILL OR LEAK PROCEDURES Confine spillage and absorb spilled material with noncombustible, inert absorbent such as sand, clay, or vermiculite and place into DOT-approved containers for later disposal or flush to wastewater treatment system for further treatment before discharging to POTW.

SECTION 7 **HANDLING AND STORAGE**

HANDLING Corrosive Liquid
Avoid contact with skin, eyes, and clothing. Wear suitable protective equipment (see Section 8).
Avoid breathing mist or vapor – use only in a well-ventilated area.
Unvented containers may develop pressure – use with caution.
Wash skin thoroughly after handling.
Eyewash stations and safety showers should be easily accessible to area where product is used.
Avoid contact with reactive metals or their alloys (i.e. Al, Tin, or Zinc).

Loading/Unloading Temperature	[Ambient]
Transport Temperature	[Ambient]
Transport Pressure	[Ambient]
Static Accumulator	N/D

STORAGE Store in dry conditions protected from frost and elevated temperatures – covered storage is recommended.

MATERIAL SAFETY DATA SHEET**Product Name****DCT POWER OVEN CLEANER****MSDS Date****August 20, 2010****Revision No. 02**

Page 4 of 9

SECTION 7**HANDLING AND STORAGE****continued**

Keep containers closed when not in use.
Store away from incompatible materials (see Section 10).
Long-term storage temperatures should not exceed 120° F.
Keep away from sparks, heat and flame.
Do not mix with oxidizing materials.
Avoid contact with reactive metals or their alloys (i.e. Al, Tin, or Zinc).

SECTION 8**EXPOSURE CONTROLS / PERSONAL PROTECTION**

ENGINEERING CONTROLS

The level of ventilation necessary will vary depending upon potential exposure conditions. Control measures to consider:

Ventilation

Adequate ventilation should be provided so that exposure limits are not exceeded (see Section 2 for exposure limits). If heavy misting is present, local exhaust ventilation should be considered in addition to general mechanical ventilation.

ADMINISTRATIVE CONTROLS

The level of protection necessary will vary depending upon potential exposure conditions. Control measures to consider:

PERSONAL PROTECTIVE EQUIPMENT

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal use.

Respiratory Protection

If vapors or mists are present and if engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, a NIOSH/MSHA approved respirator may be appropriate. Respirator selection, use and maintenance must be in accordance with regulatory requirements, if applicable. Types of respirators to be considered for this material include: **Air-Purifying Half-Face Respirator with Organic Vapor /Mists and HEPA Filter Cartridges**

Hand Protection

Any specific glove information provided is based on published literature and glove manufacturer data. Glove suitability and breakthrough time will differ depending on the specific use conditions. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. The types of gloves to be considered for this material include: **Chemical-resistant Neoprene or PVC**

Eye Protection

If contact is likely, safety goggles are required at a minimum. If splashing is likely, safety goggles or safety glasses with splash shield are required.

Skin and Body Protection

Any specific clothing information provided is based on published literature or manufacturer data. The types of clothing to be considered for this material include: Long-sleeved shirt and pants, at a minimum. If prolonged or repeated contact is likely, chemical-resistant clothing is recommended. Chemical-resistant boots.

MATERIAL SAFETY DATA SHEET**Product Name** DCT POWER OVEN CLEANER**MSDS Date** August 20, 2010**Revision No.** 02

Page 5 of 9

SECTION 8 **EXPOSURE CONTROLS / PERSONAL PROTECTION** **continued**

Other Protective Equipment Emergency eyewash/safety shower in immediate area(s).**Specific Hygiene Measures**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing separate from home laundry and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping. Do not store work clothing and protective equipment in the same locker as personal clothing.

SECTION 9 **PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	Clear yellow
Physical State	Liquid
Odor	mild
pH	>14
Vapor Pressure	N/AV
Vapor Density	N/AV
Boiling Point	N/AV
Melting Point	N/P
Specific Gravity (water = 1)	1.32 – 1.34
Evaporation Rate (water = 1)	N/AV
Volatile Organic Compounds (%)	N/D
Solubility	Complete
Viscosity (cps)	N/D

SECTION 10 **STABILITY / REACTIVITY**

Chemical Stability

Material is stable and unlikely to react in a hazardous manner during recommended storage conditions and normal conditions of use.

Conditions to Avoid Reactive metals such as aluminum, tin, zinc, and alloys containing these metals**Reactivity / Incompatibility** Strong oxidizing agents, strong acids**Hazardous Decomposition**

Material does not decompose at ambient temperature. Thermal decomposition can produce a variety of compounds, the nature of which will largely depend on the conditions bringing about decomposition. Incomplete combustion or thermal decomposition may be expected to generate such materials as: particulate matter and unburned, hydrocarbons; oxides of carbon; oxides of potassium; water vapor; and other unidentified organic and inorganic compounds.

Hazardous Polymerization Will not occur.

SECTION 11 **TOXICOLOGICAL INFORMATION**

Product Toxicological Data

MATERIAL SAFETY DATA SHEET**Product Name** DCT POWER OVEN CLEANER**MSDS Date** August 20, 2010**Revision No.** 02

Page 6 of 9

SECTION 11 TOXICOLOGICAL INFORMATION

LD50 (Oral)	N/D
LC50 (Inhalation)	N/D
Dermal Toxicity Data (Skin)	N/D
Skin and Eye Irritation Data	N/D
Mutation Data	N/D
Reproductive Effects Data	N/D

Ingredient Toxicological Data

LD50 (Oral)	N/AV
LC50 (Inhalation)	N/AV
Dermal Toxicity Data (Skin)	N/AV
Skin and Eye Irritation Data	N/AV
Mutation Data	N/AV
Reproductive Effects Data	N/AV

SECTION 12 ECOLOGICAL INFORMATION

Product Ecological Information N/AV**Ingredient Ecological Information** N/AV

SECTION 13 DISPOSAL CONSIDERATIONS

EPA Waste ID Number

Full strength material exhibits the corrosive characteristic (D002) and is considered RCRA-hazardous. If this product is altered, it is the responsibility of the user to determine whether the material meets the criteria for hazardous waste at the time of disposal.

Waste Disposal

Neutralization with biological/chemical wastewater treatment is preferred method of disposal. Dispose of contaminated water in a contained waste treatment system. Follow all applicable federal, state, local and provincial regulations. It is the end-user's responsibility to determine the regulatory status of waste at the time of disposal.

Empty Containers

Empty containers may still contain RCRA-regulated residuals; therefore, clean empty containers of any residue per 40CFR261.7 guidelines and either recycle containers or dispose of according to applicable regulations.

SECTION 14 TRANSPORT INFORMATION

LAND (DOT)

MATERIAL SAFETY DATA SHEET

Product Name DCT POWER OVEN CLEANER

MSDS Date August 20, 2010

Revision No. 02

Page 7 of 9

SECTION 14		TRANSPORT INFORMATION	continued
DOT Proper Shipping Name		Corrosive Liquids, basic, inorganic, n.o.s. (contains approx. 7% sodium hydroxide and approx. 18% potassium hydroxide), 8, UN 3266, PG II, RQ = 1000-lb	
DOT Hazard Class		8	
DOT Subsidiary Risk		N/AP	
DOT ID Number		UN 3266	
DOT Packaging Group		PG II	
SEA (IMDG)			
IMDG Proper Shipping Name		Corrosive Liquids, basic, inorganic, n.o.s. (contains approx. 7% sodium hydroxide and approx. 18% potassium hydroxide), 8, UN 3266, PG II, RQ = 1000-lb	
IMDG Hazard Class		8	
IMDG Subsidiary Risk		N/AP	
IMDG ID Number		UN 3266	
IMDG Packaging Group		PG II	
AIR (IATA)			
IATA Proper Shipping Name		Corrosive Liquids, basic, inorganic, n.o.s. (contains approx. 7% sodium hydroxide and approx. 18% potassium hydroxide), 8, UN 3266, PG II, RQ = 1000-lb	
IATA Hazard Class		8	
IATA Subsidiary Risk		N/AP	
IATA ID Number		UN 3266	
IATA Packaging Group		II	
Additional Information:		Small Quantity Shipping - Quantities Equal To, or Less Than 0.3 Gallons (1 Liter)	
Small Quantity Shipping Description:		GROUND: Quantities Equal To, or Less Than, 0.3 Gallons (1 Liter): Corrosive Liquids, basic, inorganic, n.o.s. (contains approx. 7% sodium hydroxide and approx. 18% potassium hydroxide), 8, UN 3266, PG II, Ltd Qty SEA: Quantities Equal To, or Less Than, 0.3 Gallons (1 Liter): Corrosive Liquids, basic, inorganic, n.o.s. (contains approx. 7% sodium hydroxide and approx. 18% potassium hydroxide), 8, UN 3266, PG II, Ltd Qty AIR: Quantities Equal To, or Less Than, 0.3 Gallons (1 Liter): Corrosive Liquids, basic, inorganic, n.o.s. (contains approx. 7% sodium hydroxide and approx. 18% potassium hydroxide), 8, UN 3266, PG II, Ltd Qty	
DOT Label(s)/Placard(s):		Quantities Equal To, or Less Than, 0.3 Gallons (1 Liter): None Required Quantities Greater Than 0.3 Gallons (1 Liter): Label: Class 8 (Corrosive) – Placard: UN3266	
SECTION 15		REGULATORY INFORMATION	

MATERIAL SAFETY DATA SHEET

Product Name DCT POWER OVEN CLEANER

MSDS Date August 20, 2010

Revision No. 02

Page 8 of 9

SECTION 15	REGULATORY INFORMATION	continued
-------------------	-------------------------------	------------------

U.S. Federal Regulations
SARA Title III Section 311/312 Categorization (40 CFR 370) Acute – Immediate Hazard

SARA Title III Section 313 Categorization (40 CFR 372) *This product contains a chemical(s) subject to the reporting requirements of Section 313 of Title III of SARA:* None

302 (EHS) TPQ (40 CFR 355) None

304 CERCLA RQ (302.4) None

304 EHS RQ (40 CFR 116.4) None

State Regulations
California Prop. 65 N/AP

Identification of Prop. 65 Ingredient(s) N/AP

OSHA CLASSIFICATION DANGER

WHMIS CLASSIFICATION D2B (Stylized T) and E (Corrosive Material)

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.
National Inventories
TSCA Yes

CEPA (DSL/NDL) Yes, except proprietary surfactant ingredient

AICS N /AV

IECSC N /AV

EINECS N /AV

ENCS N /AV

KECI N /AV

PICCS N /AV

Additional Information NONE

SECTION 16	OTHER INFORMATION
-------------------	--------------------------

N/D = Not Determined
N/A = Not Applicable
N/AV = Not Available

NFPA RATING	Health (Blue): 3 Flammability (Red): 0 Reactivity (Yellow): 0	Specific Hazard(s) (White): COR/ALK
--------------------	---	-------------------------------------

HMIS RATING	Health (Blue): 3 Flammability (Red): 0 Reactivity (Yellow): 0	Personal Protective Equipment: D or F
--------------------	---	---------------------------------------

MATERIAL SAFETY DATA SHEET**Product Name** DCT POWER OVEN CLEANER**MSDS Date** August 20, 2010**Revision No. 02**

Page 9 of 9

SECTION 16**OTHER INFORMATION****continued**

THIS SAFETY DATA SHEET CONTAINS THE FOLLOWING REVISIONS**Revision Changes** Minor Formula, Product ID Number, DOT Shipping Description Changes (Sections 1, 2, 14)**USER RESPONSIBILITY** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.****Prepared By**Corporate *Environment/Health and Safety* Department of Diversified Chemical Technologies, Inc. and Subsidiaries