HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: DETONATOR, RED SLICK LINE, TOP FIRE

Revision Date: 21-Dec-2012

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Statement of Hazardous Nature Hazardous according to the criteria of NOHSC, Dangerous Goods according to the

criteria of ADG.

Manufacturer/Supplier Halliburton Australia Pty. Ltd.

15 Marriott Road

Jandakot WA 6164 Australia

ACN Number: 009 000 775

Telephone Number: 61 (08) 9455 8300 Fax Number: 61 (08) 9455 5300

Product Emergency Telephone

Australia: 08-64244950

Papua New Guinea: 05 1 281 575 5000

NewZealand: 06-7559274

Fire, Police & Ambulance - Emergency Telephone

Australia: 000

Papua New Guinea: 000 New Zealand: 111

Identification of Substances or Preparation

Product Trade Name: DETONATOR, RED SLICK LINE, TOP FIRE

Synonyms: DETONATOR, RED®, , CAPSULE, PLUG-IN - 101272600

Chemical Family: Explosive
UN Number: , UN0255
Dangerous Goods Class: 1.4S
Subsidiary Risk: None
Hazchem Code: 1|Y|E

Poisons Schedule: None Allocated Application: Explosive Charge

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	Australia NOHSC	New Zealand WES	ACGIH TLV-TWA
Hexanitrostilbene (HNS)	20062-22-0	0-10	Not applicable	Not applicable	Not applicable

2. COMPOSITION/INFORMATION ON INGREDIENTS								
Cyclotrimethylenetrinitramine (RDX)	121-82-4	0-10	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³	TWA: 0.5 mg/m ³			
Tetranitrodibenzo-1,3a,4,6a- tetra-azapentalene	25243-36-1	0-10	Not applicable	Not applicable	Not applicable			
Lead styphnate	15245-44-0	Unknown	0.15 mg/m ³	0.1 mg/m ³	0.05 mg/m ³			
Iron	7439-89-6	Unknown	5 mg/m ³	Not applicable	Not applicable			
Copper	7440-50-8	Unknown	TWA: 1 mg/m ³ TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³	TWA: 0.2 mg/m ³			
2,6-Bis(picrylamino)-3,5-dinitro- pyridine (PYX)	38082-89-2	0-10	Not applicable	Not applicable	Not applicable			
Lead azide	13424-46-9	Unknown	0.15 mg/m ³	0.1 mg/m ³	0.05 mg/m ³			
Cyclotetramethylenetetranitramin e (HMX)	2691-41-0	0-10	Not applicable	Not applicable	Not applicable			
Aluminum	7429-90-5	Unknown	TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 10 mg/m ³	TWA: 1 mg/m ³			

Non-Hazardous Substance to Total of 100%

3. HAZARDS IDENTIFICATION

Hazard Overview Explosive. May cause eye, skin, and respiratory irritation. May cause headache,

dizziness, and other central nervous system effects. May be harmful if swallowed.

May cause birth defects.

Risk PhrasesR2 Risk of explosion by shock, fire, friction, or other sources of ignition.

R3 Extreme risk of explosion by shock, friction, fire, or other sources of ignition.

R61 May cause harm to the unborn child. R62 Possible risk of impaired fertility.

R20/22 Harmful by inhalation and if swallowed.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

HSNO Classification Not Determined

4. FIRST AID MEASURES

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin Wash with soap and water. Get medical attention if irritation persists.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of water

for at least 15 minutes and get medical attention immediately after flushing.

Ingestion Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media Do NOT fight fire. Isolate area and evacuate personnel to a safe area. Guard

against intruders. Allow fire to burn itself out.

Extinguishing media which must None known.

not be used for safety reasons

Special Exposure Hazards May detonate with impact or on heating. May explode and throw fragments 1 mile or

more in fire. Evacuate all persons, including emergency responders.

Special Protective Equipment for Not applicable.

Fire-Fighters

6. ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Use only competent persons for cleanup.

Environmental Precautionary

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

Absorption

Isolate area and remove sources of friction, impact, heat, low level electrical current,

and RF energy. Remove ignition sources and work with non-sparking tools.

7. HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Do NOT consume food, drink, or tobacco

in contaminated areas. Wash hands after use. Launder contaminated clothing before

reuse.

Storage Information Store only in ATF approved magazines. Keep away from friction, impact, and heat.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area.

Respiratory Protection Dust/mist respirator. (N95, P2/P3)

Hand Protection Cloth gloves.

Skin Protection Cotton coveralls, undergarments, and socks. Conductive soled shoes.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

9. PHYSICAL AND CHEMICAL PROPERTIES

Solid **Physical State:** Metallic Color: Odor: Odorless pH: Not Determined Specific Gravity @ 20 C (Water=1): Not Determined Density @ 20 C (kg/l): Not Determined Bulk Density @ 20 C (kg/m³): Not Determined **Boiling Point/Range (C):** Not Determined Freezing Point/Range (C): Not Determined Pour Point/Range (C): Not Determined Flash Point/Range (C): Not Determined Flash Point Method: Not Determined **Autoignition Temperature (C):** Not Determined Flammability Limits in Air - Lower (g/m³): Not Determined Flammability Limits in Air - Lower (%): Not Determined Flammability Limits in Air - Upper (g/m³): Not Determined Flammability Limits in Air - Upper (%): Not Determined Vapor Pressure @ 20 C (mmHg): Not Determined Not Determined Vapor Density (Air=1):

DETONATOR, RED SLICK LINE, TOP FIRE Page 3 of 7

PHYSICAL AND CHEMICAL PROPERTIES

Percent Volatiles: Not Determined **Evaporation Rate (Butyl Acetate=1):** Not Determined Insoluble

Solubility in Water (g/100ml):

Not Determined Solubility in Solvents (g/100ml): VOCs (g/l): Not Determined Viscosity, Dynamic @ 20 C (centipoise): Not Determined Viscosity, Kinematic @ 20 C (centistokes): Not Determined Partition Coefficient/n-Octanol/Water: Not Determined Not Determined Molecular Weight (g/mole): **Decomposition Temperature (C):** Not Determined

STABILITY AND REACTIVITY

Stability Data: Stable

Will Not Occur **Hazardous Polymerization:**

Conditions to Avoid May detonate with friction, impact, heat, and low level electrical current.

Incompatibility (Materials to

Avoid)

Strong acids. Strong alkalis.

Hazardous Decomposition

Products

Shrapnel. Oxides of nitrogen. Metal oxides. Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

TOXICOLOGICAL INFORMATION

Eye or skin contact, inhalation. Product does not present exposures health hazards **Principle Route of Exposure**

during normal handling and use. However, this product is an explosive material and uncontrolled detonation may cause severe physical injury including death. All explosives are dangerous and must be handles carefully and used following approved safety procedures under the direction of competent, experience persons in

accordance with all applicable regulations and ordinances.

Sympotoms related to exposure

Inhalation May cause central nervous system depression including headache, dizziness,

drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and

unconsciousness.

May cause damage to the nervous, urinary, and reproductive systems. May cause effects to the blood and blood system. Nitrogen oxides generated during use are

irritating to the respiratory system.

Skin Contact May be absorbed through the skin and contribute to the symptoms listed under

ingestion. Nitrogen oxides generated during use are skin irritants.

Eye Contact May cause eye irritation.

Ingestion May cause abdominal pain, vomiting, nausea, and diarrhea.

Aggravated Medical Conditions None known.

Prolonged or repeated exposure may cause blood forming system, nervous, urinary **Chronic Effects/Carcinogenicity**

tract and reproductive system damage. Prolonged or repeated exposure may cause

embryo and fetus toxicity.

Other Information None known.

Toxicity Tests

DETONATOR, RED SLICK LINE, TOP FIRE Page 4 of 7

Oral Toxicity: Not determined

Dermal Toxicity: Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive / Not determined

Developmental Toxicity:

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Not determined

Bio-accumulation Not determined

Ecotoxicological Information

Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity: Not determined

Chemical Fate Information Not determined

13. DISPOSAL CONSIDERATIONS

Disposal Method Disposal should be made in accordance with federal, state, and local regulations.

Contaminated PackagingDo NOT reuse container. Store only in ATF approved magazines.

Not applicable

14. TRANSPORT INFORMATION

Land Transportation

Other Information

ADR

UN0255, Detonators, Electric, 1.4B, II EX1995010044

Air Transportation

ICAO/IATA

UN0255, Detonators, Electric, 1.4B, II EX1995010044

Sea Transportation

IMDG

Other Transportation Information

Labels: Explosive 1.4B

15. REGULATORY INFORMATION

Chemical Inventories

Australian AICS Inventory New Zealand Inventory of

Chemicals

US TSCA Inventory EINECS Inventory

All components listed on inventory or are exempt.

This product does not comply with NZIOC

All components listed on inventory or are exempt.

This product, and all its components, complies with EINECS

Classification E - Explosive.

T - Toxic.

Risk PhrasesR2 Risk of explosion by shock, fire, friction, or other sources of ignition.

R3 Extreme risk of explosion by shock, friction, fire, or other sources of ignition.

R61 May cause harm to the unborn child. R62 Possible risk of impaired fertility.

R20/22 Harmful by inhalation and if swallowed.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Safety Phrases S53 Avoid exposure - obtain special instructions before use.

S2 Keep out of reach of children.

S16 Keep away from sources of ignition - No Smoking.

S33 Take precautionary measures against static discharges.

S34 Avoid shock and friction.

S45 In case of accident or if you feel unwell, seek medical advice immediately.
S60 This material and/or its container must be disposed of as hazardous waste.
S61 Avoid release to the environment. Pefer to special instructions/Safety data.

S61 Avoid release to the environment. Refer to special instructions/Safety data

sheets.

16. OTHER INFORMATION

The following sections have been revised since the last issue of this SDS Not applicable

Contact

Australian Poisons Information Centre

24 Hour Service: - 13 11 26

Police or Fire Brigade: - 000 (exchange): - 1100

New Zealand National Poisons Centre

0800 764 766

Additional Information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS