

 Product name:
 DP-LUBRICANT RED
 Page:
 1/8

 Revision Date:
 2015-01-15
 Print date:
 2015-01-15

 Document No.:
 M0019
 SDS-ID:
 AU-EN/12.0

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name: DP-LUBRICANT RED

Cat. No. 40700025, 40700057, 40700058

Container size: 1; 5; 10 l

Relevant identified uses of the substance or mixture and uses advised against

<u>Application:</u> For materialographic polishing

Details of the supplier of the safety data sheet

Supplier: Struers Australia

27 Mayneview Street Milton QLD 4064, Australia

Responsible for safety data Responsible for safety data sheet authoring: DHI

sheet authoring: Any questions to the contents of this safety data sheet should be sent to:

Chemical.info@struers.dk

**Emergency telephone number** 

Emergency telephone: +61 7 3512 9600

(Only during office hours)

## **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

The product is not classified. 67/548/EEC / 1999/45/EC: -

GHS:

**Label elements** 

The substance/mixture does not meet the criteria for classification in accordance with the hazard criteria of the National Model Regulation for the control of workplace hazard substances and the MSDS contains all the information required by the National Model Regulation for the control of workplace hazard

substances.

Other hazards

PBT/vPvB: Not relevant.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Mixtures**

The product contains: lubricants and water.

 Product name:
 DP-LUBRICANT RED
 Page:
 2/8

 Revision Date:
 2015-01-15
 Print date:
 2015-01-15

 Document No.:
 M0019
 SDS-ID:
 AU-EN/12.0

67/548/EEC:

REACH Reg. Chemical name: Hazard classification: <u>%:</u> CAS-No.: EC No.: Notes: No: H; L 1-5 64741-88-4 265-090-8 Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil-unspecified Red dye (C. I. Acid Red 211) N;R51-53 <0,1 67109-27-7 266-577-8 95-99 7732-18-5 231-791-2 Water Notes: DMSO-content < 3%

GHS:

<u>%:</u> CAS-No.: EC No.: REACH Reg. Chemical name: **Hazard classification:** Notes: No: 1-5 64741-88-4 265-090-8 Distillates (petroleum), H; L solvent-refined heavy paraffinic; Baseoil-unspecified Red dye (C. I. Acid Red 211) Aquatic Chronic 2;H411 <0,1 67109-27-7 266-577-8 95-99 7732-18-5 Water 231-791-2

Notes: DMSO-content < 3%

References: The full text for all R-phrases and hazard statements are displayed in section 16.

## **SECTION 4: FIRST AID MEASURES**

#### **Description of first aid measures**

<u>Inhalation:</u> Move into fresh air and keep at rest.

Skin contact: Remove contaminated clothes and rinse skin thoroughly with water.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact

lenses and open eyelids widely. If irritation persists: Seek medical attention and

bring these instructions.

<u>Ingestion:</u> Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable take to hospital along with these

instructions.

## Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

## Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

 Product name:
 DP-LUBRICANT RED
 Page:
 3/8

 Revision Date:
 2015-01-15
 Print date:
 2015-01-15

 Document No.:
 M0019
 SDS-ID:
 AU-EN/12.0

#### **SECTION 5: FIREFIGHTING MEASURES**

Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Special hazards arising from the substance or mixture

Specific hazards: No specific precautions.

Advice for firefighters

<u>Protective equipment for</u> Selection of respiratory protection for fire fighting: follow the general fire

<u>fire-fighters:</u> precautions indicated in the workplace.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Avoid contact with skin and eyes.

**Environmental precautions** 

<u>Environmental</u> Avoid discharge into water courses or onto the ground.

precautions:

Methods and material for containment and cleaning up

Spill Cleanup Methods: Dam and absorb spillage with sand, sawdust or other absorbent.

Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

## **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling

<u>Safe handling advice:</u> Avoid contact with skin and eyes. Observe good chemical hygiene practices.

Technical measures: Work practice should minimise contact.

<u>Technical precautions:</u> Local exhaust is recommended.

Conditions for safe storage, including any incompatibilities

Technical measures for safe No special precautions.

storage:

Storage conditions: Store in tightly closed original container. Store at room temperature.

Specific end use(s)

Specific use(s): Not relevant.

 Product name:
 DP-LUBRICANT RED
 Page:
 4/8

 Revision Date:
 2015-01-15
 Print date:
 2015-01-15

 Document No.:
 M0019
 SDS-ID:
 AU-EN/12.0

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Occupational exposure limits:

CAS-No.: Chemical name: As: Exposure limits: Type: Notes: References:

- Oil mist, refined mineral - 5 mg/m3 TWA - NOHSC

**Exposure controls** 

Engineering measures: Provide adequate ventilation. Observe occupational exposure limits and

minimise the risk of inhalation.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation or risk of inhalation of oil mist, suitable

respiratory equipment with combination filter (type A2/P3) can be used.

<u>Hand protection:</u> Risk of contact: Wear protective gloves. Nitrile gloves are recommended.

Eye protection: Risk of splashes: Wear goggles/face shield.

Skin protection: No special precautions.

Environmental Exposure

Controls:

Not available.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## Information on basic physical and chemical properties

Appearance: red liquid

Odour: Odourless.

pH: 9,0-9,5

Melting point: 0°C

Boiling point: 102°C

Flash point: Not available.

Explosion limits: Not available.

Vapour pressure: 17 mmHg

Relative density: 1,0

Soluble in: solvents and water

Other information

Other data: Volatile Organic Compound (VOC): 0 g/l (calculated)

 Product name:
 DP-LUBRICANT RED
 Page:
 5/8

 Revision Date:
 2015-01-15
 Print date:
 2015-01-15

 Document No.:
 M0019
 SDS-ID:
 AU-EN/12.0

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Reactivity: None known.

**Chemical stability** 

<u>Stability:</u> Stable under normal temperature conditions.

Possibility of hazardous reactions

Hazardous Reactions: None known.

Conditions to avoid

Conditions/materials to avoid: None specific.

**Incompatible materials** 

<u>Incompatible materials:</u> None known.

Hazardous decomposition products

<u>Hazardous decomposition</u> None in particular.

products:

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### Information on toxicological effects

Inhalation: Not relevant at normal room temperatures. When heated, irritating vapours may

be formed.

<u>Skin contact:</u> Prolonged contact may cause redness and irritation.

<u>Eye contact:</u> Splashes may irritate.

Ingestion: No harmful effects expected in amounts likely to be ingested by accident.

Specific effects:

Carcinogenicity:

National Toxicology Program (NTP): No.

I.A.R.C. Monographs: No.

 Product name:
 DP-LUBRICANT RED
 Page:
 6/8

 Revision Date:
 2015-01-15
 Print date:
 2015-01-15

 Document No.:
 M0019
 SDS-ID:
 AU-EN/12.0

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity** 

Ecotoxicity: The product contains a small amount of a substance which is very toxic to

aquatic organisms.

Persistence and degradability

<u>Degradability:</u> The product is 80% biodegradable.

Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

Mobility in soil

Mobility: No data available.

Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

Other adverse effects

Other adverse effects: None known.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

Waste from residues: EWC-code: 16 05 09

## **SECTION 14: TRANSPORT INFORMATION**

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADG).

**UN number** 

<u>UN-No:</u>

UN proper shipping name

Proper Shipping Name:

Transport hazard class(es)

<u>Class:</u> -

Packing group

PG: -

**Environmental hazards** 

Marine pollutant: -

Environmentally Hazardous

substance:

Special precautions for user

<u>Special precautions:</u> None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

<u>Transport in bulk:</u> Not relevant.

 Product name:
 DP-LUBRICANT RED
 Page:
 7/8

 Revision Date:
 2015-01-15
 Print date:
 2015-01-15

 Document No.:
 M0019
 SDS-ID:
 AU-EN/12.0

#### **SECTION 15: REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>Special provisions:</u> AICS: Listed.

National regulation: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of

18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

National Standard: Approved criteria for classifying hazardous substances

[NOHSC:1008(2004)]. 3rd Edition.

2000/21/EC, including amendments.

National Code of Practice for the preparation of material safety data sheets 2nd

edition [NOHSC:2011(2003)].

National Exposure Standard [NOHSC:1003(1995)].

The Industrial Chemicals (Notification and Assessment) Act 1989

(Commonwealth), including listing on the Australian Inventory of Chemical

Substances (AICS).

Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with

amendments.

#### **Chemical Safety Assessment**

<u>CSA status:</u> Not relevant.

 Product name:
 DP-LUBRICANT RED
 Page:
 8/8

 Revision Date:
 2015-01-15
 Print date:
 2015-01-15

 Document No.:
 M0019
 SDS-ID:
 AU-EN/12.0

#### **SECTION 16: OTHER INFORMATION**

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: -

The (\*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Additional information: Classification according to Regulation (EC) No. 1272/2008:

Calculation method.

Wording of R-phrases and

H-statements:

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

H411 Toxic to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.