

MATERIAL SAFETY DATA SHEET

Product Trade Name: DUAL SPACER MIXING AID LXP

Revision Date: 04-Jan-2011

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: DUAL SPACER MIXING AID LXP

Synonyms: None Chemical Family: Blend

Application: Cement Additive

Manufacturer/Supplier Halliburton Energy Services

P.O. Box 1431

Duncan, Oklahoma 73536-0431 Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Polyisobutylene	9003-27-4	1 - 5%	Not applicable	Not applicable
Hydrotreated light petroleum distillate	64742-47-8	30 - 60%	Not applicable	Not applicable

3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye, skin, and respiratory irritation. May cause headache, dizziness, and

other central nervous system effects. May be harmful if swallowed. Combustible.

4. FIRST AID MEASURES

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Skin Wash with soap and water. Get medical attention if irritation persists.

Eyes In case of contact, immediately flush eyes with plenty of water for at least 15 minutes

and get medical attention if irritation persists.

Ingestion Get medical attention! If vomiting occurs, keep head lower than hips to prevent

aspiration.

Notes to Physician Not Applicable

FIRE FIGHTING MEASURES

Flash Point/Range (F): 160 Flash Point/Range (C): 71 Flash Point Method: **PMCC Autoignition Temperature (F):** 420 Autoignition Temperature (C): 215 Flammability Limits in Air - Lower (%): 1.3 Flammability Limits in Air - Upper (%): 8.1

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical.

Decomposition in fire may produce toxic gases. Special Exposure Hazards

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for fire

Fire-Fighters fighting personnel.

NFPA Ratings: Health 1, Flammability 2, Reactivity 0 **HMIS Ratings:** Health 1, Flammability 2, Reactivity 0

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment.

Environmental Precautionary

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials.

Absorption Scoop up and remove.

HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Avoid breathing vapors.

Store away from oxidizers. Store in a cool well ventilated area. Keep container closed Storage Information

when not in use.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area. Local exhaust ventilation should be used in areas without

good cross ventilation.

Respiratory Protection Organic vapor respirator with a dust/mist filter.

Hand Protection Impervious rubber gloves.

Skin Protection Rubber apron.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions Eyewash fountains and safety showers must be easily accessible.

PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Light brown Odor: Mineral oil Not Determined pH:

Specific Gravity @ 20 C (Water=1): 1.013 Density @ 20 C (lbs./gallon): 8.44

Bulk Density @ 20 C (lbs/ft3): Not Determined

> **DUAL SPACER MIXING AID LXP** Page 2 of 6

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point/Range (F): 408
Boiling Point/Range (C): 208

Freezing Point/Range (F):

Freezing Point/Range (C):

Not Determined

Not Determined

Vapor Pressure @ 20 C (mmHg):0.2Vapor Density (Air=1):5.3Percent Volatiles:50.1Evaporation Rate (Butyl Acetate=1):< 0.01</td>Solubility in Water (g/100ml):Insoluble

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistokes):

Partition Coefficient/n-Octanol/Water:

Molecular Weight (g/mole):

Not Determined

Not Determined

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None anticipated

Incompatibility (Materials to

Avoid)

Strong oxidizers.

Hazardous Decomposition

Products

Toxic fumes. Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Inhalation May cause central nervous system depression including headache, dizziness,

drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and

unconsciousness.

Skin Contact May cause skin defatting with prolonged exposure.

Eye Contact May cause eye irritation.

Ingestion Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty

breathing, wheezing, coughing up blood and pneumonia, which can be fatal.

Aggravated Medical Conditions None known.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are

chronic health hazards.

Other Information None known.

Toxicity Tests

Oral Toxicity: Not determined

Dermal Toxicity: Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive / **Developmental Toxicity:**

Not determined

ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Slowly biodegradable

Bio-accumulation Not determined

Ecotoxicological Information

Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined **Acute Algae Toxicity:** Not determined

Chemical Fate Information Not determined

Other Information Not applicable

DISPOSAL CONSIDERATIONS

Disposal Method Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

DOT

Not restricted

DOT (Bulk)

NA1993, Combustible Liquid, N.O.S., Combustible Liquid, III (Contains Mineral Oil)

Canadian TDG

Not restricted

ADR

Not restricted

Air Transportation

ICAO/IATA

Not restricted

Sea Transportation

IMDG

Not restricted

Other Transportation Information

Labels: None

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard Class Acute Health Hazard

Fire Hazard

EPA SARA (313) Chemicals

This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund Reportable Spill Quantity

Not applicable.

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as

defined by the US EPA.

California Proposition 65 The California Proposition 65 regulations apply to this product.

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class

B3 Combustible Liquids

B3 Taylia Materials

D2B Toxic Materials

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS

Not applicable

Additional Information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Material Safety Data Sheet for this or other Halliburton

products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement This information is furnished without warranty, expressed or implied, as to accuracy or

completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of

the user.

END OF MSDS

DUAL SPACER MIXING AID LXP

Page 5 of 6