### **HALLIBURTON**

# MATERIAL SAFETY DATA SHEET

**Product Trade Name:** DUAL SPACER SURFACTANT MODIFIED

**Revision Date:** 02-Jan-2013

# CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**DUAL SPACER SURFACTANT MODIFIED Product Trade Name:** 

Synonyms: None **Chemical Family: Blend** Application: Surfactant

Manufacturer/Supplier Halliburton Energy Services

P.O. Box 1431

Duncan, Oklahoma 73536-0431 Emergency Telephone: (281) 575-5000

Chemical Compliance Prepared By

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

# **COMPOSITION/INFORMATION ON INGREDIENTS**

Substances	<b>CAS Number</b>	PERCENT	<b>ACGIH TLV-TWA</b>	OSHA PEL-TWA
Isopropanol	67-63-0	5 - 10%	200 ppm	400 ppm
Ethoxylated nonylphenol		30 - 60%	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	10 - 30%	20 ppm	50 ppm

# HAZARDS IDENTIFICATION

**Hazard Overview** May cause eye, skin, and respiratory irritation. May cause headache, dizziness, and

> other central nervous system effects. May be harmful if swallowed. May be absorbed through the skin. Repeated overexposure may cause liver and kidney effects.

Flammable.

# **FIRST AID MEASURES**

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least 15

minutes. Get medical attention. Remove contaminated clothing and launder before

reuse.

**Eyes** In case of contact, or suspected contact, immediately flush eyes with plenty of water

for at least 15 minutes and get medical attention immediately after flushing.

Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek Ingestion

medical attention. Never give anything by mouth to an unconscious person.

Not Applicable **Notes to Physician** 

#### **FIRE FIGHTING MEASURES**

Flash Point/Range (F): 100 Flash Point/Range (C): 37

**Flash Point Method:** Not Determined **Autoignition Temperature (F):** Not Determined **Autoignition Temperature (C):** Not Determined Flammability Limits in Air - Lower (%): Not Determined Flammability Limits in Air - Upper (%): Not Determined

Water fog, carbon dioxide, foam, dry chemical. Fire Extinguishing Media

**Special Exposure Hazards** May be ignited by heat, sparks or flames. Use water spray to cool fire exposed

surfaces. Closed containers may explode in fire. Decomposition in fire may produce

toxic gases.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

**NFPA Ratings:** Health 2, Flammability 2, Reactivity 0 Health 2, Flammability 2, Reactivity 0 **HMIS Ratings:** 

# ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment.

**Environmental Precautionary** 

**Measures** 

Prevent from entering sewers, waterways, or low areas.

**Procedure for Cleaning /** 

**Absorption** 

Isolate spill and stop leak where safe. Remove ignition sources and work with nonsparking tools. Contain spill with sand or other inert materials. Scoop up and

remove.

# HANDLING AND STORAGE

**Handling Precautions** Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after

use. Launder contaminated clothing before reuse.

Store away from oxidizers. Store in a cool well ventilated area. Keep container **Storage Information** 

closed when not in use.

# **EXPOSURE CONTROLS/PERSONAL PROTECTION**

Use in a well ventilated area. Local exhaust ventilation should be used in areas **Engineering Controls** 

without good cross ventilation.

Organic vapor respirator. **Respiratory Protection** 

**Hand Protection** Impervious rubber gloves.

**Skin Protection** Rubber apron.

Chemical goggles; also wear a face shield if splashing hazard exists. **Eye Protection** 

**Other Precautions** Eyewash fountains and safety showers must be easily accessible.

#### PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Liquid

Color: Clear light yellow

Odor: Mild

Not Determined

Specific Gravity @ 20 C (Water=1): Density @ 20 C (lbs./gallon): 8.33

Bulk Density @ 20 C (lbs/ft3): Not Determined **Boiling Point/Range (F):** Not Determined **Boiling Point/Range (C):** Not Determined Freezing Point/Range (F): Not Determined Freezing Point/Range (C): Not Determined Vapor Pressure @ 20 C (mmHg): Not Determined Vapor Density (Air=1): Not Determined **Percent Volatiles:** Not Determined **Evaporation Rate (Butyl Acetate=1):** Not Determined

Solubility in Water (g/100ml): Miscible

Solubility in Solvents (q/100ml): Not Determined VOCs (lbs./gallon): Not Determined Viscosity, Dynamic @ 20 C (centipoise): Not Determined Viscosity, Kinematic @ 20 C (centistokes): Not Determined Partition Coefficient/n-Octanol/Water: Not Determined Molecular Weight (g/mole): Not Determined

#### STABILITY AND REACTIVITY

**Stability Data:** Stable

**Hazardous Polymerization:** Will Not Occur

**Conditions to Avoid** None anticipated

Incompatibility (Materials to

Avoid)

Strong oxidizers.

**Hazardous Decomposition** 

**Products** 

Oxides of nitrogen. Oxides of sulfur. Carbon monoxide and carbon dioxide.

**Additional Guidelines** Not Applicable

# **TOXICOLOGICAL INFORMATION**

**Principle Route of Exposure** Eye or skin contact, inhalation.

May cause central nervous system depression including headache, dizziness, Inhalation

drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and

unconsciousness.

May cause respiratory irritation.

**Skin Contact** May cause severe skin irritation. May be absorbed through the skin and produce

effects similar to those caused by inhalation and/or ingestion.

**Eye Contact** May cause severe eye irritation. May cause corneal injury.

Irritation of the mouth, throat, and stomach. May cause abdominal pain, vomiting, Ingestion

> nausea, and diarrhea. May cause central nervous system depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatique blurred vision, slurred speech, giddiness, tremors and

convulsions.

Aggravated Medical Conditions Skin disorders. Lung disorders.

**Chronic Effects/Carcinogenicity** Prolonged or repeated exposure may cause kidney, lung and blood effects.

Prolonged or repeated exposure may cause fetal damage and testicular effects.

Other Information None known.

**Toxicity Tests** 

Oral Toxicity: Not determined

**Dermal Toxicity:** Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive /

**Developmental Toxicity:** 

# 12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Not determined

Bio-accumulation Not determined

# **Ecotoxicological Information**

Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity: Not determined

Chemical Fate Information Not determined

Other Information Not applicable

#### 13. DISPOSAL CONSIDERATIONS

**Disposal Method**Disposal should be made in accordance with federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

Not determined

# 14. TRANSPORT INFORMATION

#### **Land Transportation**

#### DOT

UN1993,Flammable Liquid, N.O.S.(Contains Isopropanol), 3, III, (38 C) NAERG 128

#### **Canadian TDG**

Flammable Liquid, N.O.S.(Contains Isopropanol), 3, UN1993, III, (38 C)

#### **ADR**

UN1993, Flammable Liquid, N.O.S. (Contains Isopropanol), 3, III

# **Air Transportation**

#### ICAO/IATA

UN1993,Flammable Liquid, N.O.S., 3, III (Contains Isopropanol)

#### Sea Transportation

#### **IMDG**

UN1993,Flammable Liquid, N.O.S.(Contains Isopropanol), 3, III, (38 C) EmS F-E, S-E

# **Other Transportation Information**

Labels: Flammable Liquid

#### 15. REGULATORY INFORMATION

## **US Regulations**

**US TSCA Inventory** All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard Class

Acute Health Hazard Chronic Health Hazard

Fire Hazard

EPA SARA (313) Chemicals

This product contains toxic chemical(s) listed below which is(are) subject to the reporting requirements of Section 313 of Title III of SARA and 40 CFR Part 372:

Glycol Ethers//111-76-2 Isopropanol//67-63-0

Ethoxylated Nonylphenol (9016-45-9)

EPA CERCLA/Superfund Reportable Spill Quantity

Not applicable.

**EPA RCRA Hazardous Waste** 

Classification

If product becomes a waste, it does meet the criteria of a hazardous waste as defined by the US EPA, because of:

Ignitability D001

**California Proposition 65** All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

**DUAL SPACER SURFACTANT MODIFIED** 

Page 5 of 6

# **Canadian Regulations**

**Canadian DSL Inventory** All components listed on inventory or are exempt.

WHMIS Hazard Class B3 Combustible Liquids

D2B Toxic Materials

# 16. OTHER INFORMATION

# The following sections have been revised since the last issue of this MSDS

Not applicable

**Additional Information** For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Material Safety Data Sheet for this or other Halliburton

products, contact Chemical Compliance at 1-580-251-4335.

**Disclaimer Statement** This information is furnished without warranty, expressed or implied, as to accuracy

or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of

the user.

\*\*\*END OF MSDS\*\*\*