

 Product name:
 DUROCIT POWDER
 Page:
 1/8

 Revision Date:
 2015-03-16
 Print date:
 2015-03-16

 Document No.:
 M0167
 SDS-ID:
 US-EN/9.1

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name: DUROCIT POWDER

Cat. No. 40200095, 40200081 (*)

Container size: 570 g, 3 kg (*)

Relevant identified uses of the substance or mixture and uses advised against

<u>Application:</u> For embedding of materialographic specimens

Details of the supplier of the safety data sheet

Supplier: Struers A/S

Pederstrupvej 84 DK-2750 Ballerup Tel:+45 44 600 800

Responsible for material safety data sheet authoring: DHI

safety data sheet authoring: Any questions to the contents of this material safety data sheet should be sent to:

Chemical.info@struers.dk

Emergency telephone number

Emergency telephone: Infotrac:

1-800-535-5053 Struers US: 1-440-871-0071

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

The product is not classified.

67/548/EEC / 1999/45/EC: -

OSHA 2012: -

Label elements

The substance/mixture does not meet the criteria for classification, but the

following labelling must be applied:

Contains Dibenzoyl peroxide. May produce an allergic reaction.

Safety data sheet available on request.

NFPA Rating: Health:1 Fire:0 Reactivity:0 Other:-

Other hazards

Fine particles may form explosive vapor/air mixtures. May cause minor irritation on skin contact. The product contains a small amount of sensitizing substance which may provoke an allergic reaction among sensitive individuals.

PBT/vPvB: Not relevant.

 Product name:
 DUROCIT POWDER
 Page:
 2/8

 Revision Date:
 2015-03-16
 Print date:
 2015-03-16

 Document No.:
 M0167
 SDS-ID:
 US-EN/9.1

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

The product contains: fillers and hardener.

67/548/EEC:

| <u>%:</u> | CAS-No.: | EC No.: | REACH Reg. No: | <u>Chemical name:</u> | Hazard classification: | Notes: |
|-----------|-----------|-----------|---------------------------|----------------------------|------------------------|--------|
| 50-75 | 1344-28-1 | 418-390-1 | - | Aluminium oxide | - | |
| 10-25 | 7631-86-9 | 231-545-4 | 01-2119379499- 16-xxxx | Silicon dioxide, amorphous | - | |
| <1 | 94-36-0 | 202-327-6 | - | Dibenzoyl peroxide | E;R3 O;R7 Xi;R36 R43 | |

OSHA 2012:

| <u>%:</u> | CAS-No.: | EC No.: | REACH Reg. No: | Chemical name: | Hazard classification: | Notes: |
|-----------|-----------|-----------|---------------------------|----------------------------|--|--------|
| 50-75 | 1344-28-1 | 418-390-1 | - | Aluminium oxide | - | |
| 10-25 | 7631-86-9 | 231-545-4 | 01-2119379499- 16-xxxx | Silicon dioxide, amorphous | - | |
| <1 | 94-36-0 | 202-327-6 | - | Dibenzoyl peroxide | Org. Perox. B;H241 Eye Irrit. 2;H319 Skin Sens. 1;H317 | |

References: The full text for all R-phrases and hazard statements are displayed in section 16.

SECTION 4: FIRST AID MEASURES

Description of first aid measures

Inhalation: Move injured person into fresh air and keep person calm under observation. If

uncomfortable: Seek hospital and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of eczema or other skin disorders: Seek medical attention and bring

these instructions.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact

lenses and open eyelids widely. If irritation persists: Seek medical attention and

bring these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable take to hospital along with these

instructions. Do not induce vomiting.

Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

 Product name:
 DUROCIT POWDER
 Page:
 3/8

 Revision Date:
 2015-03-16
 Print date:
 2015-03-16

 Document No.:
 M0167
 SDS-ID:
 US-EN/9.1

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Special hazards arising from the substance or mixture

Specific hazards: No specific precautions.

Advice for firefighters

<u>Protective equipment for</u> Selection of respiratory protection for fire fighting: follow the general fire

<u>fire-fighters:</u> precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Avoid contact with skin and eyes. Avoid inhalation of dust.

Environmental precautions

<u>Environmental</u> Avoid discharge into drains, water courses or onto the ground.

precautions:

Methods and material for containment and cleaning up

Spill Cleanup Methods: Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel,

broom or the like.

Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

<u>Safe handling advice:</u> Observe good chemical hygiene practices. Avoid inhalation of dust and contact

with skin and eyes.

<u>Technical measures:</u> Avoid spreading dust.

<u>Technical precautions:</u> Local exhaust is recommended.

Conditions for safe storage, including any incompatibilities

Technical measures for safe No special precautions.

storage:

Storage conditions: Store in closed original container in a dry place.

Specific end use(s)

Specific use(s): Not relevant.

 Product name:
 DUROCIT POWDER
 Page:
 4/8

 Revision Date:
 2015-03-16
 Print date:
 2015-03-16

 Document No.:
 M0167
 SDS-ID:
 US-EN/9.1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits:

| CAS-No.: | Chemical name: | As: | Exposure limits: | Type: | Notes: | References: |
|-----------|---|-----|------------------|-------|--------|-------------|
| 1344-28-1 | α-Alumina, respirable fraction | - | 5 mg/m3 | TWA | - | OSHA |
| 94-36-0 | Benzoyl peroxide | - | 5 mg/m3 | TWA | - | OSHA |
| 1344-28-1 | α-Alumina, total dust | - | 15 mg/m3 | TWA | - | OSHA |
| - | Particulates not otherwise regulated (PNOR), total dust | - | 15 mg/m3 | TWA | - | OSHA |
| - | Particulates not otherwise regulated (PNOR), respirable fraction | - | 5 mg/m3 | TWA | - | OSHA |
| 94-36-0 | Benzoyl peroxide | - | 5 mg/m3 | TWA | A4 | ACGIH |
| - | Particles (Insoluble or Poorly Soluble), not Otherwise Specified, respirable particles | - | 3 mg/m3 | TWA | - | ACGIH |
| - | Particles (Insoluble or Poorly Soluble), not Otherwise Specified, inhalable particles | - | 10 mg/m3 | TWA | - | ACGIH |

Notes: A4: Not Classifiable as a Human Carcinogen.

Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and

minimize the risk of inhalation of dust. Local exhaust is recommended.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: During dust-raising work: Use respiratory equipment with particle filter, type P2.

Hand protection: Wear protective gloves. Laminate (PE/EVOH) gloves are recommended. The

most suitable glove must be chosen in consultation with the gloves supplier,

who can inform about the breakthrough time of the glove material.

Eye protection: Goggles/face shield are recommended.

Skin protection: Wear apron or protective clothing in case of contact.

Environmental Exposure

Controls:

Not available.

 Product name:
 DUROCIT POWDER
 Page:
 5/8

 Revision Date:
 2015-03-16
 Print date:
 2015-03-16

 Document No.:
 M0167
 SDS-ID:
 US-EN/9.1

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form: powder

Colour: green

Odor: Odorless.

Boiling point: 2230°C

Flash point: Not relevant.

Explosion limits: Not relevant.

Relative density: 1,26

Solubility: insoluble in water

Other information

Other data: Volatile Organic Compound (VOC): 0 g/l (calculated)

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Reactivity: None known.

Chemical stability

<u>Stability:</u> Stable under normal temperature conditions.

Possibility of hazardous reactions

Hazardous Reactions: None known.

Conditions to avoid

Conditions/materials to avoid: None specific.

Incompatible materials

<u>Incompatible materials:</u> None known.

Hazardous decomposition products

<u>Hazardous decomposition</u> None in particular.

products:

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

<u>Inhalation:</u> Dust may irritate throat and respiratory system and cause coughing.

Skin contact: Prolonged contact may cause redness and irritation.

<u>Eye contact:</u> Dust in the eyes will cause irritation.

<u>Ingestion:</u> May irritate and cause malaise.

Specific effects: May cause sensitization.

Carcinogenicity:

National Toxicology Program (NTP): No.

I.A.R.C. Monographs: No.

OSHA: No.

 Product name:
 DUROCIT POWDER
 Page:
 6/8

 Revision Date:
 2015-03-16
 Print date:
 2015-03-16

 Document No.:
 M0167
 SDS-ID:
 US-EN/9.1

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

<u>Ecotoxicity:</u> The environmental hazard of the product is considered to be limited.

Persistence and degradability

<u>Degradability:</u> The product consists mainly of inorganic compounds, which are not

biodegradable.

Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

Mobility in soil

Mobility: No data available.

Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Note that fully cured material is not considered as hazardous waste.

Waste from residues: EWC-code: 16 05 09

 Product name:
 DUROCIT POWDER
 Page:
 7/8

 Revision Date:
 2015-03-16
 Print date:
 2015-03-16

 Document No.:
 M0167
 SDS-ID:
 US-EN/9.1

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, DOT).

UN number

<u>UN-No:</u> -

UN proper shipping name

Proper Shipping Name: -

Transport hazard class(es)

<u>Class:</u> -

Packing group

PG: -

Environmental hazards

Marine pollutant: -

Environmentally Hazardous

substance:

Special precautions for user

<u>Special precautions:</u> None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

<u>Transport in bulk:</u> Not relevant.

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>Special provisions:</u> TSCA: Listed.

<u>National regulation:</u> Europe/USA:

This Material Safety Data Sheet has been prepared according to the

EU-regulation.

Threshold Limit Values (2014), ACGIH, by the American Conference on

Governmental Industrial Hygienists.

The Code of Federal Regulation, Title 29, part 1910. Occupational Safety and

Health Standards, Air contaminants (OSHA), with amendments.

Chemical Safety Assessment in compliance with Regulation (EC) No 1907/2006 (REACH)

CSA status: Not relevant.

 Product name:
 DUROCIT POWDER
 Page:
 8/8

 Revision Date:
 2015-03-16
 Print date:
 2015-03-16

 Document No.:
 M0167
 SDS-ID:
 US-EN/9.1

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1.

The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Additional information: Classification according to Regulation (EC) No. 1272/2008:

Calculation method.

Wording of H-statements:

R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.

R7 May cause fire.
R36 Irritating to eyes.

R43 May cause sensitisation by skin contact.

H241 Heating may cause a fire or explosion.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.