

SAFETY DATA SHEET



Product name:	DUROCIT-3 LIQUID II	Page:	1/10
Revision Date:	2014-12-12	Print date:	2014-12-12
Document No.:	M0191	SDS-ID:	GB-EN/1.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: DUROCIT-3 LIQUID II
Cat. No.40200095, 40200097

Container size: 150 ml, 1l

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: For embedding of materialographic specimens

1.3. Details of the supplier of the safety data sheet

Supplier: Struers A/S
Pederstrupvej 84
DK-2750 Ballerup
Tel:+45 44 600 800

Responsible for safety data sheet authoring: Responsible for safety data sheet authoring: DHI
Any questions to the contents of this safety data sheet should be sent to:
Chemical.info@struers.dk

1.4. Emergency telephone number

Emergency telephone: +45 44 600 800
(Only during office hours)

SAFETY DATA SHEET

Product name:	DUROCIT-3 LIQUID II	Page:	2/10
Revision Date:	2014-12-12	Print date:	2014-12-12
Document No.:	M0191	SDS-ID:	GB-EN/1.0

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

The product is classified:

67/548/EEC / 1999/45/EC: F;R11 Repr3;R63 Xn;R20 Xi;R37/38

GHS/CLP: Flam. Liq. 2;H225 - Skin Irrit. 2;H315 - Skin Sens. 1;H317 - Repr. 2;H361d - STOT SE 3;H335 - STOT RE 2;H373H

2.2. Label elements



Danger

<u>Contains:</u>	Methyl methacrylate Styrene
H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H373H	May cause damage to organs (hearing organs) through prolonged or repeated exposure.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe gas, fume, vapours or spray.
P280	Wear protective clothing, gloves, eye and face protection.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P501	Dispose of contents/container in accordance with local regulations.

2.3. Other hazards

The product is highly flammable, and explosive vapours/air mixtures may be formed even at normal room temperatures.

PBT/vPvB: Not relevant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: Methyl methacrylate and Styrene.

SAFETY DATA SHEET

Product name:	DUROCIT-3 LIQUID II			Page:	3/10
Revision Date:	2014-12-12			Print date:	2014-12-12
Document No.:	M0191			SDS-ID:	GB-EN/1.0

67/548/EEC:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
25-50	80-62-6	201-297-1	-	Methyl methacrylate	F;R11 R43 Xi;R37/38	D
5-<10	100-42-5	202-851-5	-	Styrene	R10 Repr3; R63 Xn;R20-48/20 Xi;R36/38	D
<1	99-97-8	202-805-4	-	N,N-Dimethyl-p-toluidine	T;R23/24/25 R33 R52-53	C

GHS/CLP:

<u>%:</u>	<u>CAS-No.:</u>	<u>EC No.:</u>	<u>REACH Reg. No:</u>	<u>Chemical name:</u>	<u>Hazard classification:</u>	<u>Notes:</u>
25-50	80-62-6	201-297-1	-	Methyl methacrylate	Flam. Liq. 2;H225 STOT SE 3;H335 Skin Irrit. 2;H315 Skin Sens. 1;H317	D
5-<10	100-42-5	202-851-5	-	Styrene	Flam. Liq. 3;H226 Repr. 2;H361d Acute Tox. 4;H332 STOT RE 1;H372H Eye Irrit. 2;H319 Skin Irrit. 2;H315	D
<1	99-97-8	202-805-4	-	N,N-Dimethyl-p-toluidine	Acute Tox. 3;H331 Acute Tox. 3;H311 Acute Tox. 3;H301 STOT RE 2;H373 Aquatic Chronic 3;H412	C

References:

The full text for all R-phrases and hazard statements are displayed in section 16.

SAFETY DATA SHEET

Product name:	DUROCIT-3 LIQUID II	Page:	4/10
Revision Date:	2014-12-12	Print date:	2014-12-12
Document No.:	M0191	SDS-ID:	GB-EN/1.0

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

Inhalation: Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and bring these instructions.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Continue flushing during transport to hospital. Bring these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

5.2. Special hazards arising from the substance or mixture

Specific hazards: During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective equipment for fire-fighters: Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid inhalation of vapours and contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with non-combustible, absorbent material.

6.4. Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

SAFETY DATA SHEET

Product name:	DUROCIT-3 LIQUID II	Page:	5/10
Revision Date:	2014-12-12	Print date:	2014-12-12
Document No.:	M0191	SDS-ID:	GB-EN/1.0

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Avoid inhalation of vapours and contact with skin and eyes.

Technical measures: Use work methods which minimise aerosol production. Do not smoke or use open fire or other sources of ignition. Do not eat, drink or smoke when using the product.

Technical precautions: Local exhaust is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures for safe storage: Follow rules for flammable liquids.

Storage conditions: Store in tightly closed original container in a dry and cool place.

7.3. Specific end use(s)

Specific use(s): Not relevant.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

<u>CAS-No.:</u>	<u>Chemical name:</u>	<u>As:</u>	<u>Exposure limits:</u>		<u>Type:</u>	<u>Notes:</u>	<u>References:</u>	
80-62-6	Methyl methacrylate	-	50	ppm	208 mg/m ³	TWA	-	EH40
		-	100	ppm	416 mg/m ³	STEL	15min	
100-42-5	Styrene	-	100	ppm	430 mg/m ³	TWA	-	EH40
		-	250	ppm	1080 mg/m ³	STEL	15min	

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours.

Personal protection: Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Respiratory equipment: In case of inadequate ventilation: Use respiratory equipment with gas filter, type A2.

Hand protection: Wear protective gloves. Laminate (PE/EVOH) gloves are recommended. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of splashes.

Hygiene measures: Remove contaminated clothing and wash the skin thoroughly with soap and water after work. When using do not eat, drink or smoke.

Environmental Exposure Controls: Not available.

SAFETY DATA SHEET

Product name:	DUROCIT-3 LIQUID II	Page:	6/10
Revision Date:	2014-12-12	Print date:	2014-12-12
Document No.:	M0191	SDS-ID:	GB-EN/1.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

<u>Appearance:</u>	light green liquid
<u>Odour:</u>	characteristic
<u>pH:</u>	Not available.
<u>Boiling point:</u>	100°C
<u>Flash point:</u>	12°C
<u>Explosion limits:</u>	2,1-12,5 vol%
<u>Vapour pressure:</u>	47 hPa (20°C)
<u>Relative density:</u>	1,05
<u>Solubility:</u>	Immiscible with water.

9.2. Other information

<u>Other data:</u>	Volatile Organic Compound (VOC): approx. 650 g/l (calculated)
--------------------	---

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

<u>Reactivity:</u>	None known.
--------------------	-------------

10.2. Chemical stability

<u>Stability:</u>	Stable under normal temperature conditions.
-------------------	---

10.3. Possibility of hazardous reactions

<u>Hazardous Reactions:</u>	None known.
-----------------------------	-------------

10.4. Conditions to avoid

<u>Conditions/materials to avoid:</u>	Avoid exposure to high temperatures or direct sunlight. Avoid contact with oxidising agents.
---------------------------------------	--

10.5. Incompatible materials

<u>Incompatible materials:</u>	None known.
--------------------------------	-------------

10.6. Hazardous decomposition products

<u>Hazardous decomposition products:</u>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
--	--

SAFETY DATA SHEET

Product name:	DUROCIT-3 LIQUID II	Page:	7/10
Revision Date:	2014-12-12	Print date:	2014-12-12
Document No.:	M0191	SDS-ID:	GB-EN/1.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

<u>Inhalation:</u>	Vapours may irritate throat and respiratory system and cause coughing. In high concentrations, vapours are narcotic and may cause headache, fatigue, dizziness and nausea.
<u>Skin contact:</u>	Causes skin irritation. May cause an allergic skin reaction.
<u>Eye contact:</u>	Direct contact may irritate.
<u>Ingestion:</u>	May irritate and cause malaise.
<u>Specific effects:</u>	Suspected of damaging the unborn child. May cause damage to organs (hearing organs) through prolonged or repeated exposure.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

<u>Ecotoxicity:</u>	The product contains a substance which causes risk of hazardous effects to the environment.
---------------------	---

12.2. Persistence and degradability

<u>Degradability:</u>	The degradability of the product has not been stated.
-----------------------	---

12.3. Bioaccumulative potential

<u>Bioaccumulative potential:</u>	No data available on bioaccumulation.
-----------------------------------	---------------------------------------

12.4. Mobility in soil

<u>Mobility:</u>	No data available.
------------------	--------------------

12.5. Results of PBT and vPvB assessment

<u>PBT/vPvB:</u>	Not relevant.
------------------	---------------

12.6. Other adverse effects

<u>Other adverse effects:</u>	The product contains volatile, organic compounds which have a photochemical ozone creation potential.
-------------------------------	---

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste. Note that fully cured material is not considered as hazardous waste.

<u>Waste from residues:</u>	EWC-code: 16 05 08
-----------------------------	--------------------

SAFETY DATA SHEET

Product name:	DUROCIT-3 LIQUID II	Page:	8/10
Revision Date:	2014-12-12	Print date:	2014-12-12
Document No.:	M0191	SDS-ID:	GB-EN/1.0

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN-No: 1866

14.2. UN proper shipping name

Proper Shipping Name: RESIN SOLUTION, flammable

Additional IMDG information:

EmS: F-E, S-E

MFAG: 1

14.3. Transport hazard class(es)

Class: 3

14.4. Packing group

PG: II

14.5. Environmental hazards

Marine pollutant: No.

Environmentally Hazardous substance: No.

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant.

SAFETY DATA SHEET

Product name:	DUROCIT-3 LIQUID II	Page:	9/10
Revision Date:	2014-12-12	Print date:	2014-12-12
Document No.:	M0191	SDS-ID:	GB-EN/1.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<u>Special provisions:</u>	As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.
<u>National regulation:</u>	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. EH40/2005, Workplace exposure limits 2005, with amendments. The Management of Health and Safety at Work Regulations 1999 (SI 1999 No. 3242), with amendments. The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).
<u>15.2. Chemical Safety Assessment</u>	
<u>CSA status:</u>	Not relevant.

SECTION 16: OTHER INFORMATION

For restrictions on use see section 15.

The following sections contain revisions or new statements: -

The (*) indicates the changes made with respect to the previous version.

Approved by DHI.



<u>Additional information:</u>	Classification according to Regulation (EC) No. 1272/2008: Calculation method.
--------------------------------	---

Wording of R-phrases/H-statements:

R10	Flammable.
R11	Highly flammable.
R20	Harmful by inhalation.

SAFETY DATA SHEET

Product name:	DUROCIT-3 LIQUID II	Page:	10/10
Revision Date:	2014-12-12	Print date:	2014-12-12
Document No.:	M0191	SDS-ID:	GB-EN/1.0

R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R36/37/38	Irritating to eyes, respiratory system and skin.
R36/38	Irritating to eyes and skin.
R37/38	Irritating to respiratory system and skin.
R40	Limited evidence of a carcinogenic effect.
R43	May cause sensitisation by skin contact.
R48/20	Harmful: danger of serious damage to health by prolonged exposure through inhalation.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R63	Possible risk of harm to the unborn child.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H372H	Causes damage to organs (hearing organs) through prolonged or repeated exposure.
H373H	May cause damage to organs (hearing organs) through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark.
www.dhigroup.com.