

Printing date 02/24/2012 Reviewed on 11/21/2011

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: MP Amplifier Diluent
- · Catalog or product number: 532-5224
- · Application of the substance / the preparation In-vitro laboratory reagent or component
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Diagnostic Group

4000 Alfred Nobel Drive

Hercules, California 94547

1(510)724-7000

· Information department:

Technical services, customer support

TechsupportUSSD@bio-rad.com

· Emergency telephone number:

1(800) 424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION, or ACCIDENT.

2 Composition/information on ingredients

· Description: Mixture of the substances listed below with non-hazardous additions.

	· Listing of dangerous and non-hazardous components:				
Ī	7732-18-5	water		50-100%	
Ī	107-21-1	ethane-1,2-diol	Xn R22	5-10%	
	26628-22-8	sodium azide	T+ R28 N R50/5 3 R32	0.01-0.1%	

[·] Additional information For the wording of the listed risk phrases refer to section 15.

3 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R22: Harmful if swallowed.

R32: Contact with acids liberates very toxic gas.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.

The classification was made according to OSHA 29CFR 1910.1200 and 1910.1030, and is expanded upon from company and/or literature information.

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials

(Contd. on page 2)



Printing date 02/24/2012 Reviewed on 11/21/2011

Trade name: MP Amplifier Diluent

(Contd. of page 1)

· Code letter and hazard designation of product:



Xn Harmful

· Hazard-determining components of labelling: sodium azide

· Risk phrases:

22 Harmful if swallowed.

32 Contact with acids liberates very toxic gas.

· Safety phrases:

36 Wear suitable protective clothing.

- · Emergency overview:
- · Routes of exposure: Ingestion

4 First aid measures

· General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Immediately call a doctor.

5 Firefighting measures

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Protective equipment: Mount respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- DU



Printing date 02/24/2012 Reviewed on 11/21/2011

Trade name: MP Amplifier Diluent

(Contd. of page 2)

7 Handling and storage

- Handling
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

107-21-1 ethane-1,2-diol

TLV (United States) | Short-term value: C 100 mg/m³

Н

26628-22-8 sodium azide

REL (United States) | Short-term value: C 0.3** mg/m³, C 0.1* ppm

*as HN3 vapor; **as NaN3; Skin

TLV (United States) | Short-term value: C 0.29** mg/m³, C 0.11* ppm

*as HN3 vapor **as NaN3

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical properties

· General Information

· Appearance:

Form: liquid
Color: Colorless
Odor: Odorless

· Change in condition

Melting point/Melting range: undetermined Boiling point/Boiling range: 100°C

· Flash point: > 100°C

(Contd. on page 4)



Printing date 02/24/2012 Reviewed on 11/21/2011

Trade name: MP Amplifier Diluent

	(Contd. of page 3)
· Ignition temperature:	410°C
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Vapor pressure at 20°C:	23 hPa
· Density at 20°C:	1.00846 g/cm³
· Solubility in / Miscibility with Water:	Fully miscible
· Solvent content: Organic solvents: Water:	0.0 % 91.9 %
Solids content: Other information	0.1 % No further relevant information available.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values for hazardous components per OSHA criteria:

107-21-1 ethane-1,2-diol

Oral LD50 5840 mg/kg (rat)
Dermal LD50 9530 mg/kg (rbt)

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 5)



Printing date 02/24/2012 Reviewed on 11/21/2011

Trade name: MP Amplifier Diluent

(Contd. of page 4)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Flush pipes with water frequently if discarding solutions containing sodium azide into metal piping systems.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information		
· UN-Number · ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· Packing group · ADR, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of a and the IBC Code	MARPOL73/78 Not applicable.	

15 Regulatory information

- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)
- Section 302/304 (40CFR355.30 / 40CFR355.40):

26628-22-8 sodium azide

· Section 313 (40CFR372.65):

107-21-1 ethane-1,2-diol

26628-22-8 sodium azide

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 6)



Printing date 02/24/2012 Reviewed on 11/21/2011

Trade name: MP Amplifier Diluent

(Contd. of page 5)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · National regulations
- · Technical instructions (air):

Class	Share in %
NK	5-10

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

· * Data compared to the previous version altered.

DUS