



Revision date: 28-Sep-2016 Version: 1.0 Page 1 of 7

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Daptomycin Injection (Hospira, Inc.)

Trade Name: Not applicable Chemical Family: Not determined

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Pharmaceutical product used as antibiotic agent

Details of the Supplier of the Safety Data Sheet

Hospira, A Pfizer Company 275 North Field Drive Lake Forest, Illinois 60045

Emergency telephone number:

1-800-879-3477

Hospira UK Limited

Horizon Honey Lane Hurley

Maidenhead, SL6 6RJ United Kingdom

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

CHEMTREC (24 hours): 1-800-424-9300

Contact E-Mail: pfizer-MSDS@pfizer.com

2. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS - Classification

Specific target organ systemic toxicity (repeated exposure): Category 2

US OSHA Specific - Classification

Physical Hazard: Combustible Dust

Label Elements

Signal Word: Warning

Hazard Statements: H373 - May cause damage to organs through prolonged or repeated exposure May form

combustible dust concentrations in air

Precautionary Statements: P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P314 - Get medical attention/advice if you feel unwell

P501 - Dispose of contents/container in accordance with all local and national regulations

Other Hazards An Occupational Exposure Value has been established for this substance (see Section 8).

P700404

Material Name: Daptomycin Injection (Hospira, Inc.)

Revision date: 28-Sep-2016

Page 2 of 7

Version: 1.0

Version and Park

Note: This document has been prepared in accordance with standards for workplace safety, which

requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	GHS Classification	%
Sodium hydroxide	1310-73-2	215-185-5	Skin Corr.1A (H314)	**
Daptomycin	103060-53-3	Not Listed	STOT SE 2 (H373)	100

Additional Information: ** to adjust pH

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety

For the full text of the CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE FIGHTING MEASURES

Extinguishing Media: Use carbon dioxide, dry chemical, or water spray.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Emits toxic fumes of carbon monoxide, carbon dioxide, and nitrogen oxides.

Products:

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

Material Name: Daptomycin Injection (Hospira, Inc.) Page 3 of 7 Revision date: 28-Sep-2016 Version: 1.0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Contain the source of spill if it is safe to do so. Collect spilled material by a method that Measures for Cleaning /

controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of Collecting:

dry solids. Clean spill area thoroughly.

Additional Consideration for

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash hands and any exposed skin after removal of PPE. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Store as directed by product packaging. Storage Conditions:

Specific end use(s): Pharmaceutical drug product

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Sodium hydroxide

ACGIH Ceiling Threshold Limit: 2 mg/m³ Australia PEAK 2 ma/m3 2 mg/m³ **Austria OEL - MAKs Bulgaria OEL - TWA** 2.0 mg/m³ Czech Republic OEL - TWA 1 mg/m^3 Estonia OEL - TWA 1 mg/m³ France OEL - TWA 2 mg/m³ **Greece OEL - TWA** 2 mg/m³ **Hungary OEL - TWA** 2 mg/m³ 2 mg/m³ Japan - OELs - Ceilings 0.5 mg/m³ Latvia OEL - TWA **OSHA - Final PELS - TWAs:** 2 mg/m³ **Poland OEL - TWA** 0.5 mg/m³ 2 mg/m^3 Slovakia OEL - TWA 2 mg/m^3 Slovenia OEL - TWA 1 mg/m^3 Sweden OEL - TWAs **Switzerland OEL -TWAs** 2 ma/m3

Daptomycin

Pfizer Occupational Exposure OEB 2 (control exposure to the range of 100ug/m³ to < 1000ug/m³)

Band (OEB):

Material Name: Daptomycin Injection (Hospira, Inc.) Page 4 of 7 Revision date: 28-Sep-2016 Version: 1.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Personal Protective

Refer to applicable national standards and regulations in the selection and use of personal **Equipment:** protective equipment (PPE). Contact your safety and health professional or safety equipment

supplier for assistance in selecting the correct protective clothing/equipment based on an assessment of the workplace conditions, other chemicals used or present in the workplace and

specific operational processes.

Impervious gloves (e.g. Nitrile, etc.) are recommended if skin contact with drug product is Hands:

possible and for bulk processing operations. (Protective gloves must meet the standards in

accordance with EN374, ASTM F1001 or international equivalent.)

Eyes: Wear safety glasses or goggles if eye contact is possible. (Eye protection must meet the

standards in accordance with EN166, ANSI Z87.1 or international equivalent.)

Impervious protective clothing is recommended if skin contact with drug product is possible and Skin:

for bulk processing operations. (Protective clothing must meet the standards in accordance

with EN13982, ANSI 103 or international equivalent.)

Respiratory protection: Under normal conditions of use, if the applicable Occupational Exposure Limit (OEL) is

exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL (e.g. particulate respirator with a half mask, P3 filter). (Respirators must meet the standards in accordance with EN140, EN143, ASTM F2704-10 or international

Molecular Weight:

Mixture

equivalent.)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Lyophilized powder Color: Light yellow to light brown

No data available. No data available. Odor: **Odor Threshold:**

Molecular Formula: Mixture

No data available **Solvent Solubility:** Water Solubility: Highly soluble: pH: 4.5-5.0 Melting/Freezing Point (°C): 215

Boiling Point (°C): No data available.

Partition Coefficient: (Method, pH, Endpoint, Value)

Sodium hydroxide No data available **Daptomycin** No data available

Decomposition Temperature (°C): No data available.

No data available **Evaporation Rate (Gram/s):** Vapor Pressure (kPa): No data available No data available Vapor Density (g/ml): No data available **Relative Density:** Viscosity: No data available

Flammablity:

Autoignition Temperature (Solid) (°C): No data available Flammability (Solids): No data available Flash Point (Liquid) (°C): No data available **Upper Explosive Limits (Liquid) (% by Vol.):** No data available Lower Explosive Limits (Liquid) (% by Vol.): No data available

Material Name: Daptomycin Injection (Hospira, Inc.) Page 5 of 7

Revision date: 28-Sep-2016 Version: 1.0

Polymerization: Will not occur

10. STABILITY AND REACTIVITY

Reactivity: No data available

Stable under normal conditions of use. **Chemical Stability:**

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions. **Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition No data available

Products:

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Short Term: Accidental ingestion may cause effects similar to those seen in clinical use.

Known Clinical Effects: Adverse effects associated with therapeutic use include headache, allergic skin rash, liver

effects, effects on musculoskeletal system, muscle pain, muscle weakness neuromuscular effects. Ingestion of this material may cause effects similar to those generally seen in clinical use of antibiotics including gastrointestinal irritation, vomiting, transient diarrhea, nausea, and

abdominal pain.

Acute Toxicity: (Species, Route, End Point, Dose)

Sodium hydroxide

Mouse IP LD50 40 mg/kg

Daptomycin

Oral Minimum Lethal Dose > 2000 mg/kg Rat Dermal Minimum Lethal Dose > 200mg/kg

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Sodium hydroxide

Eve Irritation Rabbit Severe Skin Irritation Rabbit Severe

Daptomycin

Skin Irritation Rabbit Slight Eve Irritation Rabbit Slight

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Daptomycin

1 Month(s) Intravenous10 mg/kg/day LOAEL Skeletal muscle, Kidney Rat 3 Month(s) Rat Intravenous 1 mg/kg/day LOAEL Skeletal muscle, Kidney

6 Month(s) Rat Intravenous 2 mg/kg/day LOAEL Kidney, Skeletal muscle, Bone Marrow

1 Month(s) Intravenous 10 mg/kg/day LOAEL Bone Marrow, Skeletal muscle, Peripheral nervous system Dog

Material Name: Daptomycin Injection (Hospira, Inc.)

Revision date: 28-Sep-2016

Page 6 of 7

Version: 1.0

TOTAL LANGUAGE TO GOD TO LANGUAGE TO LANGU

11. TOXICOLOGICAL INFORMATION

Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Daptomycin

Reproductive & Fertility Rat Intravenous150 mg/kg/day NOAEL Negative

Embryo / Fetal Development Rat Intravenous 75 mg/kg/day NOAEL Negative, Not Teratogenic Embryo / Fetal Development Rabbit Intravenous 75 mg/kg/day NOAEL Negative, Not Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Daptomycin

Bacterial Mutagenicity (Ames) Salmonella, E. coli Negative
Mammalian Cell Mutagenicity Not specified Negative

Mammalian Cell Mutagenicity Not specified Negative
Chromosome Aberration Chinese Hamster Ovary (CHO) cells Negative

In Vivo Micronucleus Mouse Negative

In Vivo Sister Chromatid Exchange Hamster Negative

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties have not been investigated.

Toxicity:

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

Material Name: Daptomycin Injection (Hospira, Inc.)

Revision date: 28-Sep-2016

Page 7 of 7

Version: 1.0

TOTAL TOTAL

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Sodium hydroxide

CERCLA/SARA 313 Emission reporting Not Listed **CERCLA/SARA Hazardous Substances** 1000 lb and their Reportable Quantities: 454 kg Not Listed **California Proposition 65** Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present Standard for the Uniform Scheduling Schedule 5 for Drugs and Poisons: Schedule 6 215-185-5 **EU EINECS/ELINCS List**

Daptomycin

CERCLA/SARA 313 Emission reporting

California Proposition 65

Not Listed

Standard for the Uniform Scheduling

Schedule 4

for Drugs and Poisons:

EU EINECS/ELINCS List Not Listed

16. OTHER INFORMATION

Text of CLP/GHS Classification abbreviations mentioned in Section 3

Skin corrosion/irritation-Cat.1A; H314 - Causes severe skin burns and eye damage Specific target organ toxicity, single exposure; Respiratory tract irritation-Cat.3; H335 - May cause respiratory irritation Specific target organ toxicity, repeated exposure-Cat.2; H373 - May cause damage to organs through prolonged or repeated exposure

Data Sources: Publicly available toxicity information. Safety data sheets for individual ingredients.

Revision date: 28-Sep-2016

Product Stewardship Hazard Communication

Prepared by: Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet
