# SAFETY DATA SHEET

	_					
SECTION	1. IDENTIFI	CATION OF	THE MA	TERIAL	AND SU	JPPLIER
Product Name	e: DECORATOR	ALKYD WALLBO	OARD SEAL	ER/UNDER	COAT	
Other Names:						
Recommended L		sh applied coating mited New Zealand	Address	32-50 Vogel S	treet Naenae	, Wellington, NEW ZEALAND
Company Name: Phone:			Address:			ellington Mail Centre
Filone.	(04) 577 0500 Fa					
	Resene Paints Lir	nited Australia	Address		5, Ashmore Ci	dinar, Queensland 4214 ty, Queensland 4214
Phone	ΔΙΙΣΤΡΑΙΙΔ				ALIA	
Emergency T	elephone:					
New Zealand	0800 73	7 363 Available M	/londay - F	riday 8.00ar	n - 4.30pm	
	New Ze	aland Poisons Ce	entre: 0800	764 766		
Australia	1800 73	8 383				
	Austral	ian Poisons Cent	re: 131 12	6		
SECTION	12. HAZARD	S IDENTIFIC	CATION			
Hazard Class	sificaton HAZARDO	JS according to N	Z HSNO R	equlations		
		under NZS5433 fo		-		
Risk Phrases	6					
Safety Phras						
	lassification 3.1C 6.					
Hazard State	ments Flammable Causes skir	liquid and vapour				
		aquatic life with lon	na lastina el	fects		
SECTION		SITION / INFO				
Ingredients		%	CAS No			NZ OSH (WES) 2002
White Spirit 2-Butoxyetha	nol	10-30 1-10	8052-41		5 mg/m³ mg/m³	NZ OSH (WES) 2002
-		-		_ 121	mg/m-	
SECTION	4. FIRSTA	D MEASURE	S			
Eyes						if present and easy to do so.
Curelleured	Continue rinsing. If		-			ctor/physician if you feel
Swallowed:	unwell.				120) 01 000	
Skin			•		lothing. Rir	nse skin with water/shower.
	IF skin irritation occu				o oomfortet	le for breathing
Inhaled IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing Aggravated medical conditions caused by exposure						
Aggravated r	nedical conditions ca	aused by exposur	re			
Chronic Heal	th Effects					
Advice to Do						
SECTION	5. FIRE FIGI	HTING MEAS	SURES			
Extinguisher		rbon Dioxide, Dry (	Chemical			
J	. 54, 64					

Hazards from

Compustion products					
Special protective precautions and equipment for firefighters					
Fire/Explosion Hazard Auto Ingnition Temperature Lower Explosion Limit Upper Explosion Limit   Hazchem Code Flash Point n/a 1.6 6.0					
SECTION 6. ACCIDENTAL RELEASE MEASURES					
Emergency Procedures					
Keep spectators away and avoid breathing dust or vapours					
Methods and materials for containment and clean up					
Minor Spills Clean up spills immediately.					
Wear protective clothing and breathing apparatus.					
Use absorbent clean up materials, such as fire retardant treated sawdust or diatomaceous earth.					
Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and waterways.					
Sweep up.					
Place in separate container for disposal or recovery.					
Major Spills Dike and contain spill with inert materials (eg. Sand).					
Keep spills (and as much as possible cleaning runoffs) out of municipal sewers and open bodies of water.					
Restrict access to area. No smoking or naked lights.					
Clear area of personnel and move upwind.					
Alert Fire Brigade and tell them location and nature of hazard.					
Consider evacuation (or protect in place).					
Stop leak if safe to do so.					
Collect recoverable product into labelled containers for recycling.					
SECTION 7. HANDLING AND STORAGE					

Precautions for safe handling Avoid damaging containers. Keep lids on containers when not in use

Conditions for safe storage including any incompatibilities

Storage Temperatures Min 1°C

**Max** 40°C

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National exposure	No exposure standards has been establish	ned for this product
standards for mixture		
Component	Breathing Zone ppm	Breathing Zone mg/m <sup>3</sup>

**Personal Protection** 

- Eye: Safety eyewear with splash guards or side shields to prevent eye contact is recommended when using any paint.
- Hands/Feet Protective clothing. Gloves of neoprene or nitrile rubber Industrial weight lined gauntlet recommended.
- OtherOveralls, impervious clothing, barrier cream, eyewash unit, skin cleansing cream.Practice good caution and personal cleanliness to avoid skin contact. Avoid breathing vapours of<br/>heated materials. Wash hands thoroughly before handling food.

```
Respirator
```

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Coloured viscous liquid

Odour	рН	Vapour Pressure	Vapour Density	Boiling Point	Melt Freeze	Solubility	Volatile by Weig
Hydrocarbon	n/a	n/a	heavier than air	145°C	0°C	Insoluble	45
SECTION	V 10.	STABILITY	AND ACTIV	ITY			

Chemical Stability Product is considered stable under normal storage and handling conditions.

Conditions to Avoid Freezing, excessive heat and changes in temperature

Incompatible Material

DECORATOR ALKYD WALLBOARD SEALER/UNDERCOAPage 2 of 4

Hazardous decomposition product Oxides of carbon and nitrogen Hazardous reactions Hazardous polymerisation will not occur.

## DECORATOR ALKYD WALLBOARD SEALER/UNDERCOAT

# SECTION 11. TOXICOLOGICAL INFORMATION

No data available for this product Refer to individual raw materials

Component Oral: LD50 mg/kg Dermal: LD50 mg/kg

Inhale: LC50 ppm

SECTION 12.	HAZARDS IDENTIFICATION

Do not allow the product to enter the environment No data available for this product

Component Fish: LC50 mg/Lt BCF: <100 Kow

|--|

Special precautions for landfill or incineration

Consult manufacturer for recycling options and recycle where possible

Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed

### SECTION 14. TRANSPORT INFORMATION

UN Number 1263

UN Proper shipping Paint related product

#### Subsidiary risk

Poison Schedule

Packing Group: III

HAZCHEM Code 3[Y]

#### Special precautions for user

# SECTION 15. REGULATORY INFORMATION

Class 3

Group Standard HSR002662 Surface Coatings & Colourants (Flammable)

Approved Handler Not required

## SECTION 16. OTHER INFORMATION

Date of Preparation	9/06/2009
Literature references	MSDS's for individual raw material
Abbreviations:	
NOHSC	National Occupational Health and Safety Commission
TWA	Time weighted average
STEL	Short term exposure limit
CAS Numbe	Chemical Abstract Service registry number
	Threshold limit value
Marine Pollutant	Marine Pollutant

#### Safety data sheets are updated frequently. Please ensure that you have a current copy

The information contained herein is based on data considered accurate and reliable to the best of our knowledge and belief as of the date compiled. However no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use hereof. Resene Paints (New Zealand) Limited assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such users or vendors assume all risks associated with the use of the material. It is the users responsibility to satisfy themselves as to the suitability and completeness of the information for their own particular use. The users must determine whether the use of the information and data is in accordance with local laws and regulations.