Dentsply Amber Wax

Dentsply (Australia) Pty Ltd

Chemwatch: **4613-73** Version No: **4.1.1.1**

Safety Data Sheet according to WHS and ADG requirements

Chemwatch Hazard Alert Code: '

Issue Date: **01/01/2013** Print Date: **18/01/2017** S.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

| Product name | Dentsply Amber Wax |
|-------------------------------|--------------------|
| Synonyms | Not Available |
| Other means of identification | Not Available |

Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | Dental casting wax. |
|--------------------------|---------------------|
|--------------------------|---------------------|

Details of the supplier of the safety data sheet

| Registered company name | Dentsply (Australia) Pty Ltd |
|-------------------------|--|
| Address | 11-21 Gilby Road Mount Waverley VIC 3149 Australia |
| Telephone | 1300 55 29 29 |
| Fax | +61 3 9538 8260 |
| Website | www.dentsply.com.au |
| Email | clientservices@dentsply.com |

Emergency telephone number

| Association / Organisation | Poisons Information Centre (AUSTRALIA) |
|-----------------------------------|--|
| Emergency telephone numbers | 13 11 26 - AUSTRALIA (24 hour service) |
| Other emergency telephone numbers | Not Available |

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

CHEMWATCH HAZARD RATINGS

| | Min | Max ; | |
|--------------|-----|-------|-------------------------|
| Flammability | 1 | | |
| Toxicity | 0 | | 0 = Minimum |
| Body Contact | 1 | | 1 = Low 2 = Moderate |
| Reactivity | 1 | | 3 = High |
| Chronic | 0 | | 4 = Extreme |

| Poisons Schedule | Not Applicable |
|--------------------|----------------|
| Classification | Not Applicable |
| Label elements | |
| GHS label elements | Not Applicable |

| SIGNAL WORD | NOT APPLICABL |
|-------------|---------------|
| | L |

Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Issue Date: **01/01/2013**Print Date: **18/01/2017**

Not Applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|-----------|-----------|--------------|
| 8002-74-2 | NotSpec. | paraffin wax |

SECTION 4 FIRST AID MEASURES

Description of first aid measures

| Eye Contact | If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. For THERMAL burns: Do NOT remove contact lens Lay victim down, on stretcher if available and pad BOTH eyes, make sure dressing does not press on the injured eye by placing thick pads under dressing, above and below the eye. Seek urgent medical assistance, or transport to hospital. | |
|--------------|---|--|
| Skin Contact | If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. In case of burns: Quickly immerse affected area in cold running water for 10 to 15 minutes. Bandage lightly with a sterile dressing. Treat for shock if required. Lay patient down. Keep warm and rested. Transport to hospital, or doctor. | |
| Inhalation | If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor. | |
| Ingestion | Immediately give a glass of water.First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. | |

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- Foam.
- ► Dry chemical powder.
- ▶ BCF (where regulations permit).
- ▶ Carbon dioxide.

Special hazards arising from the substrate or mixture

| Fire Incompatibility | ▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result |
|-------------------------|--|
| Advice for firefighters | |
| Fire Fighting | Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water courses. Use water delivered as a fine spray to control fire and cool adjacent area. |
| Fire/Explosion Hazard | Combustible solid which burns but propagates flame with difficulty; it is estimated that most organic dusts are combustible (circa 70%) - according to the circumstances under which the combustion process occurs, such materials may cause fires and / or dust explosions. Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions). Avoid generating dust, particularly clouds of dust in a confined or unventilated space as dusts may form an explosive mixture with air, and any source of ignition, i.e. flame or spark, will cause fire or explosion. Dust clouds generated by the fine grinding of the solid are a particular hazard; accumulations of fine dust (420 micron or less) may burn rapidly and fiercely if ignited - particles exceeding this limit will generally not form flammable dust clouds; once initiated, however, larger particles up to 1400 microns diameter will contribute to the propagation of an explosion. Combustion products include: carbon dioxide (CO2) carbon monoxide (CO) |

other pyrolysis products typical of burning organic material.

Issue Date: 01/01/2013 Print Date: 18/01/2017

| | May emit corrosive fumes. |
|---------|---------------------------|
| HAZCHEM | Not Applicable |

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| Minor Spills | Clean up all spills immediately. Avoid breathing dust and contact with skin and eyes. Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up procedures and avoid generating dust. [For molten spills. Allow to cool and remove as solid. |
|--------------|---|
| Major Spills | Moderate hazard. ► CAUTION: Advise personnel in area. ► Alert Emergency Services and tell them location and nature of hazard. ► Control personal contact by wearing protective clothing. For molten spills. Allow to cool and remove as solid. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

| Safe handling | Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. |
|-------------------|--|
| Other information | Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers. |

Conditions for safe storage, including any incompatibilities

| Conditions for sale storag | conditions for sale storage, including any incompatibilities | | | | |
|----------------------------|--|--|--|--|--|
| Suitable container | Multi-ply paper bag with sealed plastic liner or heavy gauge plastic bag. NOTE: Bags should be stacked, blocked, interlocked, and limited in height so that they are stable and secure against sliding or collapse. Check that all containers are clearly labelled and free from leaks. Packing as recommended by manufacturer. | | | | |
| Storage incompatibility | Avoid reaction with oxidising agents | | | | |

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | IWA | SIEL | Peak | Notes |
|------------------------------|--------------|---------------------|---------|---------------|---------------|---------------|
| Australia Exposure Standards | paraffin wax | Paraffin wax (fume) | 2 mg/m3 | Not Available | Not Available | Not Available |
| EMERGENCY LIMITS | | | | | | |

| Ingredient | Material name | TEEL-1 | TEEL-2 | TEEL-3 |
|--------------|---------------|---------|---------------|-----------|
| paraffin wax | Paraffin, n- | 6 mg/m3 | 66 mg/m3 | 400 mg/m3 |
| | | | | |
| Ingredient | Original IDLH | R | Revised IDLH | |
| paraffin wax | Not Available | N | lot Available | |

| Exposure controls | |
|----------------------------------|---|
| Appropriate engineering controls | Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. |
| Personal protection | |

Page 4 of 7 Dentsply Amber Wax

Issue Date: **01/01/2013**Print Date: **18/01/2017**

| Eye and face protection | Safety glasses with side shields Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. |
|-------------------------|--|
| Skin protection | See Hand protection below |
| Hands/feet protection | Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber |
| Body protection | See Other protection below |
| Other protection | ▶ Overalls.▶ P.V.C. apron.▶ Barrier cream. |
| Thermal hazards | Not Available |

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

| Required Minimum Protection Factor | Half-Face Respirator | Full-Face Respirator | Powered Air Respirator |
|------------------------------------|----------------------|----------------------|-------------------------|
| up to 10 x ES | A-AUS P2 | - | A-PAPR-AUS / Class 1 P2 |
| up to 50 x ES | - | A-AUS / Class 1 P2 | - |
| up to 100 x ES | - | A-2 P2 | A-PAPR-2 P2 ^ |

^{^ -} Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Appearance | Odourless amber paste; does not mix with water. | | | | | |
|--|---|---|----------------|--|--|--|
| | | | | | | |
| Physical state | Non Slump Paste | Relative density (Water = 1) | 0.9 | | | |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available | | | |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available | | | |
| pH (as supplied) | Not Applicable | Decomposition temperature | Not Available | | | |
| Melting point / freezing point (°C) | 72 | Viscosity (cSt) | Not Available | | | |
| Initial boiling point and boiling range (°C) | >376 | Molecular weight (g/mol) | Not Applicable | | | |
| Flash point (°C) | 296 | Taste | Not Available | | | |
| Evaporation rate | Not Applicable | Explosive properties | Not Available | | | |
| Flammability | Not Applicable | Oxidising properties | Not Available | | | |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Available | | | |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol) | Negligible | | | |
| Vapour pressure (kPa) | Negligible | Gas group | Not Available | | | |
| Solubility in water (g/L) | Immiscible | pH as a solution (1%) | Not Applicable | | | |
| Vapour density (Air = 1) | Not Applicable | VOC g/L | Not Available | | | |

SECTION 10 STABILITY AND REACTIVITY

| Reactivity | See section 7 |
|------------------------------------|--|
| Chemical stability | Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 TOXICOLOGICAL INFORMATION

Dentsply Amber Wax

Issue Date: 01/01/2013 Print Date: 18/01/2017

Information on toxicological effects

| Inhaled | lung damage. | | | |
|--------------------|--|---|--|--|
| Ingestion | The material has NOT been classified by EC Directives or other classification animal or human evidence. | systems as "harmful by ingestion". This is because of the lack of corroborating | | |
| Skin Contact | The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. [Molten wax will cause burns on contact with skin. | | | |
| Eye | The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. Molten wax fumes may be slightly irritating to the eye. | | | |
| Chronic | Long-term exposure to the product is not thought to produce chronic effects a nevertheless exposure by all routes should be minimised as a matter of course | | | |
| | тохісіту | IRRITATION | | |
| Dentsply Amber Wax | Not Available | Not Available | | |
| paraffin wax | TOXICITY dermal (rat) LD50: >2000 mg/kg ^[1] dermal (rat) LD50: >2000 mg/kg ^[1] Oral (rat) LD50: >4500 mg/kg ^[1] Oral (rat) LD50: >4500 mg/kg ^[1] | IRRITATION Eye (rabbit): 100 mg/24 hr-mild Skin (rabbit): 500 mg/24 hr-mild | | |
| Legend: | Value obtained from Europe ECHA Registered Substances - Acute toxicity | 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data | | |

"Hydrocarbon wax" describes a group of solid C20 to C36 paraffinic hydrocarbons which are not absorbed in the gastro-intestinal tract and in small quantity will pass through undigested.

The widespread use in cosmetic and in cosmetic surgery over many years demonstrates the low toxicity of refined waxes and many guidelines exist for their safe use Notwithstanding this, there are occasional reports of adverse effects with these products. Subcutaneous deposits often referred to as paraffinoma, have been described frequently following injection of these materials under the skin but these are not normally associated with other progressive changes Paraffin wax and microcrystalline were each administered orally as a solution in arachis oil to groups of 5 male and 5 female rats at dose levels of 1000 and 5000 g/kg bw. produced no clinical signs of toxicity during the seven day observation period and growth rates were normal.

Studies indicate that normal, branched and cyclic paraffins are absorbed from the mammalian gastrointestinal tract and that the absorption of n-paraffins is inversely proportional to the carbon chain length, with little absorption above C30. With respect to the carbon chain lengths likely to be present in mineral oil, n-paraffins may be absorbed to a greater extent that iso- or cyclo-paraffins.

The major classes of hydrocarbons have been shown to be well absorbed by the gastrointestinal tract in various species. In many cases, the hydrophobic hydrocarbons are ingested in association with dietary lipids.

PARAFFIN WAX

The materials included in the Lubricating Base Oils category are related from both process and physical-chemical perspectives; The potential toxicity of a specific distillate base oil is inversely related to the severity or extent of processing the oil has undergone, since:

- The adverse effects of these materials are associated with undesirable components, and

extracted from RTECS - Register of Toxic Effect of chemical Substances

- The levels of the undesirable components are inversely related to the degree of processing;
- Distillate base oils receiving the same degree or extent of processing will have similar toxicities;
- ▶ The potential toxicity of residual base oils is independent of the degree of processing the oil receives.
- The reproductive and developmental toxicity of the distillate base oils is inversely related to the degree of processing.

Unrefined & mildly refined distillate base oils contain the highest levels of undesirable components, have the largest variation of hydrocarbon molecules and have shown the highest potential carcinogenic and mutagenic activities. Highly and severely refined distillate base oils are produced from unrefined and mildly refined oils by removing or transforming undesirable components.

For highly and severely refined distillate base oils:

In animal studies, the acute, oral, semilethal dose is >5g/kg body weight and the semilethal dose by skin contact is >2g/kg body weight. The semilethal concentration for inhalation is 2.18 to >4 mg/L. The materials have varied from "non-irritating" to "moderately irritating" when tested for skin and eye irritation. Testing for sensitisation has been negative.

Tumorigenic in rats

| A | 2 | 0 | 2 |
|-----------------------------------|---|--------------------------|---|
| Acute Toxicity | 0 | Carcinogenicity | 0 |
| Skin Irritation/Corrosion | 0 | Reproductivity | 0 |
| Serious Eye Damage/Irritation | 0 | STOT - Single Exposure | 0 |
| Respiratory or Skin sensitisation | 0 | STOT - Repeated Exposure | 0 |
| Mutagenicity | 0 | Aspiration Hazard | 0 |

Legend:

- ★ Data available but does not fill the criteria for classification
- Data required to make classification available
- O Data Not Available to make classification

Dentsply Amber Wax

Issue Date: **01/01/2013**Print Date: **18/01/2017**

Toxicity

| Ingredient | Endpoint | Test Duration (hr) | Species | Value | Source | |
|---------------|--|--------------------|----------------|----------------|----------------|--|
| Not Available | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable | |
| Legend: | Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data | | | | | |

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|---------------------------------------|---------------------------------------|
| | No Data available for all ingredients | No Data available for all ingredients |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|------------|---------------------------------------|
| | No Data available for all ingredients |

Mobility in soil

| Ingredient | Mobility |
|------------|---------------------------------------|
| | No Data available for all ingredients |

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

- ► Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility
 can be identified.
- ► Dispose of by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or Incineration in a licenced apparatus (after admixture with suitable combustible material)
- ▶ Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

SECTION 14 TRANSPORT INFORMATION

Labels Required

| Marine Pollutant | NO |
|------------------|----------------|
| HAZCHEM | Not Applicable |

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

USA - TSCA

Legend:

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

$lap{Paraffin Wax(8002-74-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS}$

Υ

Y = All ingredients are on the inventory

| Australia Exposure Standards | | Australia Inventory of Chemical Substances (AICS) |
|--|------------------|---|
| Australia Hazardous Substances Information System - Consolidated Lists | | |
| National Inventory | Status | |
| Australia - AICS | Υ | |
| Canada - DSL | Υ | |
| Canada - NDSL | N (paraffin wax) | |
| China - IECSC | Υ | |
| Europe - EINEC / ELINCS / NLP | Υ | |
| Japan - ENCS | N (paraffin wax) | |
| Korea - KECI | Υ | |
| New Zealand - NZIoC | Υ | |
| Philippines - PICCS | Υ | |

N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

Page 7 of 7 Dentsply Amber Wax

Issue Date: **01/01/2013**Print Date: **18/01/2017**

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

| Name | CAS No |
|--------------|--|
| paraffin wax | 8002-74-2, 12704-91-5, 105054-93-1, 105845-08-7, 115251-23-5, 115251-24-6, 12704-92-6, 12795-75-4, 160936-34-5, 37220-23-8, 37339-80-3, 39355-22-1, 39373-78-9, 51331-35-2, 54692-42-1, 57572-43-7, 57608-84-1, 58057-11-7, 64742-43-4, 64742-51-4, 68607-08-9, 68649-50-3, 70431-26-4, 72993-88-5, 72993-89-6, 72993-90-9, 8035-62-9, 8044-02-8, 8044-79-9, 9083-41-4, 92045-74-4 |

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit $_{\circ}$

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.